

NACOmatic

Effective: 22-October-2009

Expires: 17-December-2009

Your Ad Here

~60,000 Page views/month

Contact:

Doug Ranz

248-318-0011

NACOmatic@hotmail.com

Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: <http://naco.faa.gov/index.asp?xml=naco/onlineproducts>

Copyright

This compilation is protected by US copyright laws and international copyright treaties.

Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS OR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

08F	=>	39	MIO	=>	59
17K	=>	32	MKO	=>	60
37K	=>	34	MLC	=>	58
44M	=>	40	OJA	=>	84
407	=>	59	OKC	=>	65
501	=>	82	OKM	=>	66
79F	=>	27	OUN	=>	62
80F	=>	29	OWP	=>	71
86F	=>	35	PNC	=>	68
90F	=>	33	PVJ	=>	67
91F	=>	34	PWA	=>	64
92F	=>	36	RCE	=>	63
93F	=>	37	RKR	=>	69
95F	=>	38	RQO	=>	43
97F	=>	41	RVS	=>	79
99F	=>	43	SNL	=>	73
ADH	=>	26	SRE	=>	72
ADM	=>	30	SUD	=>	74
AQR	=>	30	SWO	=>	74
AVK	=>	28	TIK	=>	77
AXS	=>	28	TQH	=>	75
BFK	=>	33	TUL	=>	80
BKN	=>	31	WDG	=>	44
BVO	=>	31	WWR	=>	85
CHK	=>	37			
CLK	=>	39			
CQB	=>	35			
CSM	=>	39			
CUH	=>	40			
DUA	=>	42			
DUC	=>	41			
ELK	=>	42			
END	=>	81			
FDR	=>	46			
FSI	=>	51			
GAG	=>	46			
GCM	=>	38			
GMJ	=>	48			
GOK	=>	48			
GUY	=>	49			
GZL	=>	74			
HAX	=>	61			
HBR	=>	52			
HHW	=>	54			
HMY	=>	60			
HSD	=>	64			
JSV	=>	71			
JWG	=>	83			
LAW	=>	56			
LTS	=>	27			
MDF	=>	60			

GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the National Aeronautical Charting Office, FAA, Department of Transportation, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE: <http://nfdc.faa.gov/portal/airportchanges.do>

FAA, Aeronautical Information Services, ATO-R, Rm. 626
800 Independence Ave., SW
Washington, DC 20591
Telephone 1-866-295-8236
Fax 202-267-5322
Email 9-ATOR-HQ-AIS-AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

Effective Date	Airport Information Cut-off date	Airspace Information* Cut-off date
22 Oct 09	9 Sep 09	20 Aug 09
17 Dec 09	4 Nov 09	15 Oct 09
11 Feb 10	30 Dec 09	10 Dec 09
8 Apr 10	24 Feb 10	4 Feb 10
3 Jun 10	21 Apr 10	1 Apr 10
29 Jul 10	16 Jun 10	27 May 10

*Including changes to preferred routes and graphic depictions on charts.

FOR CHARTING ERRORS CONTACT:

FAA, National Aeronautical Charting Office, ATO-W
SSMC-4 Sta. #2335
1305 East West Highway
Silver Spring, MD 20910-3281
Telephone 1-800-626-3677
Email 9-AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our web site at www.naco.faa.gov.
See the FAQs prior to contact via toll free number.

FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Charting Office
Distribution Division, ATO-W
10201 Good Luck Road
Glenn Dale, MD 20769-9700
Online at www.naco.faa.gov
Email 9-AMC-Chartsales@faa.gov
Telephone 1-800-638-8972
Fax 301-436-6829
or any authorized FAA Chart Agent

New or Changed Information—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.

TABLE OF CONTENTS

General Information.....	Inside Front Cover
Abbreviations	2
Directory Legend	4
Airport/Facility Directory	
Arkansas	22
Louisiana	67
Mississippi	105
Oklahoma	140
Texas	200
City/Military Airport Cross Reference	364
Seaplane Landing Areas	365
Special Notices.....	366
Regulatory Notices	378
FAA and National Weather Service	
Telephone Numbers	379
Key to Aviation Weather Reports	380
Air Traffic Facilities Telephone Numbers	382
Air Route Traffic Control Centers	384
Flight Service Station Communication Frequencies	386
Flight Standards District Offices	388
Routes/Waypoints	
Low Altitude Directional Routes	389
High Altitude Preferred Routes	390
High Altitude Directional Routes	394
Q-Routes	395
RNAV Routing Pitch and Catch Points	398
VFR Waypoints	409
VOR Receiver Check	418
Parachute Jumping Areas	425
Aeronautical Chart Bulletins	428
Supplemental Communication Reference	440
Airport Diagrams	448
National Weather Service (NWS) Upper Air Observing Stations	552
Enroute Flight Advisory Service (EFAS)	Inside Back Cover

ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example—"req" may mean "request", "requesting", "requested", or "requests").

AAF	Army Air Field	byd	beyond
AB	Airbase	C	Commercial Circuit (Telephone)
abv	above	CGAF	Coast Guard Air Facility
ACC	Air Combat Command; Area Control Center	CGAS	Coast Guard Air Station
acft	aircraft	CIV	Civil
ADCC	Air Defense Control Center	clsd	closed
AER	approach end rwy	comd	command
AFB	Air Force Base	CONUS	Continental United States
AFHP	Air Force Heliport	CSTMS	Customs
afld	airfield	ctc	contact
AFOD	US Army Flight Operations Detachment	ctl	control
AFRC	Armed Forces Reserve Center/Air Force Reserve Command	dalgt	daylight
AFSS	Automated Flight Service Station	Dec	December
AG	Agriculture	DIAP	DoD Instrument Approach Procedure
A-GEAR	Arresting Gear	DoD	Department of Defense
AGL	above ground level	DSN	Defense Switching Network (Telephone)
AHP	Army heliport	dspld	displaced
ALS	Approach Light System	durn	duration
alt	altitude	eff	effective
AMC	Air Mobility Command	emerg	emergency
ANGS	Air National Guard Station	EOR	End of Runway
apch	approach	ETA	Estimated Time of Arrival
Apr	April	ETD	Estimated Time of Departure
APU	Auxiliary Power Unit	exc	except
ARB	Air Reserve Base	extd	extend
arpt	airport	FBO	fixed-base operator
ARS	Air Reserve Station	Feb	February
AS	Air Station	fld	field
ASDE-X	Airport Surface Detection Equipment—Model X	FLIP	Flight Information Publication
ASU	Aircraft Starting Unit	flt	flight
ATC	Air Traffic Control	flw	follow
Aug	August	Fri	Friday
AUW	All Up Weight (gross weight)	FSS	Flight Service Station
avbl	available	GA	glide angle
bcn	beacon	GCA	Ground Controlled Approach
blo	below	GS	glide slope
		haz	hazard
		HQ	Headquarters

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

hr	hour	npi	non precision instrument
IAP	Instrument Approach Procedure	NS ABTMT	Noise Abatement
ICAO	International Civil Aviation Organization	NSTD	nonstandard
IFR	Instrument Flight Rules	ntc	notice
ILS	Instrument Landing System	obsn	observation
IM	Inner Marker	Oct	October
IMG	Immigration	OLF	Outlying Field
incr	increase	opr	operate, operator, operational
indef	indefinite	ops	operations
ints	intensity	OTS	out of service
invo	in the vicinity of	ovrn	overrun
IMC	Instrument Meteorological Conditions	PAEW	personnel and equipment working
Jan	January	pat	pattern
JASU	Jet Aircraft Starting Unit	p-line	power line
JOAP	Joint Oil Analysis Program	PMSV	Pilot-to-Metro Service
JOSAC	Joint Operational Support Airlift Center	POL	Petrol, Oils and Lubricants
JRB	Joint Reserve Base	PPR	prior permission required
Jul	July	PRM	Precision Runway Monitoring
Jun	June	PTD	Pilot to Dispatcher
Kt	Knots	RAMCC	Regional Air Movement Control Center
LAA	Local Airport Advisory	req	request
LAHSO	Land and Hold Short Operations	rgt tfc	right traffic
lbs	pounds	RON	Remain Overnight
ldg	landing	rqr	require
lgt	lighted	rstd	restricted
lgts	lights	RSRS	reduced same runway separation
LMM	Compass locator at Middle Marker ILS	rw	runway
LOC	Localizer	Sat	Saturday
LOM	Compass locator at Outer Marker ILS	SELF	Strategic Expeditionary Landing Field
ltd	limited	Sep	September
MACC	Military Area Control Center	SFA	Single Frequency Approach
Mar	March	sfc	surface
MCAF	Marine Corps Air Facility	SFRA	Special Flight Rules Area
MICALF	Marine Corps Auxiliary Landing Field	SOAP	Spectrometric Oil Analysis Program
MCAS	Marine Corps Air Station	SOF	Supervisor of Flying
MCB	Marine Corps Base	SPB	Seaplane Base
med	medium	SR	sunrise
METRO	Pilot-to-Metro voice call	SS	sunset
Mil	military	std	standard
min	minute	Sun	Sunday
MLS	Microwave Landing System	svc	service
MM	Middle Marker of ILS	tfc	traffic
Mon	Monday	thld	threshold
MP	Maintenance Period	Thu	Thursday
MSL	mean sea level	tkf	take-off
MSAW	minimum safe altitude warning	tmpry	temporary
NAAS	Naval Auxiliary Air Station	tran	transient
NADC	Naval Air Development Center	Tue	Tuesday
NADEP	Naval Air Depot	twr	tower
NAEC	Naval Air Engineering Center	twy	taxiway
NAES	Naval Air Engineering Station	UC	Under Construction
NAF	Naval Air Facility	USA	United States Army
NALCO	Naval Air Logistics Control Office	USAF	United States Air Force
NALO	Navy Air Logistics Office	USCG	United States Coast Guard
NALF	Naval Auxiliary Landing Field	USN	United States Navy
NAS	Naval Air Station	V	Defense Switching Network (telephone, formerly AUTOVON)
NAWC	Naval Air Warfare Center	VFR	Visual Flight Rules
NAWS	Naval Air Weapons Station	VIP	Very Important Person
ngt	night	VMC	Visual Meteorological Conditions
NOLF	Naval Outlying Field	Wed	Wednesday
Nov	November	wx	weather

DIRECTORY LEGEND

SAMPLE

① CITY NAME
 ② AIRPORT NAME (ALTERNATE NAME) (LTS) (KLTS) CIV/MIL 3 N UTC-6(-5DT) N34°41.93' W99°20.20' JACKSONVILLE
 ③ 200 B S4 FUEL 100 OX 1 TPA-1000(800) AOE Class IV, ARFF Index A NOTAM FILE ORL Not insp. COPTER
 ④ ⑤ ⑥ ⑦ ⑧ ⑨ H-46, L-19C IAP, DIAP, AD

⑩ RWY 18-36: H12004X200 (ASPH-CONC-GRVD)
 S-90, D-160, DT-300 PCN 80 R/B/W/T HIRL CL
 RWY 18: LDIN. MALSF. TDZL. REIL. PAPI(P2R)—GA 3.0° TCH 36'.
 Thld displcd 300'. Trees. Rgt tfc. 0.3° up.
 RWY 36: ALSF1. 0.4° down.
 RWY 09-27: H6000X150 (ASPH) MIRL
 RWY 173-353: H3515X150 (ASPH-PFC) AUW PCN 59 F/A/W/T

⑪ LAND AND HOLD SHORT OPERATIONS
 LANDING HOLD SHORT POINT DIST AVBL
 RWY 18 09-27 6500
 RWY 36 09-27 5400

⑫ RUNWAY DECLARED DISTANCE INFORMATION
 RWY 18: TORA-12004 TODA-12704 ASDA-11704 LDA-11504
 RWY 36: TORA-12004 TODA-12004 ASDA-12004 LDA-11704

⑬ ARRESTING GEAR/SYSTEM
 RWY 18 → HOOK E5 (65' OVRN) BAK-14 BAK-12B (1650')
 BAK-14 BAK-12 (B) (1087') HOOK E5 (74' OVRN) ← RWY 36

⑭ MILITARY SERVICE: A-GEAR E-5 connected on dep end, disconnected on
 apch end. JASU 3(AM32A-60) 2(A/M32A-86)

⑮ ⑯ FUEL J8(Mil) (NC-100, A) FLUID W SP PRESAIR LOX
 OIL O-128 TRAN ALERT Avbl 1300-0200Z†, svc limited weekends.

⑰ ⑱ AIRPORT REMARKS: Special Air Traffic Rules—Part 93, see Regulatory Notices. Attended 1200-0300Z†. Parachute
 Jumping. Deer invov arpt. Heavy jumbo jet training surface to 9000'. Twy A clsd indef. Flight Notification Service
 (ADCUS) avbl.

⑲ MILITARY REMARKS: ANG PPR/Official Business Only. Base OPS DSN 638-4390, C503-335-4222. Ctc Base OPS 15
 minutes prior to ldg and after dep. Limited tran parking.

⑳ WEATHER DATA SOURCES: AWOS-1 120.3 (202) 426-8000. LLWAS.

㉑ COMMUNICATIONS: SFA ATIS 127.25 273.5 (202) 426-8003 UNICOM 122.95 PTD 372.2
 NAME FSS (ORL) on arpt. 123.65 122.65 122.2
 NAME RCO 112.2T 112.1R (NAME RADIO)
 ㉒ NAME APP/DEP CON 128.35 257.725 (1200-0400Z†)
 TOWER 119.65 255.6 (1200-0400Z†) GND CON 121.7 GCO 135.075 (ORLANDO CLNC) CLNC DEL 125.55
 NAME COMD POST (GERONIMO) 311.0 321.4 6761 PMSV METRO 239.8 NAME OPS 257.5


㉓ AIRSPACE: CLASS B See VFR Terminal Area Chart.

㉔ RADIO AIDS TO NAVIGATION: NOTAM FILE ORL. VHF/DF ctc FSS.
 (H) VORTAC 112.2 MCO Chan 59 N28°32.55' W81°20.12' at fld. 1110/8E.
 (H) TACAN Chan 29 CBU (109.2) N28°32.65' W81°21.12' at fld. 1115/8E.
 HERNY NDB (LOM) 221 OR N28°37.40' W81°21.05' 177° 5.4 NM to fld.
 ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.
 ASR/PAR (1200-0400Z†)

㉕ COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.

HELIPAD H1: H100X75 (ASPH)
 HELIPAD H2: H60X60 (ASPH)
 HELIPORT REMARKS: Helipad H1 lctd on general aviation side and H2 lctd on air carrier side of arpt.

187 TPA 1000(813)
 WATERWAY 15-33: 5000X425 (WATER)
 SEAPLANE REMARKS: Birds roosting and feeding areas along river banks. Seaplanes operating adjacent to SW side of
 arpt not visible from twr and are required to ctc twr.



All bearings and radials are magnetic unless otherwise specified.
 All mileages are nautical unless otherwise noted.

All times are Coordinated Universal Time (UTC) except as noted.

All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.

The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).

10

SKETCH LEGEND







RUNWAYS/LANDING AREAS

Hard Surfaced	
Metal Surface	
Sod, Gravel, etc.	
Light Plane,	
Ski Landing Area or Water	
Under Construction	
Closed	
Helicopter Landings Area	
Displaced Threshold	
Taxiway, Apron and Stopways ..	






MISCELLANEOUS BASE AND CULTURAL FEATURES

Buildings	
Power Lines	
Fence	
Towers	
Tanks	
Oil Well	
Smoke Stack	
Obstruction	
Controlling Obstruction	
Trees	
Populated Places	
Cuts and Fills	
Cliffs and Depressions ..	
Ditch	
Hill	

RADIO AIDS TO NAVIGATION

















VORTAC ...		VOR	
VOR/DME ..		NDB	
TACAN		NDB/DME	

MISCELLANEOUS AERONAUTICAL FEATURES

Airport Beacon	
Wind Cone	
Landing Tee	
Tetrahedron	
Control Tower	

APPROACH LIGHTING SYSTEMS

A dot "•" portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting system e.g. (A1) Negative symbology, e.g., (A1) indicates Pilot Controlled Lighting (PCL).

Runway Centerline Lighting	
(A) Approach Lighting System ALSF-2 ..	
(A1) Approach Lighting System ALSF-1 ..	
(A2) Short Approach Lighting System SALS/SALSF	
(A3) Simplified Short Approach Lighting System (SSALR) with RAIL	
(A4) Medium Intensity Approach Lighting System (MALS and MALSF)/(SSALS and SSALF)	
(A5) Medium Intensity Approach Lighting System (MALSR) and RAIL	
(+) Omnidirectional Approach Lighting System (ODALS)	
(D) Navy Parallel Row and Cross Bar ..	
(F) Air Force Overrun	
(V) Visual Approach Slope Indicator with Standard Threshold Clearance provided	
(V2) Pulsating Visual Approach Slope Indicator (PVASI)	
(V3) Visual Approach Slope Indicator with a threshold crossing height to accommodate long bodied or jumbo aircraft	
(V4) Tri-color Visual Approach Slope Indicator (TRCV)	
(V5) Approach Path Alignment Panel (APAP)	
(P) Precision Approach Path Indicator (PAPI)	

LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Nav aids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases. Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

① CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

② ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

③ LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

④ OPERATING AGENCY

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

A	US Army	MC	Marine Corps
AFRC	Air Force Reserve Command	N	Navy
AF	US Air Force	NAF	Naval Air Facility
ANG	Air National Guard	NAS	Naval Air Station
AR	US Army Reserve	NASA	National Air and Space Administration
ARNG	US Army National Guard	P	US Civil Airport Wherein Permit Covers
CG	US Coast Guard		Use by Transient Military Aircraft
CIV/MIL	Joint Use Civil/Military	PVT	Private Use Only (Closed to the Public)
DND	Department of National Defense Canada		

⑤ AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

⑥ TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.

7 GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

8 CHARTS

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER.

9 INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAM

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5-4-5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

10 AIRPORT SKETCH

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

11 ELEVATION

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

12 ROTATING LIGHT BEACON

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

13 SERVICING—CIVIL

S1: Minor airframe repairs.	S5: Major airframe repairs.
S2: Minor airframe and minor powerplant repairs.	S6: Minor airframe and major powerplant repairs.
S3: Major airframe and minor powerplant repairs.	S7: Major powerplant repairs.
S4: Major airframe and major powerplant repairs.	S8: Minor powerplant repairs.

14 FUEL

CODE	FUEL	CODE	FUEL
80	Grade 80 gasoline (Red)	B+	Jet B, Wide-cut, turbine fuel with FS-II*, FP** minus 50° C.
100	Grade 100 gasoline (Green)	J4 (JP4)	(JP-4 military specification) FP** minus 58° C.
100LL	100LL gasoline (low lead) (Blue)	J5 (JP5)	(JP-5 military specification) Kerosene with FS-11, FP** minus 46°C.
115	Grade 115 gasoline (115/145 military specification) (Purple)	J8 (JP8)	(JP-8 military specification) Jet A-1, Kerosene with FS-II*, FP** minus 47°C.
A	Jet A, Kerosene, without FS-II*, FP** minus 40° C.	J8+100	(JP-8 military specification) Jet A-1, Kerosene with FS-II*, FP** minus 47°C, with-fuel additive package that improves thermo stability characteristics of JP-8.
A+	Jet A, Kerosene, with FS-II*, FP** minus 40° C.	J	(Jet Fuel Type Unknown)
A1	Jet A-1, Kerosene, without FS-II*, FP** minus 47°C.	MOGAS	Automobile gasoline which is to be used as aircraft fuel.
A1+	Jet A-1, Kerosene with FS-II*, FP** minus 47° C.		
B	Jet B, Wide-cut, turbine fuel without FS-II*, FP** minus 50° C.		

*(Fuel System Icing Inhibitor)

**(Freeze Point)

NOTE: Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

15 OXYGEN—CIVIL

OX 1 High Pressure	OX 3 High Pressure—Replacement Bottles
OX 2 Low Pressure	OX 4 Low Pressure—Replacement Bottles

16 TRAFFIC PATTERN ALTITUDE

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

17 AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

US Customs Air and Sea Ports, Inspectors and Agents

Northeast Sector (New England and Atlantic States—ME to MD)

407-975-1740

Southeast Sector (Atlantic States—DC, WV, VA to FL)

407-975-1780

Central Sector (Interior of the US, including Gulf states—MS, AL, LA)

407-975-1760

Southwest East Sector (OK and eastern TX)

407-975-1840

Southwest West Sector (Western TX, NM and AZ)

407-975-1820

Pacific Sector (WA, OR, CA, HI and AK)

407-975-1800

18 CERTIFICATED AIRPORT (14 CFR PART 139)

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

14 CFR PART 139 CERTIFICATED AIRPORTS
AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	X			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	X	X		X
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	X	X	X	

14 CFR—PART 139 CERTIFICATED AIRPORTS

INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
A	1	<90'	≥1	500#DC or HALON 1211 or 450#DC + 100 gal H ₂ O
B	1 or 2	≥90', <126' ----- ≥126', <159'	≥5 ----- <5	Index A + 1500 gal H ₂ O
C	2 or 3	≥126', <159' ----- ≥159', <200'	≥5 ----- <5	Index A + 3000 gal H ₂ O
D	3	≥159', <200' ----- >200'	 ----- <5	Index A + 4000 gal H ₂ O
E	3	≥200'	≥5	Index A + 6000 gal H ₂ O

> Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H₂O—Water; DC—Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

19 NOTAM SERVICE

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and

ATC Procedures for detailed description of NOTAM's. Current NOTAMS are available from Flight Service Stations at 1-800-WX-BRIEF. Real time Military NOTAMS are available using the DoD Internet NOTAM Distribution System (DINS) www.notams.jcs.mil.

20 FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

21 RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as STOL, Ultralight, or assault strips. Assault strips are shown by magnetic bearing.

RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt-concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat	(GRVL)—Gravel, or cinders	(PSP)—Pierced steel plank
(ASPH)—Asphalt	(MATS)—Pierced steel planking, landing mats, membranes	(RFSC)—Rubberized friction seal coat
(CONC)—Concrete	(PEM)—Part concrete, part asphalt	(TURF)—Turf
(DIRT)—Dirt	(PFC)—Porous friction courses	(TRTD)—Treated
(GRVD)—Grooved		(WC)—Wire combed

RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	2S	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757, KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body gear type landing gear (A340-600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination landing gear (C5).

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
 - R — Rigid
 - F — Flexible
- (3) The pavement subgrade category:
 - A — High
 - B — Medium
 - C — Low
 - D — Ultra-low
- (4) The maximum tire pressure authorized for the pavement:
 - W — High, no limit
 - X — Medium, limited to 217 psi
 - Y — Low, limited to 145 psi
 - Z — Very low, limited to 73 psi
- (5) Pavement evaluation method:
 - T — Technical evaluation
 - U — By experience of aircraft using the pavement

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.

LIRL—Low Intensity Runway Lights.

MIRL—Medium Intensity Runway Lights.

HIRL—High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL—Centerline Lights.

TDZL—Touchdown Zone Lights.

ODALS—Omni Directional Approach Lighting System.

AF OVRN—Air Force Overrun 1000' Standard Approach Lighting System.

LDIN—Lead-In Lighting System.

MALS—Medium Intensity Approach Lighting System.

MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.

MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

SALSF—Short Approach Lighting System with Sequenced Flashing Lights.

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.

ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.

SF—Sequenced Flashing Lights.

OLS—Optical Landing System.

WAVE—OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.

VISUAL GLIDESLOPE INDICATORS

APAP—A system of panels, which may or may not be lighted, used for alignment of approach path.

PNIL APAP on left side of runway

PNIR APAP on right side of runway

PAPI—Precision Approach Path Indicator

P2L 2-identical light units placed on left side of runway

P4L 4-identical light units placed on left side of runway

P2R 2-identical light units placed on right side of runway

P4R 4-identical light units placed on right side of runway

PVASI—Pulsating/steady burning visual approach slope indicator, normally a single light unit projecting two colors.

PSIL PVASI on left side of runway

PSIR PVASI on right side of runway

SAVASI—Simplified Abbreviated Visual Approach Slope Indicator

S2L 2-box SAVASI on left side of runway

S2R 2-box SAVASI on right side of runway

TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors.

TRIL TRCV on left side of runway

TRIR TRCV on right side of runway

VASI—Visual Approach Slope Indicator

V2L 2-box VASI on left side of runway

V6L 6-box VASI on left side of runway

V2R 2-box VASI on right side of runway

V6R 6-box VASI on right side of runway

V4L 4-box VASI on left side of runway

V12 12-box VASI on both sides of runway

V4R 4-box VASI on right side of runway

V16 16-box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'.

PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-Off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-Off)

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07–25, MALSR Rwy 07, and VASI Rwy 07—122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

RUNWAY SLOPE

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 21: Pole. Rgt tfc. 0.4% down.

RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold-short operations and markings.

RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off.

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided.

LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

22 ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a-gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A-Gear which has a bi-direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A-Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

BI-DIRECTIONAL CABLE (B)

<u>TYPE</u>	<u>DESCRIPTION</u>
BAK-9	Rotary friction brake.
BAK-12A	Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary friction brake.
BAK-12B	Extended BAK-12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary friction brake.
E28	Rotary Hydraulic (Water Brake).
M21	Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK-14	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to five seconds to fully raise the cable.)
H	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to one and one-half seconds to fully raise the cable.)

UNI-DIRECTIONAL CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>
MB60	Textile brake—an emergency one-time use, modular braking system employing the tearing of specially woven textile straps to absorb the kinetic energy.
E5/E5-1/E5-3	Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100 HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under Military Service.

FOREIGN CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>	<u>US EQUIVALENT</u>
44B-3H	Rotary Hydraulic (Water Brake)	
CHAG	Chain	E-5

UNI-DIRECTIONAL BARRIER

<u>TYPE</u>	<u>DESCRIPTION</u>
MA-1A	Web barrier between stanchions attached to a chain energy absorber.
BAK-15	Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction, chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK-15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

<u>TYPE</u>	<u>DESCRIPTION</u>
EMAS	Engineered Material Arresting System, located beyond the departure end of the runway, consisting of high energy absorbing materials which will crush under the weight of an aircraft.

23 MILITARY SERVICE

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

24 JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35-1-7.)

ELECTRICAL STARTING UNITS:

A/M32A-86	AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire DC: 28v, 1500 amp, 72 kw (with TR pack)
MC-1A	AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire DC: 28v, 500 amp, 14 kw
MD-3	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3A	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3M	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 500 amp, 15 kw

MD-4	AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5 kva, 0.8 pf, 520 amp, 2 wire
AIR STARTING UNITS	
AM32-95	150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- 2 psia
AM32A-95	150 +/- 5 lb/min @ 49 +/- 2 psia (35 +/- 2 psig)
LASS	150 +/- 5 lb/min @ 49 +/- 2 psia
MA-1A	82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press
MC-1	15 cfm, 3500 psia
MC-1A	15 cfm, 3500 psia
MC-2A	15 cfm, 200 psia
MC-11	8,000 cu in cap, 4000 psig, 15 cfm
COMBINED AIR AND ELECTRICAL STARTING UNITS:	
AGPU	AC: 115/200v, 400 cycle, 3 phase, 30 kw gen DC: 28v, 700 amp AIR: 60 lb/min @ 40 psig @ sea level
AM32A-60*	AIR: 120 +/- 4 lb/min (1644 +/- 55 cfm) at 49 +/- 2 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva DC: 28v, 500 amp, 15 kw
AM32A-60A	AIR: 150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
AM32A-60B*	AIR: 130 lb/min, 50 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.	
USN JASU	
ELECTRICAL STARTING UNITS:	
NC-8A/A1	DC: 500 amp constant, 750 amp intermittent, 28v; AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz.
NC-10A/A1/B/C	DC: 750 amp constant, 1000 amp intermittent, 28v; AC: 90 kva, 115/200v, 3 phase, 400 Hz.
AIR STARTING UNITS:	
GTC-85/GTE-85	120 lbs/min @ 45 psi.
MSU-200NAV/A/U47A-5	204 lbs/min @ 56 psia.
WELLS AIR START SYSTEM	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.
COMBINED AIR AND ELECTRICAL STARTING UNITS:	
NCPP-105/RCPT	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC, 30 kva.
JASU (ARMY)	
59B2-1B	28v, 7.5 kw, 280 amp.
OTHER JASU	
ELECTRICAL STARTING UNITS (DND):	
CE12	AC 115/200v, 140 kva, 400 Hz, 3 phase
CE13	AC 115/200v, 60 kva, 400 Hz, 3 phase
CE14	AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp
CE15	DC 22-35v, 500 amp continuous 1100 amp intermittent
CE16	DC 22-35v, 500 amp continuous 1100 amp intermittent soft start
AIR STARTING UNITS (DND):	
CA2	ASA 45.5 psig, 116.4 lb/min
COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)	
CEA1	AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp AIR 112.5 lb/min, 47 psig
ELECTRICAL STARTING UNITS (OTHER)	
C-26	28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire
C-26-B, C-26-C	28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire
E3	DC 28v/10kw
AIR STARTING UNITS (OTHER):	
A4	40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B)
MA-1	150 Air HP, 115 lb/min 50 psia
MA-2	250 Air HP, 150 lb/min 75 psia
CARTRIDGE:	
MXU-4A	USAF

(25) FUEL—MILITARY

Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at www.desc.dla.mil/Static/ProductsAndServices.asp; click on the Commercial Airports button.

See legend item 14 for fuel code and description.

(26) SUPPORTING FLUIDS AND SYSTEMS—MILITARY**CODE**

ADI	Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft.
W	Water Thrust Augmentation—Jet Aircraft.
WAI	Water-Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.
SP	Single Point Refueling.
PRESAIR	Air Compressors rated 3,000 PSI or more.
De-Ice	Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243).

OXYGEN:

LPOX	Low pressure oxygen servicing.
HPOX	High pressure oxygen servicing.
LHOX	Low and high pressure oxygen servicing.
LOX	Liquid oxygen servicing.
OXRB	Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be replenished only by replacement of cylinders.)
OX	Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available;

LHOXRB	Low and high pressure oxygen servicing and replacement bottles;
LPOXRB	Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

NITROGEN:

LPNIT	Low pressure nitrogen servicing.
HPNIT	High pressure nitrogen servicing.
LHNIT	Low and high pressure nitrogen servicing.

(27) OIL—MILITARY

US AVIATION OILS (MIL SPECS):

CODE**GRADE, TYPE**

O-113	1065, Reciprocating Engine Oil (MIL-L-6082)
O-117	1100, Reciprocating Engine Oil (MIL-L-6082)
O-117+	1100, O-117 plus cyclohexanone (MIL-L-6082)
O-123	1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
O-128	1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II)
O-132	1005, Jet Engine Oil (MIL-L-6081)
O-133	1010, Jet Engine Oil (MIL-L-6081)
O-147	None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic
O-148	None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil
O-149	None, Aircraft Turbine Engine Synthetic, 7.5c St
O-155	None, MIL-L-6086C, Aircraft, Medium Grade
O-156	None, MIL-L-23699 (Synthetic Base), Turboprop and Turboshaft Engines
JOAP/SOAP	Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request. (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service supported program.)

(28) TRANSIENT ALERT (TRAN ALERT)—MILITARY

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

29 AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

30 MILITARY REMARKS

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircrews and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11-204, AR 95-27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on board are designated Code 6 or higher as explained in AFJMAN 11-213, AR 95-11, OPNAVINST 3722-8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

31 WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS—Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only).

AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2—reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP—indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.

32 COMMUNICATIONS

Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1-800-WX-BRIEF (1-800-992-7433). When the FSS is located on the field it will be indicated as "on aprt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation. (See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies—Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122-126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remote facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol **Ⓡ** indicates radar approach control.

TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON—Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the

VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol  indicates radar departure control.

CLNC DEL—Clearance Delivery.

PRE TAXI CLNC—Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or hours of operation as "Wx obsn svc 1900-0000Z+" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW—Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

AIRSPACE

Information concerning Class B, C, and part-time D and E surface area airspace shall be published with effective times.

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc **APP CON** other times CLASS E:

or

AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc **APP CON** other times CLASS G, with CLASS E 700' (or 1200') AGL & abv:

or

AIRSPACE: CLASS D svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

or

AIRSPACE: CLASS E svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.

Class E 700' AGL (shown as magenta vignette on sectional charts) and 1200' AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700'/1200' AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)

CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

AB _____	Automatic Weather Broadcast.
DF _____	Direction Finding Service.
DME _____	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y) _____	UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME.
GS _____	Glide slope.
H _____	Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH _____	Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H-SAB _____	Non-directional radio beacons providing automatic transcribed weather service.
ILS _____	Instrument Landing System (voice, where available, on localizer channel).
IM _____	Inner marker.
ISMLS _____	Interim Standard Microwave Landing System.
LDA _____	Localizer Directional Aid.
LMM _____	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM _____	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH _____	Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MLS _____	Microwave Landing System.
MM _____	Middle marker.
OM _____	Outer marker.
S _____	Simultaneous range homing signal and/or voice.
SABH _____	Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF _____	Simplified Direction Facility.
TACAN _____	UHF navigational facility-omnidirectional course and distance information.
VOR _____	VHF navigational facility-omnidirectional course only.
VOR/DME _____	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC _____	Collocated VOR and TACAN navigational facilities.
W _____	Without voice on radio facility frequency.
Z _____	VHF station location marker at a LF radio facility.

ILS FACILITY PERFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A – 4 NM prior to runway threshold, B – 3500 ft prior to runway threshold, C – glide angle dependent but generally 750–1000 ft prior to threshold, T – runway threshold, D – 3000 ft after runway threshold, and E – 2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:

ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.

ILS Facility Performance
Classification Code

FREQUENCY PAIRING PLAN AND MLS CHANNELING

MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL
500	108.10	18X	568	109.45	31Y	636	114.15	88Y
502	108.30	20X	570	109.55	32Y	638	114.25	89Y
504	108.50	22X	572	109.65	33Y	640	114.35	90Y
506	108.70	24X	574	109.75	34Y	642	114.45	91Y
508	108.90	26X	576	109.85	35Y	644	114.55	92Y
510	109.10	28X	578	109.95	36Y	646	114.65	93Y
512	109.30	30X	580	110.05	37Y	648	114.75	94Y
514	109.50	32X	582	110.15	38Y	650	114.85	95Y
516	109.70	34X	584	110.25	39Y	652	114.95	96Y
518	109.90	36X	586	110.35	40Y	654	115.05	97Y
520	110.10	38X	588	110.45	41Y	656	115.15	98Y
522	110.30	40X	590	110.55	42Y	658	115.25	99Y
524	110.50	42X	592	110.65	43Y	660	115.35	100Y
526	110.70	44X	594	110.75	44Y	662	115.45	101Y
528	110.90	46X	596	110.85	45Y	664	115.55	102Y
530	111.10	48X	598	110.95	46Y	666	115.65	103Y
532	111.30	50X	600	111.05	47Y	668	115.75	104Y
534	111.50	52X	602	111.15	48Y	670	115.85	105Y
536	111.70	54X	604	111.25	49Y	672	115.95	106Y
538	111.90	56X	606	111.35	50Y	674	116.05	107Y
540	108.05	17Y	608	111.45	51Y	676	116.15	108Y
542	108.15	18Y	610	111.55	52Y	678	116.25	109Y
544	108.25	19Y	612	111.65	53Y	680	116.35	110Y
546	108.35	20Y	614	111.75	54Y	682	116.45	111Y
548	108.45	21Y	616	111.85	55Y	684	116.55	112Y
550	108.55	22Y	618	111.95	56Y	686	116.65	113Y
552	108.65	23Y	620	113.35	80Y	688	116.75	114Y
554	108.75	24Y	622	113.45	81Y	690	116.85	115Y
556	108.85	25Y	624	113.55	82Y	692	116.95	116Y
558	108.95	26Y	626	113.65	83Y	694	117.05	117Y
560	109.05	27Y	628	113.75	84Y	696	117.15	118Y
562	109.15	28Y	630	113.85	85Y	698	117.25	119Y
564	109.25	29Y	632	113.95	86Y			
566	109.35	30Y	634	114.05	87Y			

FREQUENCY PAIRING PLAN AND MLS CHANNELING

The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
2X	134.5	-	19Y	108.25	544	25X	108.80	-
2Y	134.55	-	20X	108.30	502	25Y	108.85	556
11X	135.4	-	20Y	108.35	546	26X	108.90	508
11Y	135.45	-	21X	108.40	-	26Y	108.95	558
12X	135.5	-	21Y	108.45	548	27X	109.00	-
12Y	135.55	-	22X	108.50	504	27Y	109.05	560
17X	108.00	-	22Y	108.55	550	28X	109.10	510
17Y	108.05	540	23X	108.60	-	28Y	109.15	562
18X	108.10	500	23Y	108.65	552	29X	109.20	-
18Y	108.15	542	24X	108.70	506	29Y	109.25	564
19X	108.20	-	24Y	108.75	554	30X	109.30	512

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
30Y	109.35	566	63X	133.60	-	95Y	114.85	650
31X	109.40	-	63Y	133.65	-	96X	114.90	-
31Y	109.45	568	64X	133.70	-	96Y	114.95	652
32X	109.50	514	64Y	133.75	-	97X	115.00	-
32Y	109.55	570	65X	133.80	-	97Y	115.05	654
33X	109.60	-	65Y	133.85	-	98X	115.10	-
33Y	109.65	572	66X	133.90	-	98Y	115.15	656
34X	109.70	516	66Y	133.95	-	99X	115.20	-
34Y	109.75	574	67X	134.00	-	99Y	115.25	658
35X	109.80	-	67Y	134.05	-	100X	115.30	-
35Y	109.85	576	68X	134.10	-	100Y	115.35	660
36X	109.90	518	68Y	134.15	-	101X	115.40	-
36Y	109.95	578	69X	134.20	-	101Y	115.45	662
37X	110.00	-	69Y	134.25	-	102X	115.50	-
37Y	110.05	580	70X	112.30	-	102Y	115.55	664
38X	110.10	520	70Y	112.35	-	103X	115.60	-
38Y	110.15	582	71X	112.40	-	103Y	115.65	666
39X	110.20	-	71Y	112.45	-	104X	115.70	-
39Y	110.25	584	72X	112.50	-	104Y	115.75	668
40X	110.30	522	72Y	112.55	-	105X	115.80	-
40Y	110.35	586	73X	112.60	-	105Y	115.85	670
41X	110.40	-	73Y	112.65	-	106X	115.90	-
41Y	110.45	588	74X	112.70	-	106Y	115.95	672
42X	110.50	524	74Y	112.75	-	107X	116.00	-
42Y	110.55	590	75X	112.80	-	107Y	116.05	674
43X	110.60	-	75Y	112.85	-	108X	116.10	-
43Y	110.65	592	76X	112.90	-	108Y	116.15	676
44X	110.70	526	76Y	112.95	-	109X	116.20	-
44Y	110.75	594	77X	113.00	-	109Y	116.25	678
45X	110.80	-	77Y	113.05	-	110X	116.30	-
45Y	110.85	596	78X	113.10	-	110Y	116.35	680
46X	110.90	528	78Y	113.15	-	111X	116.40	-
46Y	110.95	598	79X	113.20	-	111Y	116.45	682
47X	111.00	-	79Y	113.25	-	112X	116.50	-
47Y	111.05	600	80X	113.30	-	112Y	116.55	684
48X	111.10	530	80Y	113.35	620	113X	116.60	-
48Y	111.15	602	81X	113.40	-	113Y	116.65	686
49X	111.20	-	81Y	113.45	622	114X	116.70	-
49Y	111.25	604	82X	113.50	-	114Y	116.75	688
50X	111.30	532	82Y	113.55	624	115X	116.80	-
50Y	111.35	606	83X	113.60	-	115Y	116.85	690
51X	111.40	-	83Y	113.65	626	116X	116.90	-
51Y	111.45	608	84X	113.70	-	116Y	116.95	692
52X	111.50	534	84Y	113.75	628	117X	117.00	-
52Y	111.55	610	85X	113.80	-	117Y	117.05	694
53X	111.60	-	85Y	113.85	630	118X	117.10	-
53Y	111.65	612	86X	113.90	-	118Y	117.15	696
54X	111.70	536	86Y	113.95	632	119X	117.20	-
54Y	111.75	614	87X	114.00	-	119Y	117.25	698
55X	111.80	-	87Y	114.05	634	120X	117.30	-
55Y	111.85	616	88X	114.10	-	120Y	117.35	-
56X	111.90	538	88Y	114.15	636	121X	117.40	-
56Y	111.95	618	89X	114.20	-	121Y	117.45	-
57X	112.00	-	89Y	114.25	638	122X	117.50	-
57Y	112.05	-	90X	114.30	-	122Y	117.55	-
58X	112.10	-	90Y	114.35	640	123X	117.60	-
58Y	112.15	-	91X	114.40	-	123Y	117.65	-
59X	112.20	-	91Y	114.45	642	124X	117.70	-
59Y	112.25	-	92X	114.50	-	124Y	117.75	-
60X	133.30	-	92Y	114.55	644	125X	117.80	-
60Y	133.35	-	93X	114.60	-	125Y	117.85	-
61X	133.40	-	93Y	114.65	646	126X	117.90	-
61Y	133.45	-	94X	114.70	-	126Y	117.95	-
62X	133.50	-	94Y	114.75	648			
62Y	133.55	-	95X	114.80	-			

35 COMM/NAV/WEATHER REMARKS:

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.

ADA MUNI (ADH) 2 N UTC-6(-5DT) N34°48.25' W96°40.27'

1016 B S4 FUEL 100LL, JET A TPA-1808(792) NOTAM FILE ADH

RWY 17-35: H6203X100 (ASPH) S-50, D-140, ST-175, DT-224 MIRL 0.6% up N

RWY 17: ODALS. PAPI(P4L)—GA 3.0° TCH 44'. P-line.

RWY 35: REIL. PAPI(P4L)—GA 2.0° TCH 19'. Thld dsplcd 100'.

Trees.

RWY 13-31: H2100X50 (ASPH) S-50, D-171, ST-175, DT-280

0.8% up NW

RWY 31: Antenna.

AIRPORT REMARKS: Attended Mon-Fri 1330-0000Z, Sat

1300-2300Z, Sun 1700-2200Z. For fuel after hours call

580-235-5279. Twy A3 clsd indef. MIRL Rwy 17-35 preset low

ints, to increase ints and ACTIVATE REIL Rwy 35 and ODALS Rwy

17—CTAF. Landing fee for acft weight 50,000 lbs or greater.

WEATHER DATA SOURCES: AWOS-3 118.725 (580) 332-6222.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.45 (MC ALESTER RADIO)

® FORT WORTH CENTER APP/DEP CON 128.1

RADIO AIDS TO NAVIGATION: NOTAM FILE ADH.

(T) VOR/DME 117.8 ADH Chan 125 N34°48.15'

W96°40.21' at fld. 987/6E.


VOR/DME unusable 125°-145°.

VOR portion unusable 291°-324° byd 15 NM blo 5000', 325°-348°.

DALLAS-FT. WORTH

H-6H, L-17C

IAP

**ARDMO** N34°13.94' W96°55.99' NOTAM FILE ADM.

DALLAS-FT WORTH

NDB (LOM) 400 AI 309° 6.1 NM to Ardmore Muni. Unmonitored when twr clsd.

AFTON**CHEROKEE SPB** (406) 7 SW UTC-6(-5DT) N36°35.00' W94°55.01'

KANSAS CITY

739 TPA-1239(500) NOTAM FILE MLC

WATERWAY ALL WAY: 10000X800 (WATER)**WATERWAY NE-SW:** 4000X200 (WATER)**SEAPLANE REMARKS:** Unattended.**COMMUNICATIONS:** CTAF 122.9**GRAND LAKE RGNL** (309) 9 SE UTC-6(-5DT) N36°34.66' W94°51.71'

KANSAS CITY

792 FUEL 100LL, JET A NOTAM FILE MLC

L-16F

RWY 17-35: H3925X60 (CONC) S-30, D-60, DT-80 MIRL

RWY 17: REIL. VASI(V2L)—GA 4.25° TCH 35'. Dsplcd thld 230'.

Trees.

RWY 35: VASI(V2L)—GA 3.75° TCH 29'. Dsplcd thld 230'.

AIRPORT REMARKS: Attended 1200-0300Z. +130' twr 1,200' E of Rwy

17. Rwy 17 end is 30' higher than Rwy 35 end. Rwy 17-35 230'

safety zone on either end of rwy marked as dsplcd thld. Birds on

and invof arpt. Rwy 35 VASI OTS indef. Rwy 17 REIL OTS indef.


ACTIVATE MIRL Rwy 17-35, REIL Rwy 17, VASI Rwy 17 and Rwy

35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 EOS Chan 120 N36°50.55'

W94°26.14' 225° 26.0 NM to fld. 1200/7E.



TERAMIRANDA (79F) 7 SE UTC-6(-5DT) N36°36.50' W94°52.35'

KANSAS CITY

793 NOTAM FILE MLC

RWY 18-36: 2580X35 (TURF)

RWY 18: Road.

RWY 36: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

ALTUS AFB (LTS)(KLTS) AF 3 E UTC-6(-5DT) N34°39.99' W99°16.09'

DALLAS-FT WORTH

1382 B TPA—See Remarks NOTAM FILE LTS Not insp.

H-6H, L-17B

RWY 17R-35L: H13440X150 (CONC) PCN 50 R/C/W/T HIRL (NSTD)

DIAP, AD

RWY 17R: ALSF1. PAPI(P4L).

RWY 35L: ALSF1. PAPI(P4L).

RWY 17L-35R: H9001X150 (ASPH) PCN 69 R/B/W/T HIRL

RWY 17L: ALSF1. PAPI(P4L).

0.3% down.

RWY 35R: ALSF1. PAPI(P4L).

RWY 17A-35A: H3501X94 (ASPH) PCN 59 F/A/W/T MIRL 0.4% up N

MILITARY SERVICE: LGT: Rwy 35R and 35L SFL OTS indef. Reduced primary sfc obstruction lgts for Rwy 17L-35 during night vision device ops.

JASU (A/M32A-86) (AM32A-95) (MXU-4A-A)

FUEL J8

FLUID W SP PRESAIR

LOX LOX

SOAP (24 hr prior notice) **TRAN ALERT** Svc avbl Mon-Fri 1500-0001Z† clsd Sat, Sun and holidays. Tran

maintenance and parts support extremely limited. No maintenance avbl for magnetic chip indicator inspection on F16 acft with GE F110 engines.

MILITARY REMARKS: Opr Mon-Fri 1430-0830Z†, clsd weekends and holidays. Aflid Management Ops opr weekdays 1245-0830Z†, clsd weekends and federal holidays. See FLIP AP/1 Supplementary Arpt Info. **RSTD** PPR rqr 48 hr prior notice rqr. Ctc Aflid Management Ops DSN 866-6200/6415, C 580-481-6200/6415. PPR valid +/- 30 min prior/after ETA. Early/late arrival/ departure must re-coordinate with aflid management ops. Transient aircrews must contact aflid management ops for pattern work request. Limited to one apch Mon-Fri. Altus acft take priority over tran acft. Rwy 17A-35A for assault strip training only. Transient acft ctc Current Ops for scheduling/approval, DSN 866-6544. Due to unscheduled aflid closings, aircrews utilizing Altus AFB as an alternate must advise their dep Aflid Management Ops or local FSS to include KLTSYXX as an addressee on the orig DD 175 Flight Plan and on any change, delay, dep and cancel message. All inbound passenger/cargo acft ctc command post (Geronimo 349.4) no later than 30 min prior to ldg. All acft with haz cargo (including MJU7 and MJU10 flares) notify Aflid Management Ops (PTD 372.2) and Command Post no later than 30 min prior to ldg. Minimum Communications Security aids and overnight storage avbl for transient aircrews only. Parking spot 47 rstd to push back/taxi off only, engine runs cannot exceed minimum power. All eng runs must be coord thru aflid mgr dur nml duty hr, after nml hr ctc Cmd Post. Eng runs not authorized in front of the asphalt vehicle access road to the compass rose. Aircrews advised not to exceed min power to taxi off parking spots 1-8, no engine runs. All Taxiway VFR holding positions correct, but do not coincide with rwy hold position signs. Movement area thru wash rack clsd. All acft must use minimum taxi power on Twy C. **CAUTION** Heavy/jumbo jet training surface to 9000' within 25 NM radius. NSTD twy widths: Twy C, south of Twy G to Twy D 50'. Rwy 17L-35R NSTD assault strip marked from thld to approximately 3500' each end. Exercise extreme caution for acft (1428†) taxiing 350' east of dep end Rwy 17A. Ngt Vision Devices Trng Tue-Sat 0230-0630Z, tran acft will ctc Aflid Management Ops (372.2) or Comd Post (Geronimo 349.4) 30 min prior to arrival. No twy edge lgt: on Twy H, Twy J, Twy M, from midpoint of Twy D southside to Twy B turnoff on Twy C abeam closed Twy F westside, retro-reflective twy edge stripes in place those locations. Altus AFB has the following NSTD markings: wingtip clnc lines in the Mass Acft Park Area, driving lane lines located on Twy B and Twy A, and C17 star turn markings located on the North Ramp, Twy J and Twy L/M ground ops area. **TFC PAT** TPA—East, overhead 3400(2018), rectangular 2900(1518), helicopter 1900(518). West (fighter acft only) overhead Rwy 17R 3400(2018). **MISC** Trw visibility obstruction of Rwy 35L apch end and Twy C, south of Twy E-1 intersection.

COMMUNICATIONS: ATIS 109.8 273.5 PTD 372.2

① **APP CON** 125.1 257.725, other times ctc

FORT WORTH CENTER APP CON 128.4 269.375 133.5 350.35

TOWER 119.65 255.6 (Mon-Fri 1430-0830Z†) **GND CON** 121.85 275.8 **CLNC DEL** 120.65 284.7

① **DEP CON** 125.1 290.9, other times ctc

FORT WORTH CENTER DEP CON 128.4 290.2 133.5 350.35

COMD POST (Call GERONIMO) 311.0 321.0 349.4 6761 **SOF** 349.4 **PMSV METRO** 239.8. Opr weekdays 24 hrs.

Clsd weekends and holidays. Forecast svc avbl 1800Z† Mon-end of flying day Fri. Remote briefing svc avbl Barksdale AFB. DSN 781-4775 C318-456-4775. AN/FMQ-19 in use and augmented as required. Auto obsn when aflid closed.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

(L) **VORTAC** 109.8 LTS Chan 35 N34°39.78' W99°16.27' at fld. 1370/8E. No NOTAM MP Mon, Wed 1100-1400Z†.

ILS 110.55 I-RUK Rwy 17L. No NOTAM MP Tue-Thu 1100-1400Z†.

ILS 110.55 I-FNM Rwy 35R. No NOTAM MP Tue-Thu 1100-1400Z†.

ASR/PAR Radar see Terminal FLIP for Radar Minima.

ALTUS/QUARTZ MOUNTAIN RGNL (AXS) 3 N UTC-6(-5DT) N34°41.93' W99°20.31'

DALLAS-FT. WORTH

1433 B S4 FUEL 100LL, JET A TPA-2433(1000) NOTAM FILE AXS

H-6H, L-17B

RWY 17-35: H5501X75 (CONC) S-30, D-48, DT-90 MIRL 0.3% up N

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 50'.

RWY 35: PAPI(P4L)—GA 3.0° TCH 50'.

AIRPORT REMARKS: Attended 1300-0300Z†. For svc after hrs call 580-471-0992. Do not mistake Altus AFB 4 miles southeast of arpt. 320' tower 2.6 miles south of arpt. Numerous agricultural acft ops invov arpt. Numerous heavy military jet acft ops invov arpt. Ultralight activity on and invov arpt. MIRL Rwy 17-35 preset med ints, to incr ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.825 (580) 477-1745.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z† except Federal hols)

FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri

0830-1430Z†, Sat-Sun and Federal hols 24 hrs)


RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.

HOBART (L) VORTACW 111.8 HBR Chan 55 N34°51.99'

W99°03.80' 224° 16.9 NM to fld. 1472/10E.

(L) **VORTAC** 109.8 LTS Chan 35 N34°39.77'

W99°16.26' 295° 4.0 NM to fld. 1370/8E. NOTAM FILE MLC.



ALVA RGNL (AVK) 2 S UTC-6(-5DT) N36°46.39' W98°40.20'

WICHITA

1474 B S2 FUEL 100LL, JET A NOTAM FILE AVK

L-15D

RWY 17-35: H4386X75 (ASPH) S-15 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 52'. Building.

RWY 35: PAPI(P2L) Thld displcd 145'.

RWY 08-26: 1850X170 (TURF)

RWY 26: P-line.

AIRPORT REMARKS: Attended Oct-Mar 1400-2300Z†, Apr-Sep 1400-0000Z†. Fuel 24 hr automated credit card system. Rwy 08-26 gopher holes in rwy.

WEATHER DATA SOURCES: AWOS-3 121.125 (580) 327-6778.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **VANCE APP/DEP CON** 119.775 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†,

(1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun

2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat

and Federal holidays. Other times by NOTAM.

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8. (1 Mar-31 Oct) Mon-Fri

0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†,


(1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun

2300-1900Z†, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE ICT.

ANTHONY (L) VORTAC 112.9 ANY Chan 76 N37°09.54'

W98°10.24' 219° 33.3 NM to fld. 1390/7E.



ANADARKO MUNI (F68) 2 SW UTC-6(-5DT) N35°03.13' W98°15.86'

DALLAS-FT. WORTH


1286 B FUEL 100LL NOTAM FILE MLC

L-17C

RWY 17-35: H3100X50 (ASPH) S-12.5 LIRL

AIRPORT REMARKS: Unattended. Fuel avbl by phone req 405-247-2481 between 1400-2300Z+. After hours call police 405-247-2411.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 234° 37.1 NM to fld. 1237/7E. HIWAS.

**ANTLERS MUNI** (80F) 1 SW UTC-6(-5DT) N34°11.56' W95°38.99'

DALLAS-FT. WORTH

575 B FUEL 100LL NOTAM FILE MLC

L-17D

RWY 17-35: H3299X60 (ASPH) S-12 MIRL

IAP

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Unattended. Fuel avbl 24 hr with automated credit card system. Rwy has moderate to severe cracking. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 124.875

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97' W95°46.94' 162° 39.9 NM to fld. 820/8E. HIWAS.

NDB (MHW) 391 AEE N34°11.51' W95°39.12' at fld.



ARDMORE**ARDMORE DOWNTOWN EXECUTIVE** (1F0) 1 SE UTC-6(-5DT) N34°08.82' W97°07.36'**DALLAS-WORTH**

844 B FUEL 100LL, JET A TPA-1800(956) NOTAM FILE 1F0

H-6H, L-17C

RWY 17-35: H5000X75 (ASPH) S-20 MIRL

IAP

RWY 17: REIL. PAPI(P4L)—GA 4.0° TCH 30'. Trees.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300, Sun 1800-2300Z†.


Fuel avbl 24 hrs with credit card. Ultralights on and invof arpt.

Rotating bcn OTS indef. ACTIVATE MIRL Rwy 17-35, REIL Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.15 (580) 226-1536.**COMMUNICATIONS:** CTAF/UNICOM 122.7® **FORT WORTH CENTER APP/DEP CON** 128.1**GCO** 121.725 (FLIGHT SERVICES)**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.(H) **VORTACW** 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 144° 4.5 NM to fld. 925/6E. Unusable

316°-326° blo 4,000'.

**ARDMORE MUNI** (ADM) 10 NE UTC-6(-5DT) N34°18.18' W97°01.18'**DALLAS-FT. WORTH**

762 B S2 FUEL 100LL, JET A NOTAM FILE ADM

H-6H, L-17C

RWY 13-31: H7220X150 (CONC) S-24 HIRL 0.5% up NW

IAP, AD

RWY 13: PAPI(P4L). Gnd.

RWY 31: MALSR. VASI(V4L)—GA 3.0° TCH 52'. Trees.

RWY 17-35: H5350X100 (ASPH) S-36 MIRL 0.5% up N

RWY 17: Trees. RWY 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-0500Z†, Sat-Sun


1300-2300Z†. Deer on and invof arpt. Twr 37' AGL 800' east of

Rwy 31. Rwy 31 thld dspcd 300' indef. ACTIVATE HIRL Rwy

13-31, MIRL Rwy 17-35 and MALSR Rwy 31—CTAF.

WEATHER DATA SOURCES: AWOS-3 (580) 389-5078. LAWRS.**COMMUNICATIONS:** CTAF 118.5 ATIS 125.6 UNICOM 122.95**RCO** 122.55 (MCALISTER RADIO)**FORT WORTH CENTER APP/DEP CON** 128.1**TOWER** 118.5 (Mon-Fri 1300-0500Z†, Sat-Sun 1300-2300Z†)**GND CON** 121.8**AIRSPACE:** CLASS D svc Mon-Fri 1300-0500Z†, Sat-Sun 1300-2300Z†
other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.(H) **VORTACW** 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 047° 9.2 NM to fld. 925/6E.

ADDMO NDB (LOM) 400 AI N34°13.94' W96°55.99' 309° 6.0 NM to fld. Unmonitored when twr clsd.**ILS** 108.9 I-AIW Rwy 31. LOM **ADDMO NDB**. Unmonitored when twr clsd.**ARROWHEAD** (See CANADIAN)**ATOKA MUNI** (AQR) 1 NW UTC-6(-5DT) N34°23.90' W96°08.88'**DALLAS-FT. WORTH**

590 B FUEL 100LL NOTAM FILE AQR

L-17D

RWY 18-36: H3015X40 (ASPH) S-4 MIRL

RWY 18: Thld dspcd 197'. Trees. RWY 36: Thld dspcd 233'. Trees.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with automated credit card system.**WEATHER DATA SOURCES:** AWOS-3 121.125 (580) 889-6924.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**MC ALESTER (L) VORTACW** 112.0 MLC Chan 57 N34°50.97' W95°46.94' 206° 32.5 NM to fld. 820/8E.

HIWAS.

BARTLESVILLE MUNI (BVO) 1 NW UTC-6(-5DT) N36°45.85' W96°00.67'

KANSAS CITY

711 B S2 FUEL 100LL, JET A TPA-1795(1084) NOTAM FILE BVO

H-6I, L-15E

RWY 17-35: H6200X100 (ASPH-CONC-GRVD) S-50, D-100, ST-127, DT-170 MIRL 0.4% up S IAP

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 53'. Rgt tfc.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees.

AIRPORT REMARKS: Attended Oct-Mar 1300-0100Z†, Apr-Sep 1300-0300Z†. PAEW on Rwy 17 end. ACTIVATE MIRL Rwy 17-35 and REIL Rwy 35-120.0 ACTIVATE PAPI Rwy 17 and Rwy 35 and MALSR Rwy 17-123.0.

WEATHER DATA SOURCES: ASOS 132.675 (918)336-2070.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 123.6 (MC ALESTER RADIO)

® KANSAS CITY CENTER APP/DEP CON 128.8

BARTLESVILLE ADVISORY 122.825 (1200-0000Z†)

AIRSPACE: CLASS E svc 1200-0000Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE BVO.


(L) VORW/DME 117.9 BVO Chan 126 N36°50.06'

W96°01.10' 167° 4.2 NM to fld. 940/8E.

DEWIE NDB (LOM) 201 BV N36°50.37' W96°00.84' 171° 4.5 NM to fld.

ILS 111.3 I-BVO Rwy 17. LOM DEWIE NDB. LOC only.

LOC unusable byd 20° right of course. LOC unmonitored.

**BEAVER MUNI** (K44) 1 SW UTC-6(-5DT) N36°47.93' W100°31.79'

WICHITA

2491 B NOTAM FILE MLC

L-15C

RWY 17-35: H3030X43 (ASPH) S-4

RWY 17: Tower.

RWY 35: Road.

RWY 04-22: 3025X95 (TURF)

RWY 22: P-line.

AIRPORT REMARKS: Unattended. Rwy 17-35 CLOSED indef for reconstruction. Rwy 17-35 surface rough.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LBL.

LIBERAL (H) VORTACW 112.3 LBL Chan 70 N37°02.66' W100°58.27' 114° 25.8 NM to fld. 2981/11E.

HIWAS.

BIG CREEK (See BOKCHITO)**BLACKWELL-TONKAWA MUNI** (BKN) 5 SW UTC-6(-5DT) N36°44.71' W97°20.98'

WICHITA

1030 B S2 FUEL 100LL NOTAM FILE MLC

L-15D

RWY 17-35: H3501X60 (ASPH) S-30, D-48, DT-98 MIRL 0.6% up N IAP

RWY 17: VASI(V2L)—GA 3.0° TCH 26'.

RWY 35: VASI(V2L)—GA 3.0° TCH 26'.

AIRPORT REMARKS: Attended Sun-Fri 1400-0000Z†.

WEATHER DATA SOURCES: AWOS-3 120.575 (580) 363-0688.


COMMUNICATIONS: CTAF/UNICOM 122.8

KANSAS CITY CENTER APP/DEP CON 127.8

RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.

PIONEER (H) VORTACW 113.2 PER Chan 79 N36°44.79'

W97°09.61' 264° 9.1 NM to fld. 1054/6E.

**BLAKI** N36°14.17' W97°05.24' NOTAM FILE SWO

WICHITA

NDB (LOM) 255 SW 174° 4.5 NM to Stillwater Rgnl.

BOISE CITY (17K) 3 N UTC-6(-5DT) N36°46.46' W102°30.63'

4178 B NOTAM FILE MLC

RWY 04-22: H4210X60 (ASPH) S-4 MIRL

Rwy 04: Trees.

Rwy 22: Road.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 04-22—CTAF.

COMMUNICATIONS: CTAF 122.9

⑧ ALBUQUERQUE CENTER APP/DEP CON 127.85

RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.


DALHART (L) VORTACW 112.0 DHT Chan 57 N36°05.49'

W102°32.68' 350° 41.0 NM to fld. 4020/12E. HIWAS.

WICHITA

L-15B

IAP



BRISTOW

JONES MEM (3F7) 3 SW UTC-6(-5DT) N35°48.41' W96°25.31'

851 B FUEL 100LL NOTAM FILE MLC

RWY 17-35: H3400X45 (ASPH) S-4 MIRL 1.4% up S

RWY 17: Trees. RWY 35: P-line.

AIRPORT REMARKS: Unattended. 24 hr automated fuel service system.

ACTIVATE MIRL Rwy 17-35—CTAF. NOTE: See Special Notices
Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9

⑧ KANSAS CITY CENTER APP/DEP CON 128.8

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.


TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 225° 38.7 NM to fld. 770/8E.

DALLAS-FT. WORTH

L-15E

IAP




BROKEN BOW (90F) 2 SW UTC-6(-5DT) N34°00.84' W94°45.51'**MEMPHIS**
L-170

404 B NOTAM FILE MLC

RWY 17-35: H3200X50 (ASPH) S-17 MIRL

RWY 17: PAPI(P2L)—GA 2.0° TCH 26'. Trees.

RWY 35: PAPI(P2L)—GA 2.0° TCH 26'. Trees.

AIRPORT REMARKS: Unattended. High speed, low altitude military activity in vicinity of Broken Bow Lake. Ultralights on and invof arpt.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**RICH MOUNTAIN (L) VORTACW** 113.5 PGO Chan 82 N34°40.83'
W94°36.54' 187° 40.6 NM to fld. 2700/4E.**BUFFALO MUNI** (BFK) 2 N UTC-6(-5DT) N36°51.80' W99°37.12'**WICHITA**
L-15C
IAP


1822 B NOTAM FILE MLC

RWY 17-35: H4000X60 (ASPH) S-4 MIRL 0.7% up N

RWY 17: Road. RWY 35: Trees.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF 122.9Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.**GAGE (H) VORTACW** 115.6 GAG Chan 103 N36°20.62'W99°52.81' 012° 33.6 NM to fld. 2430/10E. **HIWAS.****NDB (MHW)** 215 BFK N36°51.85' W99°37.21' at fld.

NOTAM FILE MLC.




BURNEYVILLE**FALCONHEAD** (37K) 2 NW UTC-6(-5DT) N33°55.56' W97°17.78'DALLAS-FT. WORTH
L-17C

690 NOTAM FILE MLC

RWY 18-36: H4400X75 (ASPH)

RWY 18: Trees. RWY 36: Trees.


AIRPORT REMARKS: Unattended. Rwy 18-36 asph has weak spots through base.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.**ARDMORE (H) VORTACW** 116.7 ADM Chan 114 N34°12.69' W97°10.10' 195° 18.3 NM to fld. 930/6E.**BURNS FLAT** N35°14.22' W99°12.37' NOTAM FILE CSM.DALLAS-FT. WORTH
L-15C(L) **VORTACW** 110.0 BFV Chan 37 355° 6.2 NM to Clinton-Sherman. 1780/08E.**BUZZARD'S ROOST** (See INOLA)**CANADIAN****ARROWHEAD** (91F) 3 E UTC-6(-5DT) N35°09.38' W95°37.28'DALLAS-FT. WORTH
L-17D

851 B NOTAM FILE MLC

RWY 15-33: H3500X60 (ASPH) S-19

RWY 15: Trees.

RWY 33: Thld dspcd 125'. P-line.

AIRPORT REMARKS: Unattended. Arpt CLOSED indef. Deer on and invof of rwy. Rotating bcn OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**MC ALESTER (L) VORTACW** 112.0 MLC Chan 57 N34°50.97' W95°46.94' 015° 20.0 NM to fld. 820/8E. **HIWAS.**

CARNEGIE MUNI (86F) 2 NE UTC-6(-5DT) N35°07.42' W98°34.51'

DALLAS-FT. WORTH

1354 NOTAM FILE MLC

L-15D

RWY 17-35: H3000X50 (ASPH) S-11 LIRL

RWY 35: P-line.


AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.

HOBART (L) VORTACW 111.8 HBR Chan 55 N34°51.99'

W99°03.80' 047° 28.6 NM to fld. 1472/10E.

**CATOOSA****MOLLY'S LANDING HELIPORT** (034) 2NE UTC-6(-5DT) N36°12.44' W95° 43.55'

KANSAS CITY

5754 NOTAM FILE MLC

HELIPAD H1: 45X40 (TURF)

HELIPAD REMARKS: Unattended. Helipad H1 +40' trees on north and east sides, +42' wires along highway, +4' rock fence along entrance on west side of helipad and +35' trees invof helipad. Helipad H1 ingress/egress routes are limited to south of helipad. Heliport for use by small helicopters only. Helipad H1 perimeter lgts.

COMMUNICATIONS: CTAF 122.9

PORT OF CATOOSA HELIPORT (064) 3 N UTC-6(-5DT) N36°13.89' W95° 44.35'

KANSAS CITY

601 NOTAM FILE MLC

HELIPAD H1: H50X50 (CONC)

HELIPORT REMARKS: Attended irregularly. Helipad H1 perimeter lgts. Helipad H1 ingress/egress 030°-210°.

COMMUNICATIONS: CTAF 122.9

CHANDLER RGNL (CQB) 3 NE UTC-6(-5DT) N35°43.43' W96°49.22'

DALLAS-FT. WORTH

984 B NOTAM FILE CQB

L-15E

RWY 17-35: H4000X60 (ASPH) S-12.5 MIRL 0.6% up N

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 31'. Trees.

RWY 35: PAPI(P2L)—GA 2.5° TCH 30'. Trees.

AIRPORT REMARKS: Unattended.

WEATHER DATA SOURCES: AWOS-3 119.275 (405) 258-6724.

COMMUNICATIONS: CTAF 122.9

① KANSAS CITY CENTER APP/DEP CON 128.3


RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 053° 44.4 NM to fld. 1230/7E. HIWAS.

TILGHMAN NDB (MHW) 396 CQB N35°43.34' W96°49.12' at

fld. NOTAM FILE CQB.



CHATTANOOGA SKY HARBOR (92F) 3 SW UTC-6(-5DT) N34°22.12' W98°40.92'

DALLAS-FT. WORTH

1135 B NOTAM FILE MLC

RWY 17-35: H3400X60 (ASPH) S-7 MIRL

RWY 17: Road. RWY 35: Road.


AIRPORT REMARKS: Attended irregularly. Ultralights on and invof arpt.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24'
W98°35.61' 339° 23.3 NM to fld. 1100/10E.

L-17B

**CHEROKEE MUNI** (405) 3 N UTC-6(-5DT) N36°47.28' W98°21.51'

WICHITA

1177 B NOTAM FILE MLC

RWY 17-35: H3570X50 (ASPH) S-4 MIRL

RWY 17: APAP(PNIL)—GA 4.0° TCH 9'. Fence.

RWY 35: Thld displcd 180'. P-line.

AIRPORT REMARKS: Unattended. Rwy 17 APAP OTS indef. ACTIVATE


MIRL Rwy 17—35—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ICT.

ANTHONY (L) VORTAC 112.9 ANY Chan 76 N37°09.54'
W98°10.24' 195° 24.0 NM to fld. 1390/7E.

L-15D

**CHEROKEE SPB** (See AFTON)

CHEYENNE**MIGNON LAIRD MUNI** (93F) 2 W UTC-6(-5DT) N35°36.27' W99°42.17'

DALLAS-FT. WORTH

2084 B NOTAM FILE MLC

L-15C

RWY 18-36: H4036X60 (ASPH) S-4 MIRL

RWY 18: Tree.


AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

SAYRE (L) VORTAC 115.2 SYO Chan 99 N35°20.71'

W99°38.12' 338° 15.9 NM to fld. 1990/10E.

**CHICKASHA MUNI** (CHK) 3 NW UTC-6(-5DT) N35°05.84' W97°58.06'

DALLAS-FT. WORTH

1152 B S4 FUEL 100LL, JET A TPA-1952(800) NOTAM FILE CHK

H-6H, L-17C

RWY 17-35: H5101X100 (CONC) S-40, D-52 MIRL 0.4% up N

IAP

RWY 17: PAPI(P4L)-GA 3.0° TCH 44'.

RWY 35: PAPI(P4L)-GA 3.0° TCH 44'. Trees.

RWY 18-36: 2840X145 (TURF)

RWY 18: Fence.

RWY 36: Building.

RWY 02-20: 2525X100 (TURF)

RWY 20: Trees.

AIRPORT REMARKS: Attended 1400-2300Z+. Fuel avbl 24 hrs self serve with credit card. PAPI Rwy 17 OTS indef. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (405) 574-1016.


COMMUNICATIONS: CTAF/UNICOM 123.0

OKE CITY APP/DEP CON 124.6

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 221° 23.6 NM to fld. 1230/7E. HIWAS.

**CHRISTMAN AIRFIELD** (See OKEENE)**CITY OF COALGATE** (See COALGATE)

CLAREMORE**CLAREMORE RGNL** (GCM) 7E UTC-6(-5DT) N36°17.56' W95°28.78'

733 B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE GCM

RWY 17-35: H5200X75 (ASPH-PFC) S-30, D-58.5, DT-119.5

MIRL 0.7% up S

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 26'. Hill.

AIRPORT REMARKS: Attended 1430-2300Z+. 24 hr automatic fuel svc system. Rwy 35 thld displcd 250' indef. ACTIVATE MIRL Rwy 17-35—CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.925 (918) 343-0184.**COMMUNICATIONS:** CTAF/UNICOM 122.7

TULSA APP/DEP CON 119.1

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.


TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 061° 16.0 NM to fld. 770/8E.

KANSAS CITY

H-6I, L-15E

IAP

**SAM RIGGS AIRPARK** (K11) 7 S UTC-6(-5DT) N36°13.09' W95°39.11'

KANSAS CITY

580 NOTAM FILE MLC

RWY 04-22: 2760X35 (TURF)

RWY 04: Trees. Rgt tfc.

RWY 22: Trees.

RWY 18-36: 1550X110 (TURF)

RWY 18: Tree.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED indef. Parachute Jumping. Rwy 04-22 CLOSED indef. Rwy 18-36

CLOSED indef. Rwy 04-22 covered in tall grass and weeds. Surface rough. Rwy 18-36 covered in tall grass and weeds. Surface rough.

COMMUNICATIONS: CTAF 122.9**CLARENCE E PAGE MUNI** (See OKLAHOMA CITY)**CLEVELAND MUNI** (95F) 2 S UTC-6(-5DT) N36°17.03' W96°27.80'

KANSAS CITY

L-15E

912 B S2 NOTAM FILE MLC

RWY 18-36: H4000X60 (ASPH) S-4 MIRL


RWY 18: VASI(V2L)—GA 2.75°. Trees.

RWY 36: VASI(V2L)—GA 2.75°. Trees.

AIRPORT REMARKS: Attended irregularly. Golfers on and invof arpt. PAEW adjacent Rwy 18-36. Rotating bcn OTS indef. Rwy 18 VASI OTS indef. Rwy 36 VASI OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 271° 33.2 NM to fld. 770/8E.



CLINTON**CLINTON RGNL** (CLK) 3 NE UTC-6(-5DT) N35°32.30' W98°55.97'

DALLAS-FT. WORTH

1616 B FUEL 100LL NOTAM FILE CLK

L-15C

RWY 17-35: H4306X75 (ASPH) S-7 MRL 0.3% up N

IAP

RWY 17: Tree.

RWY 35: VASI(V4L)—GA 3.0° TCH 24'.

RWY 13-31: 1348X245 (TURF)


AIRPORT REMARKS: Attended 1400-2300Z±. Rwy 13-31 rough. MRL Rwy 17-35 and taxiway lgts preset med ints, to increase ints and ACTIVATE VASI Rwy 35—CTAF. Rwy 13-31 boundaries marked by orange barrels.

WEATHER DATA SOURCES: AWOS-3 119.225 (580) 323-8477.**COMMUNICATIONS:** CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 128.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CSM.

BURNS FLAT (L) VORTACW 110.0 BFV Chan 37 N35°14.22' W99°12.37' 029° 22.5 NM to fld. 1780/8E.

**CLINTON-SHERMAN** (CSM) 15 SW UTC-6(-5DT) N35°20.39' W99°12.03'

DALLAS-FT. WORTH

1922 B FUEL 100LL, JET A TPA-2699(777) NOTAM FILE CSM

H-6H, L-15C

RWY 17R-35L: H13503X150 (CONC) S-50, D-200, ST-175, DT-390 HIRL (NSTD)

IAP, AD

RWY 17R: Rgt tfc.

RWY 35L: VASI(V4L)—GA 3.0° TCH 52'.

RWY 17L-35R: H5193X75 (CONC) S-50, D-200, ST-175, DT-390

RWY 17L: Antenna.

RWY 35R: Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1500-0600Z±, except holidays. For arpt attendant after hours call 580-562-4713. Rwy 17L-35R is laid out on parallel twy to Rwy 17R-35L. Rwy 17L-35R VFR dalgt use only. Military jet training, heavy jets surface to 5000' within 25 NM radius. Extensive student pilot training from surface to 5000' within 10 NM radius between 1500-1800Z±. Military jet ngt vision training, etc twr 10 minutes prior to ldg after SS to adjust fld lighting. VFR acft advised to ctc twr 15 NM out for sequencing. Rwy 17R-35L NSTD HIRL. Rwy lgts located 75' off each side of rwy. Rotating bcn OTS indef. ACTIVATE HIRL Rwy 17R-35L, taxiway lgts and windsock—119.6.

WEATHER DATA SOURCES: ASOS 135.225 (580) 562-4811. LAWRS.**COMMUNICATIONS:** CTAF 119.6 UNICOM 122.95

FORT WORTH CENTER APP/DEP CON 128.4.

TOWER 119.6 (Mon-Fri 1500-0600Z± except Federal holidays.)


GND CON 121.7

AIRSPACE: CLASS D svc (Mon-Fri 1500-0600Z± except Federal holidays.) other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE CSM.

BURNS FLAT (L) VORTACW 110.0 BFV Chan 37 N35°14.22' W99°12.37' 355° 6.2 NM to fld. 1780/8E.

FOSSI NDB (MHW/LOM) 393 BZ N35°27.04' W99°12.09' 172° 6.6 NM to fld. Unmonitored when twr clsd.

ILS 109.5 I-BZF Rwy 17R. LOM FOSSI NDB. Unmonitored when twr clsd.

**COALGATE****CITY OF COALGATE** (Ø8F) 1 W UTC-6(-5DT) N34°31.91' W96°13.98'

DALLAS-FT. WORTH

615 NOTAM FILE MLC

RWY 17-35: 2584X80 (TURF)

RWY 17: Thld dspld 250'. Road.

RWY 35: Thld dspld 275'. Fence.

AIRPORT REMARKS: Unattended. Rwy 17 thld dspld dalgt ops only. Rwy 35 thld dspld dalgt ops only. Rwy 17-35 thlds marked by flush mounted conc slabs painted white. Two 185' water towers 1320' from Rwy 17 end and 350' left of centerline.

COMMUNICATIONS: CTAF 122.9

DAVIS**CRAZY HORSE MUNI** (97F) 3 NE UTC-6(-5DT) N34°32.79' W97°06.50'

DALLAS-FT. WORTH

940 NOTAM FILE MLC

RWY 17-35: H2600X34 (ASPH)

RWY 17: Road. RWY 35: Road.

AIRPORT REMARKS: Unattended. Rwy 17-35 has moderate to severe cracking and severe grass encroachment.

COMMUNICATIONS: CTAF 122.9

DAVIS FLD (See MUSKOGEE)**DECKER FLD** (See MENO)**DEWIE** N36°50.37' W96°00.84' NOTAM FILE BVO.

KANSAS CITY

NDB (LOM) 201 BV 171° 4.6 NM to Bartlesville Muni.

DOBIE'S (See INOLA)**DUNCAN****HALLIBURTON FLD** (DUC) 2 S UTC-6(-5DT) N34°28.28' W97°57.59'

DALLAS-FT. WORTH

1114 B S4 FUEL 100LL, JET A NOTAM FILE DUC

H-6H, L-17C

RWY 17-35: H6326X100 (CONC) S-44, D-56, DDT-101 MRL 0.4% up N

IAP

RWY 17: REIL VASI(V4L)—GA 3.0° TCH 43'. Trees.

RWY 35: REIL VASI(V4L)—GA 3.0° TCH 44'.

AIRPORT REMARKS: Attended 1300-0000Z. REIL Rwy 17 OTS indef.

VASI Rwy 35 OTS indef. Rwy 17 VASI unusable byd 5° right of centerline. ACTIVATE MRL Rwy 17-35, REIL Rwy 17 and Rwy 35 and VASI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (580) 252-4547.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT SILL APP/DEP CON 118.6 CLNC DEL 118.4


RADIO AIDS TO NAVIGATION: NOTAM FILE DUC.

DUNCAN (L) VORW/DME 111.0 DUC Chan 47 N34°23.07'

W97°55.01' 329° 5.6 NM to fld. 1090/9E.

ILS 111.5 I-DUC Rwy 35. LOC only. LOC unmonitored

Mon-Fri 0500-1300Z, Sat-Sun unmonitored.

**DUNCAN** N34°23.07' W97°55.01' NOTAM FILE DUC.

DALLAS-FT. WORTH

(L) VORW/DME 111.0 DUC Chan 47 329° 5.6 NM to Halliburton Fld. 1090/9E.

H-6H, L-17C

VOR/DME unusable:

030°-044° byd 10 NM blo 9000'

030°-044° byd 35 NM

044°-076° byd 10 NM

076°-086° byd 10 NM blo 9000'

086°-188° byd 10 NM

188°-204° byd 10 NM blo 9000'

188°-204° byd 32 NM

204°-316° byd 10 NM

316°-336° byd 10 NM blo 7600'

316°-336° byd 25 NM

336°-030° byd 10 NM

DURANT**EAKER FLD** (DUA) 3 SW UTC-6(-5DT) N33°56.54' W96°23.67'


699 B S4 FUEL 100LL, JET A TPA—See remarks. NOTAM FILE DUA

RWY 17-35: H5001X100 (ASPH) S-35, D-50 MIRL (NSTD)**RWY 17:** REIL. PAPI(P4L)—GA 3.0° TCH 49'. Trees.**RWY 35:** REIL. PAPI(P4L)—GA 3.0° TCH 48'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†, Sat-Sun 1500-2300Z†. 100LL avbl 24 hrs with automated credit card system. For fuel after hrs call 580-230-1188. PAEW adjacent Rwy 17-35. Large flocks of birds invof arpt. 372' tower 2.5 miles north of arpt. Extensive student training invof arpt and over Lake Texoma. Rwy 17 REIL OTS indef. PAPI Rwy 35 OTS indef. Rwy 17-35 NSTD MIRL. MIRL located 37' from rwy edges. TPA for light aircraft 1701(1002) and for large aircraft 2201(1502). ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.175 (580) 931-3790.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **FORT WORTH CENTER APP/DEP CON** 124.75**RADIO AIDS TO NAVIGATION:** NOTAM FILE DUA.

TEXOMA (L) VORW/DME 114.3 URH Chan 90 N33°56.65' W96°23.51' at fld. 681/5E.

DALLAS-FT. WORTH**H-6H, L-17C****IAP****EAKER FLD** (See DURANT)**ELK CITY RGNL BUSINESS** (ELK) 1 NE UTC-6(-5DT) N35°25.85' W99°23.66'


2013 B S4 FUEL 100LL, JET A TPA—3013(1000) NOTAM FILE MLC

RWY 17-35: H5399X75 (CONC) S-30 MIRL 0.5% up N**RWY 17:** REIL. PAPI(P2L)—GA 3.0° TCH 19'.**RWY 35:** PAPI(P2L)—GA 3.5° TCH 19'. Pole.

AIRPORT REMARKS: Attended Mon-Sat 1430-2330Z†, Sun 1600-2300Z†. Ultralight activity on and invof of airport. Ditch located off the NW side of parallel twy. Arpt bcn OTS indef. ACTIVATE MIRL Rwy 17-35 and REIL Rwy 17—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.

WEATHER DATA SOURCES: AWOS-3 118.225 (580) 303-9147.**COMMUNICATIONS:** CTAF/UNICOM 122.8**FORT WORTH CENTER APP/DEP CON** 128.4.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**SAYRE (L) VORTAC** 115.2 SYO Chan 99 N35°20.71'

W99°38.12' 057° 12.9 NM to fld. 1990/10E.


DALLAS-FT. WORTH**H-6H, L-15C****IAP**

EL RENO**EL RENO** (99F) 2 SW UTC-6(-5DT) N35°31.00' W97°58.77'

1395 NOTAM FILE MLC

RWY 17-35: 2600X100 (TURF)**RWY 17:** Tree. Rgt tfc. **RWY 35:** Pole.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±. E/W Twy marked with orange 'L' shaped markers, do not land on twy.**COMMUNICATIONS:** CTAF 122.9

DALLAS-FT. WORTH

**EL RENO RGNL** (RQO) 4 SW UTC-6(-5DT) N35°28.36' W98°00.35'1420 B S4 **FUEL** 100LL, JET A TPA-2220(800) NOTAM FILE RQO**RWY 17-35:** H5600X75 (CONC-GRVD) S-12 MIRL**RWY 17:** REIL. PAPI(P4L)—GA 2.0° TCH 34'. P-line.**RWY 35:** REIL. PAPI(P4L)—GA 2.0° TCH 34'. Road. Rgt tfc.**RWY 18-36:** 4630X190 (TURF)**RWY 18:** Road. Rgt tfc. **RWY 36:** P-line.**AIRPORT REMARKS:** Attended 1400-0000Z±. 24 hr. automated credit card system. ACTIVATE MIRL Rwy 17-35, REIL Rwy 17 and Rwy 35—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.**WEATHER DATA SOURCES:** AWOS-3 118.475 (405) 262-0087.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ OKE CITY APP/DEP CON 124.6

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 282° 20.6 NM to fld. 1230/7E. HIWAS.**NDB (MHW)** 335 RQO N35°28.72' W98°00.54' at fld. NOTAM FILE MLC.

DALLAS-FT. WORTH

H-6H, L-15D

IAP

ENID WOODRING RGNL (WDG) 4 SE UTC-6(-5DT) N36°22.70' W97°47.34'

WICHITA

1167 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE WDG

H-6H, L-15D

RWY 17-35: H6249X100 (CONC-GRVD) S-50, D-88, ST-111, DT-140 PCN 5 R/A/X/T

IAP, AD

MIRL 0.3% up N

RWY 17: REIL. Thld dsplcd 611'. Road.

RWY 35: MALSR. VASI(V4L)—GA 3.0° TCH 54'. Rgt tfc.

RWY 13-31: H3149X108 (ASPH) S-42, D-55, DT-80

PCN 2 F/O/Z/T MIRL

RWY 12: Thld dsplcd 112'. Pole. RWY 30: Fence. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0330Z. Fuel avbl 24 hrs with automated credit card system. TPA—2000(833) light aircraft, 2500(1333) heavy aircraft 3000(1833) jet aircraft. Military jet training dalgt 3 nautical mile radius. Rwy 13-31 has severe cracking, raveling and deterioration. PCL OTS indef. Rwy 35 MALSR OTS indef. Rwy 17 REIL OTS indef. ACTIVATE MALSR Rwy 35—CTAF. When twr clsd ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.625 (580) 237-1475. LAWRS.**COMMUNICATIONS:** CTAF 118.9 UNICOM 122.95

WOODRING RCO 122.6 (MC ALESTER RADIO)

Ⓡ **VANCE APP/DEP CON** 119.775 (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun

2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat

and Federal holidays. Other times by NOTAM.

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8 (1 Mar-31 Oct) Mon-Fri 0200-1300Z, (1 Nov-28 Feb) Mon-Fri 0100-1300Z, (1 Mar-31 Oct) Sun 0100-2100Z, (1 Nov-28 Feb) Sun 2300-1900Z, 24 hrs Sat and Federal holidays.


WOODRING TOWER 118.9 (1230-0300Z). GND CON 121.925

AIRSPACE: CLASS D svc 1230-0300Z, other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE WDG.

WOODRING (T) VORW/DME 109.0 ODG Chan 27 N36°22.43' W97°47.29' at fld. 1149/8E.

GARFY NDB (LOM) 341 EI N36°16.50' W97°47.45' 353° 6.2 NM to fld. Unmonitored when twr closed.

ILS 108.3 I-EIU Rwy 35. LOM GARFY NDB. ILS unmonitored when tower closed.

**ERICK****HADDOCK FLD** (O13) 1 SW UTC-6(-5DT) N35°12.03' W99°53.86'

DALLAS-FT. WORTH

2097 NOTAM FILE MLC

RWY 17-35: H2650X35 (ASPH) S-4

AIRPORT REMARKS: Unattended. Rwy surface eroding and rough.**COMMUNICATIONS:** CTAF 122.9**EUFULA****EUFULA MUNI** (F08) 2 W UTC-6(-5DT) N35°17.76' W95°37.52'

DALLAS-FT. WORTH

635 B NOTAM FILE MLC

RWY 17-35: H3000X60 (ASPH) S-4 MIRL

L-15E


RWY 17: Trees. RWY 35: Trees.

AIRPORT REMARKS: Unattended. Ultralghts on and invof arpt. Rotating bcn OTS indef. Rwy 17-35 has loose aggregate, heavy grass encroachment, and severe spalling. MIRL Rwy 17-35 preset low ints, to incr ints, ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 008° 27.8 NM to fld. 820/8E. HIWAS.



FOUNTAINHEAD LODGE AIRPARK (ØF7) 6 N UTC-6(-5DT) N35°23.32' W95°36.00'

DALLAS-FT. WORTH

670 B NOTAM FILE MLC

RWY 18-36: H3000X50 (ASPH) S-8 MIRL


RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Unattended. Deer on and invof rwy. Rotating bcn
OTS indef. ACTIVATE MIRL Rwy 18-36—122.8.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'
W95°46.94' 007° 33.5 NM to fld. 820/8E. HIWAS.

L-15E

**FAIRVIEW MUNI** (6K4) 1 N UTC-6(-5DT) N36°17.41' W98°28.55'

WICHITA

1272 B S2 FUEL 100LL NOTAM FILE MLC

L-15D

RWY 17-35: H3620X60 (ASPH) S-4 MIRL

IAP

RWY 35: Trees.


AIRPORT REMARKS: Attended Mon-Sat dalgt hours.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ VANCE APP/DEP CON 120.525 (1 Mar-31 Oct) Mon-Fri 1300-0200Z+,
(1 Nov-28 Feb) Mon-Fri 1300-0100Z+, (1 Mar-31 Oct) Sun
2100-0100Z+, (1 Nov-28 Feb) Sun 1900-2300Z+, clsd Sat
and Federal holidays. Other times by NOTAM.

Ⓡ KANSAS CITY CENTER APP/DEP CON 127.8 (1 Mar-31 Oct) Mon-Fri
0200-1300Z+, (1 Nov-28 Feb) Mon-Fri 0100-1300Z+,
(1 Mar-31 Oct) Sun 0100-2100Z+, (1 Nov-28 Feb) Sun
2300-1900Z+, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'
W98°00.24' 313° 37.0 NM to fld. 1110/9E.

**FALCONHEAD** (See BURNEYVILLE)**FORT SILL** (See HENRY POST AAF)**FOSSI** N35°27.04' W99°12.09' NOTAM FILE CSM.

DALLAS-FT. WORTH

NDB (MHW/LOM) 393 BZ 172° 6.6 NM to Clinton-Sherman.

L-15C

Unmonitored when Clinton-Sherman tower clsd.

FOUNTAINHEAD LODGE AIRPARK (See EUFAULA)

FREDERICK RGNL (FDR) 3 SE UTC-6(-5DT) N34°21.13' W98°59.03'**DALLAS-FT. WORTH**

1258 B FUEL 100LL, JET A NOTAM FILE FDR

H-6H, L-17B

RWY 17-35: H6099X150 (ASPH) S-35, D-50, DT-100 MIRL 0.3% up N

IAP

RWY 17: PAPI(P4L). TCH 40'. Road. **RWY 35:** PAPI(P4L). TCH 40'.**RWY 03-21:** H4812X60 (CONC) S-30 0.4% up NE**RWY 21:** Road.**RWY 12-30:** H4578X75 (CONC) S-30**RWY 30:** Road.**RWY 17L-35R:** H3180X50 (CONC) 0.6% up N**RWY 17L:** Tower.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z, Sun 1900-2300Z. For fuel after hrs call 580-335-1948. Rwy 17L-35R CLOSED indef. Rwy 12-30 marked to 75' wide, pavement 150' wide. Rwy 12-30 moderate cracking and deterioration. Rwy 03-21 marked to 60' wide, pavement 150' wide. Rwy 03-21 moderate cracking and deterioration. Arpt used as Sheppard AFB auxiliary; military tfc dalgt Mon-Fri. Ctc UNICOM for advisory. Military tfc will use rgt 360° overhead apchs to Rwy 17. ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: ASOS 132.675 (580) 335-7591.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ **ALTUS APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z except Federal hols)


FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri 0830-1430Z, Sat-Sun and Federal hols 24 hrs)**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPS.**WICHITA FALLS (H) VORTACW** 112.7 SPS Chan 74 N33°59.24' W98°35.61' 308° 29.2 NM to fld. 1100/10E.**FREEDOM MUNI** (K77) 1 SE UTC-6(-5DT) N36°45.51' W99°06.12'**WICHITA**

1517 NOTAM FILE MLC

L-15C

RWY 12-30: H3000X35 (ASPH)**RWY 12:** Trees. **RWY 30:** Trees.

AIRPORT REMARKS: Unattended. Rwy 12-30 edges/thlds unstable. First 300' of Rwy 30 end covered in grass. Broken asph chunks, rocks, and tall grass on entire surface.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.**GAGE (H) VORTACW** 115.6 GAG Chan 103 N36°20.62'W99°52.81' 046° 45.1 NM to fld. 2430/10E. **HIWAS.****GAGE** (GAG) 2 SW UTC-6(-5DT) N36°17.73' W99°46.59'**WICHITA**


2223 B NOTAM FILE GAG

H-6H, L-15C

RWY 17-35: H5415X100 (ASPH-PFC) S-4 LIRL (NSTD)

AIRPORT REMARKS: Unattended. Arpt CLOSED to jet acft over 12,500 lbs. Ultralight activity on and invof arpt. Rwy 17-35, Severe block and alligator cracking with potholes and severe grass encroachment. Rwy 17-35 NSTD LIRL, lgts +30' from edge of rwy. ACTIVATE NSTD LIRL Rwy 17-35—123.0.

WEATHER DATA SOURCES: ASOS 128.625 (580) 923-7581. **HIWAS** 115.6 GAG.

COMMUNICATIONS: CTAF 122.9**RCO** 122.55 (MC ALESTER RADIO)**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.**(H) VORTACW** 115.6 GAG Chan 103 N36°20.62'W99°52.81' 110° 5.8 NM to fld. 2430/10E. **HIWAS.**

GALLY N35°17.70' W97°35.32' NOTAM FILE OKC.
NDB (LOM) 350 RG 347° 5.9 NM to Will Rogers World.

DALLAS—FT. WORTH

GARFY N36°16.50' W97°47.45' NOTAM FILE WDG.
NDB (LOM) 341 EI 352° 6.2 NM to Enid Woodring Rgnl. Unmonitored when twr closed.

WICHITA

GLENPOOL N35°55.25' W95°58.12' NOTAM FILE RVS.
(T) VORW/DME 110.6 GNP Chan 43 348° 7.2 NM to Richard Lloyd Jones Jr. 810/6E.

DALLAS—FT. WORTH
L-150
L-15E**GOLDSBY**

DAVID JAY PERRY (1K4) 1 NE UTC-6(-5DT) N35°09.30' W97°28.22'

DALLAS—FT. WORTH

1168 B S2 FUEL 100LL NOTAM FILE MLC
RWY 13-31: H3006X60 (CONC-GRVD) S-30 MIRL 0.4% up NW

L-150

RWY 13: Trees. RWY 31: Trees.

IAP

RWY 17-35: H1803X60 (ASPH) S-4 0.4% up N

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Attended Tue-Sun 1400-2200Z±. 24 hour automated fuel servicing system. Coyotes on and in/ov rwy. Ultralight activity on and in/ov arpt. Intensive student training dalgt hrs.

COMMUNICATIONS: CTAF/UNICOM 122.7

① OKE CITY APP/DEP CON 120.45

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'
W97°36.55' 144° 14 NM to fld. 1230/7E. HIWAS.



GRANDFIELD MUNI (101) 3 W UTC-6(-5DT) N34°14.26' W98°44.52'

DALLAS—FT. WORTH

1128 B S4 FUEL 100LL NOTAM FILE MLC

L-17B

RWY 17-35: H3100X75 (ASPH) S-11 MIRL

RWY 17: Fence. RWY 35: Fence.

RWY 08-26: H1540X75 (ASPH)


RWY 08: Fence. RWY 26: Fence.

AIRPORT REMARKS: Unattended. Parachute Jumping. For fuel call 580-479-5215 Mon-Fri 1400-2230Z±, 580-479-5274 nights and weekends. Tower 1073' AGL 12,000' south southeast of arpt. Tower 1059' AGL 8,500' southeast of arpt. Rotating bcn OTS indef. Rwy 17-35 MIRL OTS indef. ACTIVATE MIRL RWY 17-35—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24'
W98°35.61' 324° 16.7 NM to fld. 1100/10E.



GRAND LAKE RGNL (See AFTON)

GROVE MUNI (GMJ) 2 NE UTC-6(-5DT) N36°36.41' W94°44.31'

831 B S4 FUEL 100LL, JET A NOTAM FILE GMJ

RWY 18-36: H5200X75 (ASPH) S-30 MRL

RWY 18: PAPI(P4L)—GA 2.75° TCH 26'. Trees.

RWY 36: PAPI(P4L)—GA 2.75° TCH 28'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z. Arpt unattended Thanksgiving, Christmas and New Years. Rwy 18 PAPI OTS indef.

WEATHER DATA SOURCES: AWOS-3 119.025 (918) 786-8350. Dewpoint unreliable.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 128.8


RADIO AIDS TO NAVIGATION: NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 E05 Chan 120 N36°50.55'
W94°26.14' 219° 20.3 NM to fld. 1200/7E.

KANSAS CITY

H-61, L-16F

IAP



GUNDYS (See OWASSO)

GUTHRIE-EDMUND RGNL (GOK) 2 S UTC-6(-5DT) N35°51.08' W97°24.97'

1069 B S4 FUEL 100LL, JET A TPA-1895(826) NOTAM FILE GOK

RWY 16-34: H5001X75 (CONC) S-30, D-48, DT-78 MRL

RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 45'.

RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Dsplcd thld 200'.

AIRPORT REMARKS: Attended 1200-0000Z. Ultralight activity on and invof arpt. MRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 133.975 (405) 282-0478.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **OKC CITY APP/DEP CON** 124.2


RADIO AIDS TO NAVIGATION: NOTAM FILE MLC

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'
W98°00.24' 075° 28.8 NM to fld. 1110/9E.

DALLAS-FT. WORTH

H-6H, L-15D

IAP



GUYMON MUNI (GUY) 2 W UTC-6(-5DT) N36°41.11' W101°30.47'
 3123 B S4 FUEL 100LL, JET A TPA-4123(1000) NOTAM FILE GUY
RWY 18-36: H5900X100 (ASPH) S-10 MIRL
RWY 18: VASI(V4L)—GA 3.0° TCH 25'. Rgt tfc.
RWY 36: PAPI(P4L)—GA 3.0° TCH 35'. Road.

RWY 06-24: 1795X200 (TURF)

AIRPORT REMARKS: Attended Mon-Fri 1300-0030Z†, Sat 1300-0000Z†, Sun 1400-2300Z†. For attendant after hours call 580-338-0481/7700. Ultralights on and invof arpt. Numerous waterfowl invof arpt SR and SS. No tkof on Rwy 06. MIRL Rwy 18-36 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 119.925 (580) 468-1476.


COMMUNICATIONS: CTAF/UNICOM 122.7

KANSAS CITY CENTER APP/DEP CON 134.0

RADIO AIDS TO NAVIGATION: NOTAM FILE LBL.

LIBERAL (H) VORTACW 112.3 LBL Chan 70 N37°02.66' W100°58.27' 219° 33.6 NM to fld. 2891/11E. **HIWAS.**

NDB (MHW) 275 GUY N36°42.32' W101°30.31' 175° 1.3 NM to fld. NOTAM FILE GUY.



HADDOCK FLD (See ERICK)

HALLIBURTON FLD (See DUNCAN)

HARVEY YOUNG (See TULSA)

HASKELL (2K9) 1 NE UTC-6(-5DT) N35°49.97' W95°40.04'

588 FUEL 100LL NOTAM FILE MLC

RWY 17-35: H3710X30 (ASPH)


RWY 17: Trees.

AIRPORT REMARKS: Attended irregularly. Dalgst ops only. Ultralight activity on and invof arpt. Rwy 17 and Rwy 35 ultralights use rgt tfc. Rwy 17 and Rwy 35 small numbers, centerline missing. NOTE: See Special Notices Section—Model Aircraft Activity.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 157° 22.6 NM to fld. 770/8E.



HATBOX FLD (See MUSKOGEE)

DALLAS-FT. WORTH
 L-15E

HEALDTON MUNI (F32) 2 NE UTC-6(-5DT) N34°14.96' W97°28.43'

DALLAS-FT. WORTH

956 NOTAM FILE MLC

L-17C

RWY 17-35: H3000X50 (ASPH) S-12.5


RWY 17: Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'
W97°10.10' 273° 15.4 NM to fld. 925/6E.



HEFNER-EASLEY (See WAGONER)

HENRYETTA MUNI (F10) 3 SW UTC-6(-5DT) N35°24.41' W96°00.95'

DALLAS-FT. WORTH

849 B FUEL 100LL NOTAM FILE MLC

L-6H, 15E

RWY 18-36: H3501X50 (ASPH) S-12 MIRL 0.5% up S

RWY 18: PVASI(PSIL)—GA 3.1° TCH 32'. Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended Tue-Sun 1400-2300Z+. Arpt unattended Thanksgiving and Christmas day. Rwy 18 PVASI OTS indef.

ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 132.2


RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 333° 35.3 NM to fld. 820/8E. HIWAS.

NDB (MHW) 267 HET N35°24.27' W96°00.83' at fld.

Unmonitored.



HENRY POST AAF (FORT SILL) (FSI)(KFSI) A 1 SE UTC-6(-5DT) N34°38.99' W98°24.13' **DALLAS-FT. WORTH**
 1189 B TPA—See Remarks NOTAM FILE FSI Not insp. **H-6H, L-17C**
RWY 17-35: H5001X200 (CONC) PCN 61 R/B/W/T HIRL **DIAP**
RWY 17: PVAIS(P SIL)—GA 3.0° TCH 42'. **RWY 35:** SALS.
MILITARY SERVICE: LGT ACTIVATE PVASI Rwy 17—124.95. Apch and rwy lgt opr on req to twr or app con. **FUEL J8.**
 Refuel svc avbl 24 hr, ctc Base OPS DSN 639-5808/6160 or C580-442-5808/6160. Other times
 C580-695-1403. 45 min delay without prior notice. **OIL O-156** **TRAN ALERT** Limited tran svc during normal
 Base OPS hr, hangar, towing and tie down equipment avbl for acft under 18,000 lbs.
MILITARY REMARKS: RSTD 24 hr PPR all full stop acft. DSN 639-5808/6160 or C580-442-5808/6160. **TFC PAT**
 TPA—rotary wing 1898(709), fixed wing 2698(1509). **CAUTION** Diagonal Twy C lgts OTS between rwy and parallel
 twys. **MISC** Base OPS opr Mon-Fri except holidays 1300-0400Z†, DSN 639-5808/6160,
 C580-442-5808/6160. Wx DSN 639-4000/4887, C580-442-4000/4887. Weather forecast avbl Mon-Fri
 1200-0600Z† except holidays. Remote briefing svc avbl 26 OWS Barksdale AFB DSN 781-4775,
 C318-456-4775, Toll Free 1-866-223-2398, [HTTPS://260WS.Barksdale.AF.MIL/](https://260WS.Barksdale.AF.MIL/). Wx obsn automated
 continuously. Wx obsn avbl 1300-0400Z† Mon-Fri except holidays. Wx obsn augmented/edited or manual (as
 required) during hrs Wx observer avail. Wx obsn visibility ltd to 0.25 NM N and NE when wx obsn manual. KFSI
 AUTO Wx Obsn (voice message) 24 hrs DSN 639-7021, C580-442-7021.
COMMUNICATIONS: ATIS 135.425 354.025 **PTD** 123.05 376.7
(R) FORT SILL APP/DEP CON 120.55 322.4 (S Sector) 127.3 307.275 (N Sector) 118.6 290.375 (Duncan Sector VFR flt
 following avbl)
POST TOWER 124.95 229.4 (Mon-Fri 1300-0400Z†, except holidays) **POST GND CON/CLNC DEL** 121.7 279.575
PMSV METRO 306.5 (Svc avbl Mon-Fri 1200-0400Z†, except holidays)
AIRSPACE: CLASS D svc Mon-Fri 1300-0400Z†, except holidays other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE LAW.
LAWTON (L) VORW/DME 109.4 LAW Chan 31 N34°29.77' W98°24.79' 354° 9.2 NM to fld. 1104/9E.
POST NDB (MHW) 425 PFL N34°36.53' W98°24.23' 354° 2.5 NM to fld. NOTAM FILE MLC.
TRAIL NDB (MHW) 388 OFZ N34°46.88' W98°24.14' 171° 7.9 NM to fld. NOTAM FILE MLC.
ASP/PAR
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

HINTON MUNI (208) 2 NE UTC-6(-5DT) N35°30.43' W98°20.54' **DALLAS-FT. WORTH**
 1587 B **FUEL** 100LL NOTAM FILE MLC **L-150**
RWY 17-35: H4000X60 (ASPH) MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 40'. **RWY 35:** PAPI(P2L)—GA 3.0° TCH 40'.
AIRPORT REMARKS: Attended May-Sep 1400-2300Z†, Oct-Apr 1500-0000Z†. Fuel avbl 24 hrs with automated credit
 card system. Parachute Jumping. Parachute jumping and glider activity on and invof arpt. Rwy 17 and Rwy 35
 PAPI OTS indef.
COMMUNICATIONS: CTAF/UNICOM 123.05
FORT WORTH CENTER APP/DEP CON 128.4
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 284° 37.0 NM to fld.
 1230/7E. **HIWAS.**

HOBART RGNL (HBR) 3 SE UTC-6(-5DT) N34°59.48' W99°03.08'1563 B S4 **FUEL** 100LL, JET A+ NOTAM FILE HBR**RWY 17-35:** H5507X100 (ASPH) S-20 MIRL 0.4% up S**RWY 17:** PAPI(P4L)—GA 3.0° TCH 35'. Road.**RWY 35:** PAPI(P4L)—GA 3.0° TCH 42'.**RWY 03-21:** H5297X150 (ASPH) S-9.4 0.4% up SW**RWY 12-30:** H5295X150 (ASPH) S-9.4

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Jet A+ fuel avbl 24 hr self svc with major credit card. For arpt attendant after hrs call 580-471-0964. Fuel avbl 24 hr self service with major credit card. Rwy 03-21 CLOSED indef. Rwy 12-30 CLOSED indef. Rwy 03-21 and Rwy 12-30 rough due to severe cracking and grass encroachment on sfc. ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: ASOS 133.325 (580) 726-6651.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.2 (MCALESTER RADIO)

® **ALTUS APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z† except Federal holidays)

FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri 0830-1430Z†, Sat-Sun and Federal holidays 24 hrs)

RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.


(L) **VORTACW** 111.8 HBR Chan 55 N34°51.99' W99°03.80' 355° 7.5 NM to fld. 1472/10E.

VOR portion unusable 080°-120° byd 30 NM blo 4,000'. DME unusable 080°-090° byd 25 NM blo 4,500', 100°-112° byd 25 NM blo 4,500', 240°-270° byd 25 NM blo 4,500'.

DALLAS-FT. WORTH

H-6H, L-17B

IAP

**HOLDENVILLE MUNI** (F99) 1 NW UTC-6(-5DT) N35°05.15' W96°25.00'

861 B NOTAM FILE MLC

RWY 17-35: H3251X100 (CONC) S-30, D-42 MIRL**RWY 17:** Trees. **RWY 35:** P-line.

AIRPORT REMARKS: Attended 1400-2300Z†. Ultralights on and invof arpt. 125' AGL silo, .3 NM west Rwy 35 thld. Rwy 17-35 surface severe cracking, spalling and deterioration.

COMMUNICATIONS: CTAF/UNICOM 122.8**FORT WORTH CENTER APP/DEP CON** 132.2**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97' W95°46.94' 287° 34.3 NM to fld. 820/8E. **HIWAS.**


NDB (MHW) 411 HDL N35°05.12' W96°24.82' at fld.

Unmonitored.

DALLAS-FT. WORTH

L-17D

IAP



HOLLIS MUNI (O35) 2 N UTC-6(-5DT) N34°42.50' W99°54.52'**DALLAS-FT. WORTH**

1658 B FUEL 100LL NOTAM FILE MLC

L-17B

RWY 17-35: H3000X60 (ASPH) S-4 MIRL


RWY 17: Road.

AIRPORT REMARKS: Attended 1400-2300Z. For fuel call Police

580-688-9216. ACTIVATE MIRL Rwy 17-35-122.8.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CDS.**CHILDRESS (L) VORTACW** 117.6 CDS Chan 123 N34°22.14'

W100°17.34' 033° 27.7 NM to fld. 1920/10E. HIWAS.

**HOMESTEAD FARMS** (See POND CREEK)**HOMINY MUNI** (H92) 2 N UTC-6(-5DT) N36°26.57' W96°23.23'**KANSAS CITY**

825 B FUEL 100LL NOTAM FILE MLC

L-15E

RWY 17-35: H3210X60 (ASPH) S-8 MIRL

RWY 17: Thld dspcd 180'. Trees.


RWY 35: Thld dspcd 180'. Trees.

AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt.

Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE BVO.**BARTLESVILLE (L) VORW/DME** 117.9 BVO Chan 126 N36°50.06'

W96°01.10' 209° 29.5 NM to fld. 940/8E.



HOOVER MUNI (O45) 0 W UTC-6(-5DT) N36°51.43' W101°13.63'**WICHITA**

2998 B TPA-4000(1002) NOTAM FILE MLC

L-15B


RWY 17-35: H3312X60 (ASPH) MIRL

RWY 17: Road. Rgt t/c.

RWY 35: Pole.

AIRPORT REMARKS: Unattended. Twr 336' AGL 2160' northeast.

ACTIVATE MIRL Rwy 17-35-CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GCK.**LIBERAL (H) VORTACW** 112.3 LBL Chan 70 N37°02.66'W100°58.27' 217° 16.7 NM to fld. 2891/11E. **HIWAS.****HUGO** N34°02.38' W95°32.36' NOTAM FILE MLC**MEMPHIS**

NDB (MHW) 323 HHW at Stan Stamper Muni.

L-17D**HUGO****STAN STAMPER MUNI** (HHW) 2 NW UTC-6(-5DT) N34°02.09' W95°32.51'**DALLAS-FT. WORTH**

572 B FUEL 100LL, JET A NOTAM FILE MLC

L-17D


RWY 17-35: H4007X75 (ASPH) S-12.5 MIRL

IAP

RWY 17: Trees. RWY 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. MIRL Rwy 17-35 preset low ints to increase ints ACTIVATE-CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.025 (580) 326-2134).**COMMUNICATIONS:** CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 124.875

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.**MC ALESTER (L) VORTACW** 112.0 MLC Chan 57 N34°50.97'W95°46.94' 158° 50.2 NM to fld. 820/8E. **HIWAS.****HUGO NDB (MHW)** 323 HHW N34°02.38' W95°32.36' at fld.**IDABEL****MCCURTAIN CO RGNL** (404) 2 NW UTC-6(-5DT) N33°54.56' W94°51.56'**MEMPHIS**

472 B FUEL 100LL, JET A NOTAM FILE 404

H-6I, L-17D

RWY 02-20: H5000X75 (ASPH) S-30 MIRL

IAP

RWY 02: REIL. PAPI(P4L)-GA 3.0° TCH 40'.

RWY 20: REIL. PAPI(P4L)-GA 3.0° TCH 41'. Trees. Rgt t/c.

AIRPORT REMARKS: Attended Mon-Fri 1500-2200Z. Fuel avbl 24 hrs self service with major credit card. Rotating bcn OTS indef. Rwy 02 and Rwy 20 west side REIL lgts OTS indef. ACTIVATE MIRL Rwy 02-20 REIL and PAPI Rwy 02 and Rwy 20-CTAF.**WEATHER DATA SOURCES:** AWOS-3 120.0 (580) 286-2217.**COMMUNICATIONS:** CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 123.925

RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.**TEXARKANA (H) VORTACW** 116.3 TXK Chan 110 N33°30.83' W94°04.39' 294° 45.9 NM to fld. 270/7E.

INOLA**BUZZARD'S ROOST** (018) 4 E UTC-6(-5DT) N36°08.64' W95°25.06'

KANSAS CITY

661 NOTAM FILE MLC

RWY 17-35: 2555X80 (TURF)

RWY 17: Road. Rgt tfc.

RWY 35: Fence. Rgt tfc.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

DOBIE'S (ØK6) 5 NW UTC-6(-5DT) N36°09.59' W95°34.81'

KANSAS CITY

610 NOTAM FILE MLC

RWY 17-35: 1575X150 (TURF)

RWY 17: Trees.

RWY 35: Road. Rgt tfc.

AIRPORT REMARKS: Attended irregularly.

COMMUNICATIONS: CTAF/UNICOM 122.9

JONES MEM (See BRISTOW)**KETCHUM****SOUTH GRAND LAKE RGNL** (1K8) 1 NE UTC-6(-5DT) N36°32.50' W95°01.26'

KANSAS CITY

L-15E

775 FUEL 100LL, JET A NOTAM FILE MLC

RWY 18-36: H4744X60 (ASPH) S-30, D-60

RWY 18: Trees

RWY 36: Thld dsplcd 437'. Trees. Rgt tfc.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card. Parachute Jumping. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 EOS Chan 120 N36°50.55' W94°26.14' 231° 33.5 NM to fld.1200/7E.

KINGFISHER (F92) 1 NW UTC-6(-5DT) N35°52.51' W97°57.15'

DALLAS-FT. WORTH

1067 FUEL 100LL NOTAM FILE MLC

RWY 17-35: 2580X375 (TURF) PCN 4 F/D/Z/U

RWY 17: Fence.

RWY 35: Road. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Automated credit card fuel system. Rwy 17-35 centerline marked by amber strobe lgt on Rwy 17 end and red strobe lgt on Rwy 35 end.

COMMUNICATIONS: CTAF 122.9

KINGFISHER N35°48.32' W98°00.24' NOTAM FILE MLC

DALLAS-FT. WORTH

(H) VORTACW 114.7 IFI Chan 94 271° 20.6 NM to Watonga Rgnl. 1110/9E.

H-6H, L-15D

KINGSTON**LAKE TEXOMA STATE PARK** (F31) 4 E UTC-6(-5DT) N33°59.46' W96°38.57'

DALLAS-FT. WORTH

L-17C

693 B NOTAM FILE MLC

RWY 18-36: H3000X50 (ASPH) S-4 MIRL

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 severe cracking and raveling. Exercise CAUTION—for deer on runway. Rotating bcen OTS indef. MIRL Rwy 18-36 preset low ints, to increase ints


ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 111° 29.3 NM to fld. 925/6E.



LAKE MURRAY STATE PARK (See OVERBROOK)

LAKE TEXOMA STATE PARK (See KINGSTON)

LAVERNE MUNI (051) 3 NW UTC-6(-5DT) N36°44.67' W99°54.52'

WICHITA

L-15C

2112 NOTAM FILE MLC

RWY 17-35: H3950X50 (ASPH) S-4 LIRL (NSTD)


RWY 17: Thld dsplcd 144'. RWY 35: Thld dsplcd 353'. P-line.

AIRPORT REMARKS: Unattended. Rwy 17-35 NSTD LIRL. Thld lgts all green lenses, NSTD location.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62' W99°52.81' 347° 24.1 NM to fld. 2430/10E. HIWAS.



LAWTON-FORT SILL RGNL (LAW) 2 S UTC-6(-5DT) N34°34.06' W98°25.00'

DALLAS-FT. WORTH

1110 B S4 FUEL 100LL, JET A1 + OX 1, 2 Class I, ARFF Index A NOTAM FILE LAW

H-6H, L-17C

RWY 17-35: H8599X150 (CONC-WC) S-45, D-179, ST-175, DT-344 HIRL

IAP, AD

RWY 17: REIL. VASI(V4L)—GA 3.0° TCH 46'. Pole. 0.3% down.

RWY 35: MALSR. 0.6% up.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 17: TORA-8599 TODA-8599 ASDA-8599 LDA-8599

RWY 35: TORA-8599 TODA-8599 ASDA-8599 LDA-8599

AIRPORT REMARKS: Attended Mon-Fri 1130-0200Z± Sat-Sun

1130-0100Z±. Birds on and invof arpt. When twr clsd ARFF avbl through Fort Sill apch control. PPR for unscheduled Part 121 acft ops with over 30 passenger seats, ctc arpt manager 580-353-4869. When twr clsd HIRL Rwy 17-35 preset med ints, to increase ints and ACTIVATE MALSR Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS (580) 581-1351.

COMMUNICATIONS: CTAF 119.9 ATIS 120.75 UNICOM 122.95

® FORT SILL APP/DEP CON 120.55

TOWER 119.9 (1400-0100Z±) GND CON 121.9

AIRSPACE: CLASS D svc 1400-0100Z± other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE LAW.


(L) VORW/DME 109.4 LAW Chan 31 N34°29.77'

W98°24.79' 349° 4.3 NM to fld. 1104/9E.

ILS 109.1 I-LAW Rwy 35. Class IB. Unmonitored when twr clsd. GS unusable for coupled apchs blo 2000' MSL.

ASR

COMM/NAV/WEATHER REMARKS: When twr clsd weather avbl through Fort Sill apch control.



LEXINGTON

Mc CASLIN (044) 4 N UTC-6(-5DT) N35°05.54' W97°20.19'

DALLAS-FT. WORTH

1135 NOTAM FILE MLC

RWY 17-35: 2135X80 (TURF)

RWY 17: Fence. RWY 35: P-line.

AIRPORT REMARKS: Unattended. Rwy 17-35 marked by white cones on east side only. Rwy 17 and Rwy 35 ends marked by white cones.

COMMUNICATIONS: CTAF 122.9

LINDSAY MUNI (1K2) 2 NE UTC-6(-5DT) N34°50.97' W97°35.12'

DALLAS-FT. WORTH

968 B NOTAM FILE MLC

L-17C

RWY 01-19: H3010X60 (ASPH) S-4 MIRL


RWY 01: Fence. **RWY 19:** Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED SS-SR. Rwy 01-19 surface deteriorating. MIRL Rwy 01-19 Preset low ints, to increase ints ACTIVATE—CTAF. 660' AGL antenna 3.2 miles north.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 171° 30.5 NM to fld. 1230/7E. **HIWAS.**



MADILL MUNI (1F4) 3 NW UTC-6(-5DT) N34°08.42' W96°48.72'

DALLAS-FT. WORTH

890 B NOTAM FILE MLC

L-17C

RWY 18-36: H3005X50 (ASPH) S-8 MIRL 0.6% up S

IAP

RWY 18: REIL. PAPI(P2L)—GA 4.0° TCH 47'. Trees.

RWY 36: REIL. PAPI(P2L)—GA 4.0° TCH 60'. Trees.


AIRPORT REMARKS: Unattended. Rwy 18-36 severe cracking and spalling. Rwy 18 left side REIL OTS indef. Rwy 18 PAPI OTS indef. +1694' twr 6.2 miles south of Rwy 36 end. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 128.1

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69' W97°10.10' 097° 18.2 NM to fld. 925/6E.




MANGUM**SCOTT FLD** (2K4) 2 NW UTC-6(-5DT) N34°53.56' W99°31.69'**DALLAS-FT. WORTH**1643 B **FUEL** 100LL NOTAM FILE MLC

L-17B

RWY 17-35: H4200X75 (ASPH) S-12.5 MIRL 0.6% up S.

IAP

RWY 17: Road. **RWY 35:** P-line.**AIRPORT REMARKS:** Unattended. Fuel available 24 hrs automated credit card system. Ultralights on and in vicinity of arpt. Drainage ditch adjacent Rwy 17 75' west. 30' p-line 500' east end Rwy 35.**COMMUNICATIONS:** CTAF 122.9**ALTUS APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z† except Federal hols)**FORT WORTH CENTER APP/DEP CON** 133.5 (Mon-Fri 0830-1430Z†, Sat-Sun and Federal hols 24 hrs)**RADIO AIDS TO NAVIGATION:** NOTAM FILE HBR.**HOBART (L) VORTACW** 111.8 HBR Chan 55 N34°51.99' W99°03.80' 264° 23.0 NM to fld. 1472/10E.**MARIETTA****McGEHEE CATFISH RESTAURANT** (T40) 5 SW UTC-6(-5DT) N33°53.94' W97°10.23'**DALLAS-FT. WORTH**

760 NOTAM FILE MLC

RWY 17-35: 2450X55 (TURF)**RWY 17:** Trees. **RWY 35:** Trees.**AIRPORT REMARKS:** Attended. Mar-Nov 2300-0230Z† except Wed. Dec-Feb Thu-Sun 2300-0230Z†. Dalgt ops only.

Rwy 17-35 CLOSED indef. Livestock and wildlife on and invof rwy. Rwy surrounded by tall trees. Rwy 17-35 steep terrain drop (-80') on all sides with areas of 120' rising terrain. Service road crosses 910' from Rwy 35 end. Rwy 17-35 slippery and soft when wet, rolling and uneven.

COMMUNICATIONS: CTAF 122.9**MC ALESTER RGNL** (MLC) 3 SW UTC-6(-5DT) N34°52.94' W95°47.01'**DALLAS-FT. WORTH**770 B S4 **FUEL** 100LL, JET A NOTAM FILE MLC


H-6I, L-17D

RWY 02-20: H5602X100 (CONC) S-52, D-70, ST-89, DT-120 MIRL 0.5% up NE

IAP

RWY 02: MALS. PVASI(PSIL)—GA 3.0° TCH 39'. Trees.**RWY 20:** REIL. PVASI(PSIL)—GA 2.5° TCH 45'. Road.**AIRPORT REMARKS:** Attended 1130Z†-dusk. After hrs call

918-426-1216. Deer and coyotes on and invof rwy. Rwy 20 PVASI OTS indef. MIRL Rwy 02-20 preset low ints, to increase ints and ACTIVATE MALS Rwy 02—CTAF.

WEATHER DATA SOURCES: ASOS 135.125 (918) 426-1601. HIWAS 112.0 MLC.**COMMUNICATIONS:** CTAF/UNICOM 122.95**RCO** 123.6 122.65 (MC ALESTER RADIO)® **FORT WORTH CENTER APP/DEP CON** 132.2**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**(L) VORTACW** 112.0 MLC Chan 57 N34°50.97' W95°46.94' 350° 2.0 NM to fld. 820/8E. **HIWAS.****WAMPA NDB (LOM)** 344 ML N34°47.87' W95°49.24' 014° 5.4 NM to fld.**ILS** 108.3 I-MLC Rwy 02. LOM WAMPA NDB. LOC only.**Mc CASLIN** (See LEXINGTON)

MEDFORD MUNI (053) 1 SW UTC-6(-5DT) N36°47.44' W97°44.94'

WICHITA

1092 B NOTAM FILE MLC

L-15D

RWY 17-35 H3007X60 (ASPH) S-13 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.51° TCH 31'. Road.

RWY 35: PAPI(P2L)—GA 3.51° TCH 33'. Fence.

AIRPORT REMARKS: Attended Mon-Fri 1430-2300Z†, 100' refinery 3300' southwest of arpt. ACTIVATE MIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

- Ⓡ VANCE APP/DEP CON 118.075 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM.

KANSAS CITY CENTER APP/DEP CON 127.8 (1 Mar-31 Oct) Mon-Fri 0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†, (1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun 2300-1900Z†, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.

PIONEER (H) VORTACW 113.2 PER Chan 79 N36°44.79' W97°09.61' 269° 28.5 NM to fld. 1054/6E.

**MENO****DECKER FLD** (407) 1 S UTC-6(-5DT) N36°22.32' W98°10.71'

WICHITA

1330 S4 NOTAM FILE MLC

RWY 03-21: 2215X75 (TURF)

RWY 21: Road.

AIRPORT REMARKS: Attended 1300-0100Z†. Rwy 21 has 50' p-line 900' from thld.

COMMUNICATIONS: CTAF 122.9

MIAMI MUNI (MIO) 2 NW UTC-6(-5DT) N36°54.55' W94°53.25'

KANSAS CITY

808 B S4 FUEL 100LL, JET A NOTAM FILE MLC

H-6I, L-16F

RWY 17-35: H5020X100 (ASPH) S-23 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 30'. Trees. Rgt tfc.

RWY 35: PAPI(P2L)—GA 4.0° TCH 40'. Stack.

AIRPORT REMARKS: Attended 1400-2300Z†. Arpt unattended Thanksgiving and Christmas. Parachute Jumping. Rwy 35 +7' fence 855' from end of rwy. ACTIVATE MIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

OSWEGO RCO 122.1R 117.6T (WICHITA RADIO)

- Ⓡ KANSAS CITY CENTER APP/DEP CON 132.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ICT.

OSWEGO (L) VORTAC 117.6 OSW Chan 123 N37°09.45' W95°12.22' 126° 21.3 NM to fld. 930/8E. HIWAS.

**MID-AMERICA INDUSTRIAL** (See PRYOR)**MIGNON LAIRD MUNI** (See CHEYENNE)**MOLLY'S LANDING HELIPORT** (See CATOOSA)

MOORELAND MUNI (MDF) 3 N UTC-6(-5DT) N36°29.09' W99°11.65'

1970 B S2 FUEL 100LL, MOGAS NOTAM FILE MLC

Rwy 17-35: H3500X60 (ASPH) S-4 MIRL

Rwy 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1500-2300Z†. Sat-Sun on call.

For arpt attendant weekend and holidays call (580) 994-9305 or (580) 216-0014. PPR for fuel call 580-994-2427. ACTIVATE MIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8.

KANSAS CITY CENTER APP/DEP CON 126.95

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 066° 34.3 NM to fld. 2430/10E. HIWAS.



WICHITA

L-15C

IAP

MULDROW AHP (HMY) A (NG) 4 E UTC-6(-5DT) N35°01.58' W97°13.90'

1091 B

Not insp.

DALLAS-FT WORTH

L-17C

IAP

Rwy 17-35: H2005X75 (ASPH) LIRL

MILITARY SERVICE: LGT Rotating bcn phone req. FUEL J4

MILITARY REMARKS: Attended Mon 1300-2200Z†, Tue-Fri 1330-0600Z†. RSTD PPR for all tran fuel, park and night opr DSN 628-8101, C405-217-8101. CAUTION Helicopter park ramp has perimeter fence.

COMMUNICATIONS:

® FORT WORTH CENTER APP/DEP CON 128.1 322.4 MULDROW OPS 142.45 387.9 46.9 (Advisory svc only)

RADIO AIDS TO NAVIGATION:

MULDROW NDB (MHW) 512 HMY N35°01.74' W97°13.83' at fld. NOTAM FILE MLC.

MUNICIPAL (See TEXHOMA)

MUSKOGEE

DAVIS FLD (MKO) 6 S UTC-6(-5DT) N35°39.46' W95°21.70'

611 B S2 FUEL 100LL, JET A NOTAM FILE MKO

Rwy 13-31: H7201X150 (ASPH) S-59, D-78, ST-99, DT-131 MIRL 0.4% up NW

Rwy 13: PAPI(P4L)—GA 3.0° TCH 50'. Trees.

Rwy 31: MALS. PAPI(P4L)—GA 3.0° TCH 53'.

Rwy 04-22: H4498X75 (ASPH-CONC) 0.3% up SW

Rwy 04: Trees.

Rwy 22: Road.

Rwy 18-36: H1900X60 (ASPH)

Rwy 18: Road.

AIRPORT REMARKS: Attended Mon-Sat 1300-0000Z†, Sun 1400-2300Z†. Bird activity on and in/ov arpt. Occasional deer and coyotes on and in/ov rwy. Ultralights on and in/ov arpt. Twy B clsd to acct over 25,000 lbs. MIRL Rwy 13-31 preset low ints dusk-0600Z†, after 0600Z† ACTIVATE—CTAF. To increase ints and ACTIVATE MALS Rwy 31—CTAF. PAPI Rwy 13 and Rwy 31 opr continuously. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: ASOS 135.025 (918) 683-6987.


COMMUNICATIONS: CTAF/UNICOM 122.8

MUSKOGEE RCO 122.5 (MC ALESTER RADIO)

® FORT WORTH CENTER APP/DEP CON 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 139° 38.4 NM to fld. 770/8E.



DALLAS-FT. WORTH

H-61, L-15E

IAP

HATBOX FLD (HAX) 2 W UTC-6(-5DT) N35°44.76' W95°24.76'
DALLAS-FT. WORTH
L-15E

627 NOTAM FILE MLC


RWY 11-29: H3800X50 (ASPH)

RWY 11: Trees. Rgt tfc.

RWY 29: Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED indef. Rwy 11-29
CLOSED indef.
COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 138° 32.6 NM to fld. 770/8E.



NEIL'S SKY RANCH (See NINNEKAH)

NINNEKAH
NEIL'S SKY RANCH (014) 9 SW UTC-6(-5DT) N34°53.45' W97°59.90'

DALLAS-FT. WORTH

1200 S4 NOTAM FILE MLC

RWY 17-35: 3000X150 (TURF)

RWY 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Glider activity on and infov arpt. 255' twr 1.5 NM
north-northwest and 350' twr 2.4 NM east. Rwy 17-35 south 600' clsd indef.
COMMUNICATIONS: CTAF 122.9

NORMAN**UNIVERSITY OF OKLAHOMA WESTHEIMER**

(OUN) 3 NW UTC-6(-5DT)

DALLAS-FT. WORTH

H-6H, L-15D


IAP, AD

N35°14.73' W97°28.33'

1182 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE OUN

RWY 17-35: H5199X100 (ASPH) S-30, D-50, DT-100 MIRL**RWY 17:** MALSR. VASI(V2L)—GA 3.5° TCH 33'. Rgt tfc.**RWY 35:** REIL. VASI(V2L)—GA 3.5° TCH 47'.**RWY 03-21:** H4748X100 (ASPH) S-30, D-50, DT-100 MIRL**RWY 03:** MALSR. VASI(V2L)—GA 3.5° TCH 30'. Pole.**RWY 21:** VASI(V2L)—GA 3.5° TCH 32'. Bldg. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0400Z+. Use extreme care coyotes and deer on and in vicinity of runways. High density student ops invov arpt and 5 miles south. Preferred calm wind rwy: arr Rwy 03 and Rwy 17 dep Rwy 21 and Rwy 35. 180° turns prohibited on runways for all other than single engine light aircraft. TPA—1682(500) for helicopters, 2182(1000) for single-engine, 2682(1500) for multi-engine and jet acft. VASI Rwy 03 OTS indef. Rwy 17 VASI OTS indef. Rwy 21 VASI OTS indef. Rwy 35 VASI OTS indef. When twr clsd, ACTIVATE MIRL Rwy 03-21 and Rwy 17-35, MALSR Rwy 17, and MALSR Rwy 03—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.55 (405) 325-7302.**COMMUNICATIONS:** CTAF 118.0 UNICOM 122.95**NORMAN RCO 122.15** (MC ALESTER RADIO)① **OKE CITY APP/DEP CON 120.45****WESTHEIMER TOWER 118.0** (1400-0400Z) **GND CON 121.6****AIRSPACE:** CLASS D svc (1400-0400Z) other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.**WILL ROGERS (H) VORTACW 114.1** IRW Chan 88 N35°21.52' W97°36.55' 128° 9.6 NM to fld. 1230/7E.**HIWAS.****NORMAN NDB (MHW) 260** OUN N35°14.90' W97°28.20' at fld. NOTAM FILE OUN. NDB unmonitored when twr clsd.**ILS/DME 111.1** I-PHY Chan 48 Rwy 03. LOC only. LOC/DME unmonitored when twr clsd.**ILS/DME 111.95** I-BWM Chan 56(Y) Rwy 17. Class IE.**NORMAN** N35°14.90' W97°28.20' NOTAM FILE OUN.**DALLAS-FT. WORTH****NDB (MHW) 260** OUN at University of Oklahoma Westheimer. Unmonitored when twr clsd.

L-15D

NORMAN N35°14.50' W97°28.02'**DALLAS-FT. WORTH****RCO 122.15** (MC ALESTER RADIO)

H-6H, L-15D

NOWATA MUNI (H66) 2 NE UTC-6(-5DT) N36°43.26' W95°37.52'**KANSAS CITY**

679 NOTAM FILE MLC

RWY 17-35: H2500X45 (ASPH) S-4**RWY 17:** P-line. **RWY 35:** Trees.**RWY 05-23:** 2440X45 (TURF)**RWY 05:** P-line. **RWY 23:** Trees.

AIRPORT REMARKS: Unattended. Rwy 05-23 CLOSED indef. -2' ditch at Rwy 23 thld, -12' ditch 220' from Rwy 35 thld. Rwy 17-35 surface rough and uneven. Rwy 05-23 extremely rough and covered with tall grass. Rwy 35 end markings deteriorated or partially covered by asphalt patching. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9**OILLR** N36°05.84' W95°53.33' NOTAM FILE TUL.**KANSAS CITY****NDB (LOM) 338** TU 353° 6.1 NM to Tulsa Intl.

OKEENE**CHRISTMAN AIRFIELD** (O65) 1 SE UTC-6(-5DT) N36°06.75' W98°18.52'**WICHITA**
L-150

1205 NOTAM FILE MLC

RWY 17-35: H3000X60 (ASPH) S-12**RWY 17:** P-line.**AIRPORT REMARKS:** Unattended.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**KINGFISHER (H) VORTACW** 114.7 IFI Chan 94 N35°48.32' W98°00.24' 312° 23.6 NM to fld. 1110/9E.**OKEMAH FLYING FLD** (F81) 1 E UTC-6(-5DT) N35°25.85' W96°17.03'**DALLAS-FT. WORTH**


867 TPA-1800(933) NOTAM FILE MLC

RWY 17-35: 2585X100 (TURF)**RWY 17:** Tree. **RWY 35:** Tree.**RWY 02-20:** 2375X80 (TURF)**RWY 02:** Trees. **RWY 20:** Tree.**AIRPORT REMARKS:** Unattended. Numerous golf trails cross the rwy. Rwy 02-20 lined with +30' trees. +4' mound in center of Rwy 02-20 360' from Rwy 02 end. Trees, broken light fixtures, old tires, golf driving range, golf tees, all within primary surface and safety areas of both rwys. Water hole and drain on east side of Rwy 17-35 at twy intersection. +4' dirt mound in center of stub twy.**COMMUNICATIONS:** CTAF 122.9**OKLAHOMA CITY****CLARENCE E PAGE MUNI** (RCE) 15 W UTC-6(-5DT) N35°29.28' W97°49.41'**DALLAS-FT. WORTH**
H-6H, L-150
IAP, AD

1354 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE MLC

RWY 17R-35L: H6014X100 (CONC) S-40, D-60 HIRL**RWY 17R:** PAPI(P4L)—GA 3.0° TCH 42'. Fence. Rgt tfc.**RWY 35L:** PAPI(P4L)—GA 3.0° TCH 42'.**RWY 17L-35R:** H3502X75 (CONC) S-17 MIRL**RWY 17L:** Trees. **RWY 35R:** Trees. Rgt tfc.**AIRPORT REMARKS:** Attended Mon-Sat 1330-2330Z†. Ultralights on and invof arpt. Deer on and invof rwy. Aerobatic acft blo 6400' 1NM radius of arpt. ACTIVATE HIRL Rwy 17R-35L and MIRL Rwy 17L-35R—CTAF.**WEATHER DATA SOURCES:** AWOS-3 125.05 (405) 354-2617.**COMMUNICATIONS:** CTAF/UNICOM 123.0 Unicom unmonitored.

® OKE CITY APP/DEP CON 124.6

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 300° 13.1 NM to fld. 1230/7E. HIWAS.

SUNDANCE AIRPARK (HSD) 11 NW UTC-6(-5DT) N35°36.11' W97°42.37'

DALLAS-FT. WORTH

1193 B FUEL 100LL, JET A NOTAM FILE MLC

H-6H, L-15D

RWY 17-35: H5001X100 (CONC) MIRL 0.8% up S

IAP

RWY 17: VASI(V2L)—GA 2.25° TCH 24'. Rgt tfc.

RWY 35: VASI(V2L)—GA 2.50° TCH 21'.

AIRPORT REMARKS: Attended 1400-0000Z+. Fuel avbl 24 hrs self-service with credit card. ACTIVATE MIRL Rwy 17-35 and VASI Rwy 17 and Rwy 35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7


® **OKE CITY APP/DEP CON** 124.6 **CLNC DEL** 123.7

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 335° 15.3 NM to fld. 1230/7E. **HIWAS.**

ILS 109.9 I-HSD Rwy 17. LOC only.

**WILEY POST** (PWA) 7 NW UTC-6(-5DT) N35°32.05' W97°38.82'

DALLAS-FT. WORTH

1300 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks NOTAM FILE PWA

H-6H, L-15D

RWY 17L-35R: H7199X150 (CONC) S-35, D-50, DT-90 HIRL

IAP, AD

RWY 17L: MALSR. PAPI(P4L)—GA 3.0° TCH 54'. Rgt tfc.

RWY 35R: PAPI(P4L)—GA 3.0° TCH 45'. Thld dspcd 355'.

RWY 17R-35L: H5002X75 (ASPH-CONC) S-26 MIRL

RWY 17R: PAPI(P4L)—GA 3.0° TCH 25'. Rgt tfc.

RWY 35L: PAPI(P4L)—GA 3.0° TCH 31'.

RWY 13-31: H4214X100 (CONC) S-35, D-50, DT-90

MIRL 0.6% up SE

RWY 13: Pole. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-4214 TODA-4214 ASDA-4214 LDA-4214

RWY 31: TORA-4214 TODA-4214 ASDA-4214 LDA-4214

RWY 17L: TORA-7199 TODA-7199 ASDA-6844 LDA-6844

RWY 35R: TORA-7199 TODA-7199 ASDA-7199 LDA-6844

RWY 17R: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 35L: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

AIRPORT REMARKS: Attended continuously. Fuel avbl 24 hrs self serve with credit card. Rwy 13-31 CLOSED 0400-1300Z+. Rwy 13-31 CLOSED to jets. Rwy 13 CLOSED to t/kf and Rwy 31 CLOSED to l/dg for acft over 12,500 lbs gross weight. Flocks of birds on and in/ovf arpt all quadrants. Noise abatement procedure: Acft in excess of 12,500 pounds departing Rwy 17L-35R climb at a maximum rate consistent with safety to an altitude of 1500' AGL then reduce power setting and climb rate to 3000' AGL or 2 NM from arpt depending on air traffic control and safety conditions. TPA for Rwy 17R/35L 1900(600) 2300(1000) all other rwys. Rwy 13-31 and Rwy 17R-35L unlighted 0400-1300Z+. Rwy 17R-35L south and north 1000' conc. Touch & go or stop & go l/dgs not authorized Rwy 13-31. Twy C1 north of Rwy 31 thld and Twy C from 100' east of Twy A eastbound designated nonmovement area. Numerous acft under the ctl of Oklahoma City apch operating in Wiley Post CLASS D airspace abv 3000' MSL and 1 mile east of Wiley Post arpt abv 2500' MSL. When twr clsd ACTIVATE HIRL Rwy 17L-35R and MALSR Rwy 17L—CTAF.

WEATHER DATA SOURCES: ASOS (405) 495-7192.**COMMUNICATIONS:** CTAF 126.9 ATIS 128.725 (405) 495-4063 UNICOM 122.95

RCO 122.4 122.65 (MC ALESTER RADIO)

® **OKE CITY APP/DEP CON** 124.6 (171°-360°) 120.45 (081°-170°) 124.2 (001°-080°)


TOWER 126.9 (1300-0400Z+) **GND CON** 121.7

AIRSPACE: CLASS D svc 1300-0400Z+ other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE PWA.

(T) **VORW/DME** 113.4 PWA Chan 81 N35°31.98' W97°38.83' at fld. 1271/8E.

ILS 110.15 I-PWA Rwy 17L. GS unusable blo 1610'. Unmonitored when twr clsd.

ASR



WILL ROGERS WORLD (OKC) 6 SW UTC-6(-5DT) N35°23.59' W97°36.04'
 1295 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index C
 NOTAM FILE OKC

DALLAS-FT. WORTH
 H-6H, L-15D
 IAP, AD

RWY 17L-35R: H9802X150 (CONC-GRVD) S-50, D-200, ST-175,
 DT-400 HIRL CL

RWY 17L: MALSR. **RWY 35R:** ALSF2. TDZL. Rgt tfc.

RWY 17R-35L: H9800X150 (CONC-GRVD) S-50, D-200, ST-175,
 DT-400 HIRL CL

RWY 17R: MALSR. PAPI(P4L)—GA 3.0° TCH 60'. Rgt tfc.

RWY 35L: MALSR. 0.3% up.

RWY 13-31: H7800X150 (ASPH-CONC-GRVD) S-50, D-200,
 ST-175, DT-400 MIRL

RWY 13: REIL. VASI(V4L)—GA 3.0° TCH 52'. Rgt tfc.

RWY 31: REIL. VASI(V4L)—GA 3.0° TCH 52'.

RWY 18-36: H3078X75 (ASPH) S-50, D-150, ST-175, DT-240

RWY 18: Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-7800 TODA-7800 ASDA-7800 LDA-7800

RWY 31: TORA-7800 TODA-7800 ASDA-7800 LDA-7800

RWY 17L: TORA-9802 TODA-9802 ASDA-9802 LDA-9802


RWY 35R: TORA-9802 TODA-9802 ASDA-9802 LDA-9802

RWY 17R: TORA-9800 TODA-9800 ASDA-9800 LDA-9800

RWY 35L: TORA-9800 TODA-9800 ASDA-9800 LDA-9800

RWY 18: TORA-3079 TODA-3079 ASDA-3079 LDA-3079

RWY 36: TORA-3079 TODA-3079 ASDA-3079 LDA-3079



AIRPORT REMARKS: Attended continuously. PPR for parking on FAA Aeronautical Center ramp phone 405-954-4137.

Pilots of acft with wing spans greater than 118' must use judgement over steering at all twy intersections. Rwy 18-36 600' W of Rwy 17R-35L on existing twy. Construction fence on terminal ramp north of west concourse.

Rwy 17R and Rwy 35L runway visual range touchdown and rollout avbl. Rwy 18-36 VFR dalgt operations only except for Air National Guard. Rwy 18-36 used as taxiway when not used as rwy. Rwy 18-36, Twy G west of Rwy 17R-35L, Twy A2 east of Twy A, Twy D southwest of Rwy 13-31, Twy A1, Twy A3, Twy A4, Twy A6, Twy B, and C2, not avbl for air carrier ops with over 9 passenger seats. Twy G west of Twy B clsd to all except U.S.

Marshals Service acft. U.S. Marshals svc ramp PPR phone 405-680-3468. Twy C2 clsd to all ops except Metro Tech tfc. Twys H1, H2 and G east of Twy H clsd indef. Compass rose restricted to acft under 95,000 lbs except ANG C-130. Twy B N of compass rose restricted to acft under 120,000 lbs except ANG C-130. All ramps are uncontrolled. Rwy 17R NSTD MALSR, no thld lgts. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (405) 682-4871. **HIWAS** 114.1 IRW. TDWR.

COMMUNICATIONS: D-ATIS 125.85 (405) 681-9853

① **OKC CITY APP/DEP CON** 124.6 (171°-360°) 120.45 (081°-170°) 124.2 (001°-080°)

ROGERS TOWER 119.35 120.25 **GND CON** 121.9 **CLNC DEL** 124.35 **PRE-TAXI CLNC** 124.35

AIRSPACE: CLASS C svc continuous ctc **APP CON**

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

(H) **VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 004° 2.1 NM to fld. 1230/7E. **HIWAS**.

TULOO NDB (MHW/LOM) 406 OK N35°28.29' W97°36.33' 170° 4.7 NM to fld.

GALLY NDB (LOM) 350 RG N35°17.70' W97°35.32' 347° 5.9 NM to fld.

ILS/DME 110.9 I-RGR Chan 46 Rwy 35R. Class IIE. LOM **GALLY NDB**. DME unusable 15° right of course.

ILS/DME 110.7 I-OKC Chan 44 Rwy 17R. Class IE. LOM **TULOO NDB**. LOC BC unusable byd 10 NM blo 3300'. DME also serves Rwy 35L.

ILS/DME 110.7 I-LIK Chan 44 Rwy 35L. Class IE. DME also serves Rwy 17R. LOC unusable byd 30° rgt of course.

ILS/DME 110.9 I-EXR Chan 46 Rwy 17L. Class IE.

ASR

OKMULGEE RGNL (OKM) 3 N UTC-6(-5DT) N35°40.09' W95°56.92'

DALLAS-FT. WORTH

720 B FUEL 100LL, JET A NOTAM FILE OKM

H-61, L-15E

RWY 18-36: H5150X100 (CONC) S-30, D-48, DT-78 MIRL 0.7% up N

IAP

RWY 18: MALSR.

RWY 36: Trees.

AIRPORT REMARKS: Attended 1400-2300Z+. 24 hr fuel automated credit card system. Parachute Jumping. Flocks of migratory birds and deer on and in/ov arpt. ACTIVATE MIRL Rwy 18-36 and MALSR Rwy 18-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.225 (918) 756-9502.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ TULSA APP/DEP CON 119.85

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 186° 32.6 NM to fld. 770/8E.

(H) VORW/DME 114.9 OKM Chan 96 N35°41.59' W95°51.96'


242° 4.3 NM to fld. 766/8E. NOTAM FILE OKM.

PRESO NDB (LOM) 388 OK N35°45.32' W95°56.92' 176°

5.2 NM to fld.

ILS 109.1 I-OKM Rwy 18. LOM PRESO NDB. ILS

unmonitored.



OLUSTEE MUNI (F09) 3 S UTC-6(-5DT) N34°30.75' W99°25.77'

DALLAS-FT. WORTH

1346 NOTAM FILE MLC

RWY 17-35: H2000X50 (ASPH) S-12

RWY 17: Fence.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

OVERBROOK

LAKE MURRAY STATE PARK (1F1) 2 E UTC-6(-5DT) N34°04.51' W97°06.40'

DALLAS-FT. WORTH

817 B NOTAM FILE MLC

RWY 14-32: H2500X48 (ASPH) S-4 LIRL (NSTD)

RWY 14: Thld dsplcd 120'. Trees. RWY 32: Trees.

AIRPORT REMARKS: Unattended. Occasional deer and birds on or near rwy. Rwy 14-32 NSTD LIRL due to thld placement. Windsock OTS indef. Rotating bcn OTS indef. LIRL Rwy 14-32 OTS indef. Dalg use only.

COMMUNICATIONS: CTAF 122.9

OWASSO N36°18.44' W95°52.52' NOTAM FILE TUL.

KANSAS CITY

NDB (LOM) 375 DW 180° 6.6 NM to Tulsa Intl.

OWASSO

GUNDYS (O38) 3 E UTC-6(-5DT) N36°16.01' W95°47.02'

KANSAS CITY

720 FUEL 100LL NOTAM FILE MLC

RWY 17L-35R: H2600X26 (ASPH) MIRL (NSTD)

RWY 17L: Building.

RWY 17R-35L: 1760X100 (TURF)

RWY 17R: Trees. RWY 35L: Trees.

AIRPORT REMARKS: Attended irregularly. For fuel call 918-272-1523. Ultralight activity on and in/ov arpt. Rwy 17R thld marked with white tires only. Rwy 17L-35R NSTD small numbers located 50' from rwy end. Rwy 17L-35R NSTD MIRL, lgts located 35' from rwy edge, thld lights missing. Rwy 17L-35R surface cracking and uneven.

COMMUNICATIONS: CTAF 122.9

PAULS VALLEY MUNI (PVJ) 2 S UTC-6(-5DT) N34°42.57' W97°13.40'

DALLAS-FT. WORTH

971 B S4 FUEL 100LL, JET A NOTAM FILE PVJ

H-6H, L-17C

RWY 17-35: H5001X100 (CONC) S-42, D-55, DT-110 MIRL 0.4% up N

IAP

RWY 17: REIL. PAPI (P4L)—GA 3.0 TCH 55'. Trees.

RWY 35: REIL. PAPI (P4L)—GA 3.0 TCH 42'. Trees.

RWY 12-30: H3500X150 (CONC) S-42, D-55, DT-110

PCN 3 R/B/X/T 0.5% up NW

RWY 12: Trees.

RWY 30: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. For attendant after hours call 405-207-6610. Fuel avbl 24 hrs with automated credit card system. Ultralights on and in vof arpt. ACTIVATE MIRL Rwy 17-35, PAPI and REIL Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.675 (405) 238-4452.**COMMUNICATIONS:** CTAF/UNICOM 122.8.

® FORT WORTH CENTER APP/DEP CON 128.1


RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 349° 30.0 NM to fld. 925/6E.

NDB (MHW) 384 PVJ N34°42.93' W97°13.74' at fld.

NOTAM FILE PVJ.

**PAWHUSKA MUNI** (H76) 4 W UTC-6(-5DT) N36°40.30' W96°24.33'

KANSAS CITY

1000 B NOTAM FILE MLC

L-15E

RWY 17-35: H3200X60 (ASPH) S-12.5 MIRL


RWY 17: P-line.

RWY 35: P-line.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE BVO.

BARTLESVILLE (L) VORW/DME 117.9 BVO Chan 126 N36°50.06'

W96°01.10' 235° 21.1 NM to fld. 940/8E.

**PAWNEE MUNI** (H97) 0 NE UTC-6(-5DT) N36°23.00' W96°48.62'

KANSAS CITY

875 NOTAM FILE MLC

RWY 18-36: 2130X100 (TURF)

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 south 300' muddy and soft when wet.**COMMUNICATIONS:** CTAF 122.9

PERRY MUNI (F22) 5 N UTC-6(-5DT) N36°23.14' W97°16.63'

1002 B S4 FUEL 100LL, JET A NOTAM FILE MLC

RWY 17-35: H5110X75 (ASPH) S-75, D-130 MIRL 0.5% up S

RWY 17: REIL. PAPI(P2L).

RWY 35: REIL. PAPI(P2L). Road.

AIRPORT REMARKS: Attended 1400-2300Z±. Heavy mil jet t/c dalgt.

Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy

17-35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

KANSAS CITY CENTER APP/DEP CON 127.8.

RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.


PIONEER (H) VORTACW 113.2 PER Chan 79 N36°44.79'

W97°09.61' 189° 22.4 NM to fld. 1054/6E.

WICHITA

H-6H, L-15D

IAP



PIONEER N36°44.79' W97°09.61'. NOTAM FILE PNC.

(H) **VORTACW** 113.2 PER Chan 79 101° 3.0 NM to Ponca City Rgnl. 1054/6E.

WICHITA

H-6H, L-15D

PONCA CITY RGNL (PNC) 2 NW UTC-6(-5DT) N36°43.92' W97°05.99'

1008 B S4 FUEL 100LL, JET A OX 4 TPA-2001(993) NOTAM FILE PNC

RWY 17-35: H7201X150 (CONC-GRVD) S-51, D-65, ST-83, DT-122 HIRL

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 49'. Rgt t/c.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Building.

AIRPORT REMARKS: Attended 1300-0300Z±. Jet A fuel and service avbl

1300Z±—dusk, other times call 580-762-8647. 100LL fuel avbl

24 hrs. Ultralights on and invof arpt. N 2400' rwy NSTD plastic

grooving entire width and 25' each edge at remainder of rwy

4801'. ACTIVATE HIRL Rwy 17-35, MALSR Rwy 17, PAPI Rwy 17,

PAPI Rwy 35, and REIL Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 134.075 (580) 765-0049.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 122.25 (MCALISTER RADIO)

KANSAS CITY CENTER APP/DEP CON 127.8

AIRSPACE: CLASS E svc continuous.

RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.

PIONEER (H) VORTACW 113.2 PER Chan 79 N36°44.79'


W97°09.61' 101° 3.0 NM to fld. 1054/6E.

NDB (MHW/LOM) 515 PN N36°49.50' W97°06.03' 175° 5.6

NM to fld.

ILS/DME 111.9 I-PNC Chan 56 Rwy 17. LOM PONCA

NDB. LOC unmonitored. ILS unmonitored.



POND CREEK

HOMESTEAD FARMS (O66) 4 E UTC-6(-5DT) N36°41.50' W97°43.60'

1030 NOTAM FILE MLC

RWY 17-35: 2870X21 (ASPH-TURF)

RWY 17: Fence. RWY 35: Trees.

AIRPORT REMARKS: Unattended. Rwy 17-35 ASPH strip 1659'X21' middle of rwy. 546' on north end and 665' on south end turf. Both turf rwy ends muddy when wet. Parts of asphalt portion broken and deteriorated.

COMMUNICATIONS: CTAF 122.9

WICHITA

POND CREEK MUNI (2K1) 0 SW UTC-6(-5DT) N36°39.75' W97°48.52'

WICHITA

1061 NOTAM FILE MLC

RWY 17-35: 2320X430 (TURF)

RWY 17: Pole.

RWY 15-33: H1220X30 (ASPH) PCN 2 F/D/Z/U

RWY 15: Trees.

AIRPORT REMARKS: Unattended. Rwy 17-35 full width of rwy not maintained, use middle of rwy surface. Rwy 15-33 surface severe cracking and deterioration. Loose rock on rwy. Thld lgtg NSTD all green lenses.

COMMUNICATIONS: CTAF 122.9

PORT OF CATOOSA HELIPORT (See CATOOSA)

POST N34°36.53' W98°24.23' NOTAM FILE MLC

DALLAS-FT WORTH

NDB (MHW) 425 PFL 354° 2.5 NM to Henry Post AAF (Fort Sill).

L-17C

POTEAU

ROBERT S. KERR (RKR) 2 S UTC-6(-5DT) N35°01.30' W94°37.28'

MEMPHIS

451 B S4 FUEL 100LL, JET A NOTAM FILE RKR

L-17D

RWY 18-36: H4006X75 (ASPH) S-27 MIRL

IAP

RWY 18: PAPI(P2L)-GA 2.75° TCH 38'. Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended 1400-2300Z†. Fuel avbl 24 hrs with credit card. Ultralight activity on and in/ovf arpt. Arpt bcn OTS indef.

ACTIVATE MIRL Rwy 18-36—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.625 (918) 647-4063.

COMMUNICATIONS: CTAF/UNICOM 122.8


RICH MOUNTAIN RCO 122.6 (MC ALESTER RADIO)

Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130-0500Z†)

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83' W94°36.54' 354° 20.4 NM to fld. 2700/4E.



PRAGUE MUNI (047) 2 W UTC-6(-5DT) N35°28.94' W96°43.12'

DALLAS-FT. WORTH

1042 B NOTAM FILE MLC

L-15E

RWY 17-35: H2757X60 (ASPH) S-4 MIRL 0.9% up N

RWY 17: PAPI(P2L). Road. RWY 35: PAPI(P2L)

IAP

AIRPORT REMARKS: Unattended. PAEW 200' south of AER 35. MIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE—CTAF. Rotating bcn OTS indef.


COMMUNICATIONS: CTAF 122.9 CTAF OTS indef.

Ⓡ **FORT WORTH APP/DEP CON** 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 073° 44.3 NM to fld. 1230/7E. HIWAS.

NDB (MHW) 314 GGU N35°31.00' W96°43.12' 174° 2.1 NM to fld. NOTAM FILE MLC.




PRESO N35°45.32' W95°56.92' NOTAM FILE OKM.

DALLAS-FT WORTH

NDB (LOM) 388 OK 176° 5.2 NM to Okmulgee Rgnl.

PRYOR**MID-AMERICA INDUSTRIAL** (H71) 4 S UTC-6(-5DT) N36°13.52' W95°19.80'**KANSAS CITY**622 B **FUEL** 100LL, JET A NOTAM FILE MLC**H-61, L-15E****RWY 18-36:** H5000X75 (ASPH) S-30 MIRL 0.4% up N**IAP****RWY 18:** PAPI(P4L)—GA 3.0° TCH 32'. Trees.**RWY 36:** PAPI(P4L)—GA 3.5° TCH 40'. Trees.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±. Glider ops on and in vof arpt on weekends. Fuel avbl 24 hrs with credit card. PAPI Rwy 36 OTS indef.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **TULSA APP/DEP CON** 119.1**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78'


W95°47.29' 077° 22.3 NM to fld. 770/8E.

**PURCELL MUNI-STEVEN E. SHEPARD FLD** (303) 2 SW UTC-6(-5DT)**DALLAS-FT. WORTH**

N34°59.00' W97°22.96'

L-17C

1143 B NOTAM FILE MLC

RWY 17-35: H3003X60 (ASPH) S-9.5 MIRL**RWY 35:** Trees.**AIRPORT REMARKS:** Unattended. MIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52'W97°36.55' 147° 25.1 NM to fld. 1230/7E. **HIWAS.****RICHARD LLOYD JONES JR** (See TULSA)**RICH MOUNTAIN** N34°40.83' W94°36.54' NOTAM FILE MLC**MEMPHIS**(L) **VORTACW** 113.5 PGO Chan 82 354° 20.4 NM to Robert S. Kerr. 2700/4E.**H-61, L-17D****RCO** 122.6 (MC ALESTER RADIO)**ROBERTS S. KERR** (See POTEAU)

SALLISAW MUNI (JSV) 1 SW UTC-6(-5DT) N35°26.30' W94°48.18'

527 B S4 FUEL 100LL NOTAM FILE JSV

RWY 17-35: H4006X75 (ASPH) MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 46'. Tree.

RWY 35: PAPI(P2L)—GA 2.5° TCH 40'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z†. Arpt unattended federal holidays. Fuel avbl 24 hrs with major credit card. For additional svcs call 918-571-8772. Authorized access to terminal avbl after hrs call 918-571-8772. +200' tower/antenna 2.2 miles north on extended centerline. Cracking and spalling on twys and apron parking.

WEATHER DATA SOURCES: AWOS-3 118.475 (918) 775-4136.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130-0500Z†).

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†).

RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.

FORT SMITH (L) VORTAC 110.4 FSM Chan 41 N35°23.31'


W94°16.29' 270° 26.2 NM to fld. 430/7E. **HIWAS.**

NDB (MHW) 520 IQS N35°23.92' W94°47.65' 345° 2.4 NM to fld. NOTAM FILE JSV.

MEMPHIS

L-16F

IAP



SAM RIGGS AIRPARK (See CLAREMORE)

SAND SPRINGS

WILLIAM R. POGUE MUNI (OWP) 3 NW UTC-6(-5DT) N36°10.52' W96°09.11'

892 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE MLC

RWY 17-35: H5799X100 (ASPH-PFC) S-30, D-58 MIRL

RWY 17: PAPI(P4L)—GA 3.0° TCH 31'.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 31'.

AIRPORT REMARKS: Attended Mon-Sat 1300-0100Z†, Sun 1500-0000Z†. Deer invof arpt. Calm wind Rwy 17. Rwy 17 rgt tfc for helicopters. Helicopter training west twy and west ramp. TPA fixed wing light acft 1901 (1009), turboprop and jet acft 2401(1509) and helicopters 1401(509).

WEATHER DATA SOURCES: AWOS-3 118.325 (918) 246-2635.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ **TULSA APP/DEP CON** 124.0

RADIO AIDS TO NAVIGATION: NOTAM FILE RVS.

GLENPOOL (T) VOR/DME 110.6 GNP Chan 43 N35°55.25'

W95°58.12' 324° 17.7 NM to fld. 810/6E.


WILLIAM POGUE NDB (MHW) 362 OWP N36°10.38'

W96°09.25' at fld. NOTAM FILE MLC. Unmonitored.

KANSAS CITY

H-6H, L-15E

IAP



SAYRE MUNI (304) 7 S UTC-6(-5DT) N35°10.05' W99°39.47'

DALLAS-FT. WORTH

H-6H, L-15C

1937 B NOTAM FILE MLC

RWY 17-35: H5017X130 (CONC) S-30 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 54'. Thld dsplcd 351'. Fence.

RWY 35: Thld dsplcd 374'.


AIRPORT REMARKS: Unattended. Rwy 17 thld dsplcd day VFR only. Rwy 35 thld dsplcd day VFR only. Rotating bcn OTS indef. Windsock lgt OTS indef. MIRL Rwy 17-35 preset low ints dusk-0430Z† after 0430Z‡ ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

RCO 122.1R 115.2T (MC ALESTER RADIO)

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

(L) VORTAC 115.2 SYO Chan 99 N35°20.71' W99°38.12'
176° 10.7 NM to fld. 1990/10E.

**SCOTT FLD** (See MANGUM)**SEILING** (1S4) 0 NW UTC-6(-5DT) N36°09.30' W98°56.02'

WICHITA

1746 NOTAM FILE MLC

RWY 17-35: H2435X38 (ASPH) LIRL

RWY 17: TRCV(TRIL)—GA 4.50° TCH 16'.

RWY 35: TRCV(TRIL)—GA 6.50° TCH 23'. Bldg.

AIRPORT REMARKS: Unattended. 496' AGL unlighted tower 18 NM south of arpt. Single wheel gross weight less than 4000 lbs. Rwy 17-35 rough and bumpy with moderate grass encroachment on sfc. Rwy 17 TRIL OTS indef. Rwy 35 TRIL OTS indef. Rwy 17-35 LIRL OTS indef. ACTIVATE LIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF 122.9**SEMINOLE MUNI** (SRE) 3 N UTC-6(-5DT) N35°16.48' W96°40.51'

DALLAS-FT. WORTH

H-6H, L-15E

IAP

1024 B S4 FUEL 100LL, JET A NOTAM FILE SRE

RWY 16-34: H5000X75 (ASPH) S-16 MIRL 0.5% up NW

RWY 16: REIL. PAPI (P4L)—GA 3.0° TCH 47'. Trees.

RWY 34: REIL. PAPI (P4L)—GA 3.0° TCH 31'. P-line. Rgt tfc.

RWY 05-23: 2000X150 (TURF) 0.9% up NE

RWY 05: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†. Rwy 05-23 extremely rough. Gopher holes, mounds and tall grass on surface. Rwy 16-34 numbers and centerline not visible. Rotating bcn OTS indef. PAPI Rwy 16 OTS indef. PAPI Rwy 34 OTS indef. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.625 (405) 382-0111.**COMMUNICATIONS:** CTAF/UNICOM 122.8


® FORT WORTH CENTER APP/DEP CON 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'
W95°46.94' 292° 50.8 NM to fld. 820/8E. HIWAS.

NDB (MHW) 278 SRE N35°16.31' W96°40.49' at fld.

NOTAM FILE SRE. Monitored dalgt hrs.



SHAWNEE RGNL (SNL) 2 NW UTC-6(-5DT) N35°21.47' W96°56.57'

DALLAS-FT. WORTH

1073 B S2 FUEL 100LL, JET A NOTAM FILE SNL

H-6H, L-15D


RWY 17-35: H5600X100 (ASPH) S-30, D-40, DT-60 MIRL

IAP

RWY 17: MALSR. REIL. PAPI(P4L)—GA 3.0° TCH 47'. Rgt tfc.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 47'. Thld dsplcd 408'.
Trees.**AIRPORT REMARKS:** Attended 1400-0000Z†. Fuel avbl 24 hrs with credit card. MIRL Rwy 17-35 preset low ints, to increase ints and ACTIVATE MALSR Rwy 17—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.275 (405) 878-1745.**COMMUNICATIONS:** CTAF/UNICOM 122.7

④ OKE CITY APP/DEP CON 120.45

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'
W97°36.55' 083° 32.7 NM to fld. 1230/7E. HIWAS.SUYBE NDB (LOM) 264 HN N35°26.99' W96°56.58'. 174° 5.5
NM to fld. NOTAM FILE SNL.ILS 108.75 I-HNQ Rwy 17. LOM SUYBE NDB. ILS and LOM
unmonitored.**SKIATOOK MUNI** (2F6) 1 SW UTC-6(-5DT) N36°21.31' W96°00.66'

KANSAS CITY

670 B FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2900X60 (ASPH) S-4 MIRL

RWY 17: PAPI(P2L)—GA 3.25° TCH 35'.

RWY 35: PAPI(P2L)—GA 3.25° TCH 35'. Tree.

RWY N-S: 2600X40 (TURF)

AIRPORT REMARKS: Attended 1500-0100Z†. Parachute Jumping. Fuel avbl 24 hrs with credit card. Rwy N-S CLOSED indef. Rotating bcn OTS indef. Rwy 17-35 MIRL OTS indef.**COMMUNICATIONS:** CTAF/UNICOM 122.8**SNYDER** (401) 4 SW UTC-6(-5DT) N34°37.66' W99°00.84'

DALLAS-FT. WORTH

1325 FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2125X30 (ASPH)

RWY 35: Trees.

AIRPORT REMARKS: Attended irregularly. Fuel on request 580-569-2153/2222.**COMMUNICATIONS:** CTAF 122.9**SOUTH GRAND LAKE RGNL** (See KETCHUM)**STAN STAMPER MUNI** (See HUGO)

STIGLER RGNL (GZL) 3 NE UTC-6(-5DT) N35°17.35' W95°05.63'

DALLAS-FT. WORTH

599 B FUEL 100LL NOTAM FILE MLC

L-15E

RWY 17-35: H3606X60 (ASPH) S-12.5 LIRL

IAP

RWY 17: VASI(V2L). Thld dspcd. 95'. P-line.

RWY 35: VASI(V2L). Trees.

AIRPORT REMARKS Unattended. For fuel contact police 918-967-3377.

ACTIVATE LIRL Rwy 17-35 and VASI Rwy 17 and Rwy 35—CTAF.


WEATHER DATA SOURCES: AWOS-3 118.575 (918) 967-8982.**COMMUNICATIONS:** CTAF 122.9

FORT WORTH CENTER APP/DEP CON 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.

FORT SMITH (L) VORTACW 110.4 FSM Chan 41 N35°23.31'

W94°16.29' 255° 40.8 NM to fld. 430/7E.

**STILLWATER RGNL** (SWO) 3 NW UTC-6(-5DT) N36°09.67' W97°05.14'

WICHITA

1000 B S4 FUEL 100LL, JET A TPA—See Remarks ARFF Index—See Remarks

H-6H, L-15D

NOTAM FILE SWO

IAP, AD

RWY 17-35: H7401X100 (ASPH-GRVD) S-100, D-157, ST-175, DT-310 MIRL 0.5% up N

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 48'.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 26'.

RWY 04-22: H5002X75 (ASPH) S-34, D-50 MIRL 0.5% up NE

RWY 04: PAPI(P4L)—GA 3.0° TCH 35'. Ground.

RWY 22: VASI(V4L)—GA 3.0° TCH 35'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 22: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 17: TORA-7401 TODA-7401 ASDA-7401 LDA-7401

RWY 35: TORA-7401 TODA-7401 ASDA-7401 LDA-7401

AIRPORT REMARKS: Attended 1300-0400Z+. For fuel after hrs ctc 405-377-5326. 24 hrs PPR for unscheduled air carrier ops with more than 9 passenger seats call arpt manager 405-372-7881/6760. Class IV, ARFF Index A. ARFF Index C avbl by prior arrangement. ARFF Index B maintained. TPA 1800(800) for light acft, 2500(1500) for turbo prop and jets. REIL. MIRL Rwy 04-22 and Rwy 17-35 preset low ints; to increase ints and ACTIVATE MALSR Rwy 17 and REIL Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 135.725 (405) 743-8150.**COMMUNICATIONS:** CTAF 125.35 UNICOM 122.95

RCO 122.3 (MC ALESTER RADIO)

RCO 122.1R 108.4T (MC ALESTER RADIO)

① KANSAS CITY CENTER APP/DEP CON 128.3

TOWER 125.35 (1400-0200Z+) GND CON 121.6

AIRSPACE: CLASS D svc 1400-0200Z+ other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SWO.

(T) VORW/DME 108.4 SWO Chan 21 N36°13.46' W97°04.88' 176° 3.8 NM to fld. 1020/7E.

BLAKI NDB (LOM) 255 SW N36°14.17' W97°05.24' 174° 4.5 NM to fld.

ILS/DME 109.15 I-SWO Chan 28(Y) Rwy 17. Class IE. LOM BLAKI NDB. ILS unmonitored when twr clsd.

STROUD MUNI (SUD) 3 N UTC-6(-5DT) N35°47.38' W96°39.34'

DALLAS-FT. WORTH

900 NOTAM FILE MLC

L-15E

RWY 18-36: H3000X60 (ASPH) S-12.5 MIRL

RWY 18: PAPI(P2L) Trees.

RWY 36: PAPI(P2L). Trees.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 18-36, PAPI Rwy 18 and Rwy 36—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKM.

OKMULGEE (H) VORW/DME 114.9 OKM Chan 96 N35°41.59' W95°51.96' 271° 39 NM to fld. 766/8E.

SUNDANCE AIRPARK (See OKLAHOMA CITY)

SUYBE N35°26.99' W96°56.58' NOTAM FILE SNL
NDB (LOM) 264 HN 174° 5.5 NM to Shawnee Rgnl.

SULPHUR MUNI (F3Ø) 2 NW UTC-6(-5DT) N34°31.47' W96°59.38'

DALLAS-FT. WORTH

1051 NOTAM FILE MLC

L-17C

RWY 17-35: H3500X60 (ASPH) S-12.5 MIRL

RWY 17: Trees. Rgt tfc. RWY 35: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69' W97°10.10' 019° 20.7 NM to fld. 925/6E.

TALHEQUAH MUNI (TQH) 2 NW UTC-6(-5DT) N35°55.82' W95°00.27'

DALLAS-FT. WORTH

874 B FUEL 100LL, JET A NOTAM FILE TQH

H-6I, L-15E

RWY 17-35: H5001X75 (ASPH) S-26 MIRL 0.4% up N

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 31'. Trees.

RWY 35: PAPI(P4L)—GA 3.0° TCH 31'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. For emergency call 918-931-0469. Parachute Jumping. Rwy 17 thld displcd 357' indef. ACTIVATE MIRL Rwy 17-35—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.

WEATHER DATA SOURCES: AWOS-3 118.425 (918) 453-2729.

COMMUNICATIONS: CTAF/UNICOM 122.8

MEMPHIS CENTER APP/DEP CON 126.1


RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 104° 41.3 NM to fld. 770/8E.

NDB (MHW) 215 TQH N35°55.63' W95°00.40' at fld.

NOTAM FILE TQH. Unmonitored.



TALIHINA MUNI (6F1) 3 SW UTC-6(-5DT) N34°42.47' W95°04.43'

DALLAS-FT. WORTH

687 NOTAM FILE MLC

L-17D

RWY 01-19: H3300X60 (ASPH) S-12 MIRL

RWY 01: Trees. RWY 19: Trees.


AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83'

W94°36.54' 270° 23.1 NM to fld. 2700/4E.



TENKILLER LAKE AIRPARK (See COOKSON)

TERAMIRANDA (See AFTON)

TEXOMA N33°56.65' W96°23.51'. NOTAM FILE DUA.
 (L) **VORW/DME** 114.3 URH Chan 90 at Eaker Fld. 681/5E.
 VOR portion unusable:
 340°-010° byd 10 NM blo 2500'.
 340°-010° byd 20 NM blo 3500'.
 DME portion unusable:
 270°-240° byd 35 NM blo 2500'.
 335°-350° byd 35 NM blo 2500'.

DALLAS-FT. WORTH
 H-6H, L-17D

340°-010° byd 25 NM blo 4500'
 340°-010° byd 30 NM

TEXHOMA

MUNICIPAL (K49) 2 W UTC-6(-5DT) N36°30.34' W101°48.82'

WICHITA
 L-15B

3462 FUEL 100LL NOTAM FILE MLC

RWY 03-21: H3564X48 (ASPH) MIRL

RWY 03: Thld dsplcd 590'. **RWY 21:** Thld dsplcd 340'.

RWY 17-35: 2340X75 (TURF)


RWY 17: Fence. **RWY 35:** Road.

AIRPORT REMARKS: Unattended. For fuel call 580-423-4293. Rwy 17-35 very rough. Ultralight activity on and invof arpt. Rwy 03-21 has severe spalling, deterioration, and base failure. Small rock on rwy. ACTIVATE MIRL Rwy 03-21-CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.

DALHART (L) VORTACW 112.0 DHT Chan 57 N36°05.49'
 W102°32.68' 043° 43.3 NM to fld. 4020/12E. **HIWAS.**



THOMAS MUNI (104) 1 SE UTC-6(-5DT) N35°44.06' W98°43.81'

DALLAS-FT. WORTH
 L-15D

1731 B NOTAM FILE MLC

RWY 17-35: H3100X50 (ASPH) S-4 LIRL


RWY 17: Road. **RWY 35:** Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1500-2300Z+. Rwy 17-35 LIRL
 OTS indef.

COMMUNICATIONS: CTAF 122.9.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'
 W98°00.24' 254° 35.7 NM to fld. 1110/9E.



THOMAS P. STAFFORD (See WEATHERFORD)

TILGHMAN N35°43.34' W96°49.12'. NOTAM FILE CQB.

DALLAS-FT. WORTH
 L-15E

NDB (MHW) 396 CQB at Chandler Rgnl.

TINKER AFB (TIK)(KTIK) AF 8 SE UTC-6(-5DT) N35°24.88' W97°23.20'

DALLAS-FT. WORTH

1291 B TPA—See Remarks NOTAM FILE MLC Not insp.

H-6H, L-15D

RWY 17-35: H11101X200 (PEM) PCN 62 R/C/W/T HIRL

DIAP, AD

RWY 17: SALS. PAPI(P4L). 0.3% up. **RWY 35:** ALSF1. PAPI(P4L). Rgt tfc.

RWY 12-30: H10000X200 (PEM) PCN 31 R/C/W/T HIRL

RWY 12: SALS. PAPI(P4L). Rgt tfc. 0.5% up. **RWY 30:** SALS. PAPI(P4L).

RUNWAY DECLARED DISTANCE INFORMATION

RWY 12: TORA-10000 TODA-10000

RWY 17: TORA-11101 TODA-11101

RWY 30: TORA-10000 TODA-10000

ARRESTING GEAR/SYSTEMS

RWY 17 ← HOOK E5 (92' OVRN)

HOOK E5 (70' OVRN) → **RWY 35**

RWY 12 ← HOOK BAK-12B(B) (1000')

HOOK BAK-12B(B) (3208') → **RWY 30**

MILITARY SERVICE: LGT ALS Rwy 17 NSTD for Category 1 ILS. ALS Rwy 12-30 NSTD. Rwy 17 SFL unavbl. Rwy 12

windsock unlgtd. **A GEAR** Unless safe landing distance dictates otherwise plan landing to touchdown past Rwy

12 apch end BAK-12 located 1000' from thld. **JASU** 1(MC-1A) 1(MC-2A) 10(A/M32A-86) 6(A/M32A-95)

8(AM32A-60) **FUEL** J8 **FLUID** PRESAIR LHOX LOX LHNIT **OIL** 7808, 23699 hyd fluid-5606, 83282

SOAP—Results avbl weekdays 1345-1730Z†, 1830-0600Z† except holidays, results not avbl other times.

TRAN ALERT Opr 1400-0530Z†. F4 drag chutes extremely limited. Limited Fleet Svc (lavatory and water only).

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark. **RSTD** All B1 acft ctc PTD 30 minutes prior to arr/dep.

PPR tran acft. No tran acft arrive/dep 0530-1400Z†. Tran acft may expect only one apch during periods of

intense local training. No 180° turns on apch end Rwy 12 except B52/B1/E3/KC135/E6 acft in concrete

portion of 1st 500'. Notify base ops of 1 hour or more ETA change and PPR cancellations. **CAUTION** Exercise

caution while taxiing portion of ramp not visible from twr. Hold short of ramp for individual acft follow-me

assistance. Use caution Rwy 12-30, N-S VFR corridor surface -3000' 1 NM off dep end Rwy 30. Unlgtd

security fences surround airfield. Unlighted bldgs NW, W, SW and E of Rwy 17-35. **TFC PAT** TPA—Rectangular and

clsd tfc pat 3000(1709) (includes fighter/trainer acft), overhead tfc pat on req 3500(2209). Use 124.45 while

in tfc pat, monitor 251.05 to maximum extent possible. **NS ABTMT** Practice circling apch to Rwy 17 prohibited.

Night quiet hr in effect 0430-1200Z†, practice apch are restricted. **CSTMS/AG/IMG:** See foreign clearance guide

KTIK entry. **MISC** VIP acft ctc Base OPS 30 minutes prior to ETA with firm chock time. Base OPS DSN 884-2191,

C405-734-2191. Rwy 17-35 apch ends 1000' conc, remaining rwy keel 75' conc, non-keel asph; mid 8100'

rwy grooved. Rwy 12 apch end 521' conc, Rwy 30 apch end 1000' conc, remaining rwy keel 50' conc, non-keel

asphalt. Hangar space for tran acft during inclement wx extremely ltd. Tran svc for B52, B1, C5, C17, C130,

C135, and DC10 extremely ltd, acft should have crew chief on board. Acft with cargo req Air Freight assistance

ATOC A/G or DSN 339-5553, weekdays 1300-2200Z†. Standard USAF RSRs applied. Twy M NSTD width. Twy C

NSTD shoulders btn trim pad and Rwy 12-30. Twy A CLOSED E side of Rwy 17-35.

COMMUNICATIONS: SFA 354.125 (Sooner Con/Okie Ops 228.45 311.0) **ATIS** 270.1 (1100-0400Z†) DSN 884-5152,

C405-734-5152. **PTD** 134.1 372.2

① **OKC CITY APP/DEP CON** 120.45 288.325 (081°-170°) 124.2 336.4 (001°-080°) 124.6 266.8 (261°-360°) 126.65 263.075 (171°-260°)

TOWER 124.45 251.05 **GND CON** 121.8 275.8 **CLNC DEL** 119.7 335.8

TIK COMD POST (Raymond 24) 139.95 141.65 225.875 305.6

PMSV METRO 261.025 (Forecast svc avbl during afld opr hr.) Acft ctc 26 OWS, DSN 781-4775, C318-456-4775

for phone patches, all tran wx briefings and updates. Svc for tran acft ltd on weekends and during inclement

wx. Trans RON call 26 OWS minimum 2 hrs prior to requested brief time. **TINKER AOTC** 119.15

AFMC FLT TEST 382.6 (OC-ALC PDM input acft ctc Sabre Control 30 min prior arrival.)

AIRSPACE: CLASS C svc continuous ctc **APP CON.**

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 066° 11.4 NM to fld. 1237/7E.

HIWAS.

WILEY POST (T) VORW/DME 113.4 PWA Chan 81 N35°31.98' W97°38.83' 111° 14.6 NM to fld. 1271/8E.

(T) TACAN Chan 105 TIK (115.8) N35°26.19' W97°22.78' 188° 1.4 NM to fld. 1251/7E. TACAN unusable

050°-055° and 150°-170° byd 15 NM blo 3000'.

ILS 111.7 I-EVG Rwy 12. LOC only.

ILS 111.3 I-FRJ Rwy 17. LOC unusable from TIK .1 DME to rwy thld. ILS glide slope signal not protected from possible reflective interference caused by vehicle ttc.

ILS 109.5 I-TIK Rwy 35.

ILS 111.7 I-PLH Rwy 30. LOC only. LOC unusable from .3 NM to rwy thld.

ASR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. Acft with AN/ARN-58 localizer receiver may experience course deviations due to interference.

TIPTON MUNI (108) 3 SW UTC-6(-5DT) N34°27.52' W99°10.28'

DALLAS-FT. WORTH

1248 B NOTAM FILE MLC

L-17B

RWY 17-35: H3062X50 (ASPH) S-12 MIRL

IAP

RWY 17: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

Ⓡ ALTUS APP/DEP CON 125.1 (Mon-Fri 1430-0830Z except Federal hols)


FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri

0830-1430Z, Sat-Sun and Federal hols 24 hrs)

RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.

HOBERT (L) VORTACW 111.8 HBR Chan 55 N34°51.99'

W99°03.80' 182° 25.0 NM to fld. 1472/10E.



TISHOMINGO AIRPARK (ØF9) 2 S UTC-6(-5DT) N34°11.91' W96°40.47'

DALLAS-FT. WORTH

647 B NOTAM FILE MLC

L-17C

RWY 17-35: H3100X60 (ASPH) S-12 MIRL

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Unattended. Severe cracking and grass encroachment. Rotating bcn OTS indef. Rwy 17-35 MIRL OTS indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 086° 24.6 NM to fld. 925/6E.



TRAIL N34°46.88' W98°24.14' NOTAM FILE MLC.

DALLAS-FT. WORTH

NDB (MHW) 388 OFZ 171° 7.9 NM to Henry Post AAF (Fort Sill).

L-17C

TULOO N35°28.29' W97°36.33' NOTAM FILE OKC.

DALLAS-FT. WORTH

NDB (MHW/LOM) 406 OK 170° 4.7 NM to Will Rogers World.

L-15D

TULSA

HARVEY YOUNG (1H6) 7 E UTC-6(-5DT) N36°08.34' W95°49.50'

KANSAS CITY

750 B S4 FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2580X40 (ASPH)

RWY 17: Trees. RWY 35: Trees.

RWY N-S: 2580X80 (TURF)

RWY N: Trees. RWY S: Trees.

AIRPORT REMARKS: Attended 1500-0000Z. Rwy 17 rgt tfc for helicopters. Ultralights on and invof arpt. Rwy N-S thld marked by 3' red/white markers.

COMMUNICATIONS: CTAF/UNICOM 122.8

RICHARD LLOYD JONES JR. (RVS) 5 S UTC-6(-5DT) N36°02.38' W95°59.08'

KANSAS CITY

638 B S4 FUEL 100LL, JET A OX 4 TPA-1713(1075) NOTAM FILE RVS

H-6I, L-15E

RWY 01L-19R: H5102X100 (ASPH) S-30, D-60 HIRL 0.3% up N

IAP, AD

RWY 01L: PAPI(P4L)—GA 3.0° TCH 21'.

RWY 19R: PAPI(P4L)—GA 3.2° TCH 22'. Trees. Rgt tfc.

RWY 01R-19L: H4208X100 (ASPH) S-30, D-60 MIRL
0.3% up NE

RWY 01R: VASI(V2L)—GA 3.0° TCH 21'. Rgt tfc

RWY 19L: VASI(V2L)—GA 3.0° TCH 20'. Thld dsplcd 142'. Road.

RWY 13-31: H2641X50 (ASPH) S-30 MIRL
0.3% up NW

RWY 13: VASI(V2L)—GA 4.0° TCH 52'. Trees.

RWY 31: VASI(V2L)—GA 3.0° TCH 24'. Trees. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0400Z†. After hrs by prior arrangement. Fuel avbl 24 hrs with credit card. Numerous birds on and in/ovf arpt. The NE, NW and SW ramps and portions of Taxiways C, D, G are not visible from tower. Noise Abatement: No turns on departure prior to 1500' MSL. When twr clsd HIRL Rwy 01L-19R preset med ints, to increase ints
ACTIVATE-120.3, MIRL Rwy 13-31 and Rwy 01R-19L preset medium only.

WEATHER DATA SOURCES: ASOS (918) 299-0740. LAWRS.

COMMUNICATIONS: CTAF 120.3 ATIS 126.5 UNICOM 122.95

® TULSA APP/DEP CON 134.7 (175°-355°) 119.85 (356°-174°)

RIVERSIDE TOWER 120.3 119.2 (1300-0400Z†) GND CON 121.7 PRE TAXI CLNC 124.5

AIRSPACE: CLASS D svc 1300-0400Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.


TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 218° 13.4 NM to fld. 770/8E.

GLENPOOL (T) VORW/DME 110.6 GNP Chan 43 N35°55.25' W95°58.12' 348° 7.2 NM to fld. 810/6E.

NOTAM FILE RVS.

ILS 109.95 I-RVS Rwy 01L.

COMM/NAV/WEATHER REMARKS: Tower frequency 119.2 used only when advertised on ATIS.



TULSA INTL (TUL) 5 NE UTC-6(-5DT) N36°11.90' W95°53.29'

677 B S4 FUEL 100LL, JET A, A1, B OX 1, 2, 3, 4 LRA Class I, ARFF Index D

NOTAM FILE TUL

RWY 18L-36R: H9999X200 (CONC-GRVD) S-75 +, D-200 +, ST-175, DT-400+ HIRL CL

RWY 18L: MALSR. PAPI(P4L)—GA 2.75° TCH 53'. Tree. 0.4% up.

RWY 36R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 57'. Tree.

RWY 08-26: H7376X150 (CONC-GRVD) S-75+, D-200+, ST-175, DT-360 HIRL 0.5% up W

RWY 08: REIL. PAPI(P4L)—GA 3.0° TCH 52'. Tree.

RWY 26: REIL. PAPI(P4L)—GA 3.0° TCH 57'.

RWY 18R-36L: H6101X150 (ASPH-GRVD) S-60, D-100, ST-127 HIRL 0.7% up S

RWY 18R: REIL. PAPI(P4L)—GA 2.75° TCH 63'. Tree.

RWY 36L: REIL. PAPI(P4L)—GA 3.0° TCH 50'. Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 08: TORA-7376 TODA-7376 ASDA-7376 LDA-7376

RWY 26: TORA-7376 TODA-7376 ASDA-7376 LDA-7376

RWY 18R: TORA-6101 TODA-6101 ASDA-6101 LDA-6101

RWY 36L: TORA-6101 TODA-6101 ASDA-6101 LDA-6101

RWY 18L: TORA-9999 TODA-9999 ASDA-9999 LDA-9999

RWY 36R: TORA-9999 TODA-9999 ASDA-9999 LDA-9999

ARRESTING GEAR/SYSTEM

RWY 08 BAK-14 BAK-12A (B) (983')

RWY 18L BAK-14 BAK-12A (B) (1546')

BAK-14 BAK-12A (B) (998') RWY 26

BAK-14 BAK-12A (B) (1295') RWY 36R

AIRPORT REMARKS: Attended continuously. 4000' blacktop track 1.5 NM E Rwy 26; do not mistake for rwy. Rwy 18L-36R center 140' grooved. Irregular wind pattern AER 18R. Noise abatement in effect all rwys, climb to 3000' as soon as possible after tkf. Taxilane QQ not visible from twr. Twy DD clsd indef. Twy CC clsd indef. Taxilanes LZ, LA, and NN not visible from twr. Twy L south of Twy L5 not visible from twr. The following areas are restricted to weights indicated: Twy JJ S-35, Twy M-2 S-35/D-52, Twy HH S-45/D-60, Twy L and Twy L4 S-45/D-60. Twy J2 lead off lgts OTS indef. HIRL Rwy: 08-26 and Rwy 18R-36L turned off 0500-1100Z†. Twy lgts turned off 0500-1100Z† except Twys E, J, H, G and F. Flight Notification Service (ADCUS) available. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: ASOS (918) 838-8437. LLWAS. TDWR.

COMMUNICATIONS: D-ATIS 124.9 (918) 834-3764 UNICOM 122.95

RCO 123.65 122.2 (MC ALESTER RADIO)

® APP/DEP CON 124.0 (175°-354°) 119.1 (355°-174°)

TOWER 118.7 (Rwy 18R-36L) 121.2 (Rwy 18L-36R and Rwy 08-26)

GND CON 121.9 CLNC DEL 134.05

PRE-TAXI CLNC 134.05

AIRSPACE: CLASS C svc continuous etc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

(H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 264° 4.9 NM to fld. 770/8E.

DME unusable 248°-258° byd 23 NM blo 3100'.

OWASO NDB (LOM) 375 DW N36°18.44' W95°52.52' 180° 6.6 NM to fld.


OILRR NDB (LOM) 338 TU N36°05.84' W95°53.33' 353° 6.1 NM to fld.

ILS/DME 109.7 I-DWE Chan 34 Rwy 18L. Class IE. LOM OWASO NDB. GS unusable for coupled apchs blo 1288' MSL. GS unusable blo 1000' MSL.

ILS/DME 110.3 I-TUL Chan 40 Rwy 36R. Class IIE. LOM OILRR NDB.

ILS 111.1 I-TJY Rwy 18R. Class IA.

ASR



UNIVERSITY OF OKLAHOMA WESTHEIMER (See NORMAN)

VANCE AFB (END)(KEND) AF 3 S UTC-6(-5DT) N36°20.37' W97°55.04'

WICHITA

1307 B NOTAM FILE MLC Not insp.

H-6H, L-15D

RWY 17R-35L: H9202X150 (PEM) PCN 27 R/C/W/T HIRL

DIAP, AD

RWY 17R: SALS. PAPI(P4L). **RWY 35L:** SALS. PAPI(P4L).

RWY 17C-35C: H9202X150 (PEM-GRVD) PCN 23 R/C/W/T HIRL

RWY 17C: SALS. PAPI(P4L). **RWY 35C:** SALS. PAPI(P4L).

RWY 17L-35R: H5024X150 (CONC-GRVD) PCN 28 R/C/W/T MIRL

RWY 17L: REIL.

ARRESTING GEAR/SYSTEMS

RWY 17R BAK-15 CHAG (152' OVRN)

BAK-15 CHAG (149' OVRN) **RWY 35L**

RWY 17C BAK 15 CHAG (154' OVRN)

BAK-15 CHAG (147' OVRN) **RWY 35C**

MILITARY SERVICE: A-GEAR BAK-15 is in low position unless req by pilot to be raised. BAK-15 is 24' high when raised.

Pilot should confirm with twr that barrier is low prior to opposite direction apch. **JASU** 8(A/M32A-86) 10

(AM32-95) **FUEL** J8, 8+, 100 **FLUID** SP PRESAIR LPOX LOX **OIL** O-148-156 SOAP **TRAN ALERT** No fleet svc avbl.

MILITARY REMARKS: Opr (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM. Apch lighting system Rwy 17-C 35C NSTD (SALS) installed on precision runway. First 3350' Rwy 17C and first 1000' Rwy 35C is grooved concrete, middle 4950' is grooved asphalt. Rwy 17L-35R middle 2000' is grooved. First 1300' Rwy 17R and first 3900' Rwy 35L is concrete, middle 4000' is asphalt. **RSTD** During student training tran acft limited to one full stop ldg. Overhead apch to Rwy 17C-35C not authorized for tran acft during student training opr. During VMC, dep acft must remain blo 2300' until past dep end to ensure separation from VFR overhead tfc pattern unless otherwise cleared by ATC. PPR, ctc base OPS. Only T-37, T-38, T-6, and T-1 acft will use Twy F, east of Rwy 17C-35C when Rwy 17L-35R is in use. All other acft must use Twy A, C, or E. **CAUTION:** BAK-15 barrier lays across the apch ends of Rwy 17C-35C and Rwy 17R-35L underruns. Barriers not connected to energy absorber (chains) at apch end of active rwy. Portion parallel twy, to include Rwy 17L-35R apch end hot brake area not visible from twr. Some obstruction lgts on afld are non-standard and only visible to 3 miles. Acft sunshades 735' east of Rwy 17L-35R. **MISC** Base OPS DSN 448-7425, (165°-003° within 18 DME at or blo 9500') (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM.

COMMUNICATIONS: SFA 392.1 **ATIS** 115.4 263.15 (1 May-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-30 Apr) Mon-Fri 1300-0100Z, Sun 2000-0000Z, clsd Sat and federal holidays **PTD** 372.2

- Ⓡ **APP CON** 120.525 306.3 (165°-003° 10000' to FL 240, 323°-165° FL 230 to FL 240) 118.075 273.475 (330°-033° to 19 DME at or blo FL 220) 121.3 291.1 (033°-165° at or blo 6500') 125.45 388.2 (7000' to FL 220) 126.75 378.8 (205°-323° to 18 DME at or blo FL 240) 119.775 244.875 (165°-003° within 18 DME at or blo 9500') (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM.

- Ⓡ **KANSAS CITY CENTER APP CON** 127.8 319.1 369.2 (1 Mar-31 Oct) Mon-Fri 0200-1300Z, (1 Nov-28 Feb) Mon-Fri 0100-1300Z, (1 Mar-31 Oct) Sun 0100-2100Z, (1 Nov-28 Feb) Sun 2300-1900Z, 24 hr Sat and Federal holidays.

TOWER 124.05 259.1 (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM. **GND CON** 121.8 289.4 **CLNC DEL** 225.4

- Ⓡ **DEP CON** 120.525 306.3 (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM.

- Ⓡ **KANSAS CITY CENTER DEP CON** 127.8 319.1 369.2 (1 Mar-31 Oct) Mon-Fri 0200-1300Z, (1 Nov-28 Feb) Mon-Fri 0100-1300Z, (1 Mar-31 Oct) Sun 0100-1300Z, (1 Nov-28 Feb) Sun 2300-1900Z, 24 hrs Sat and Federal holidays.

PMSV METRO 342.55 (PMSV METRO Full svc during published or NOTAMed afld hrs, other times ctc 225 OWS DSN 781-4775 C318-456-4775/3024.

AIRSPACE: Class D svc (1 May-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-30 Apr) Mon-Fri 1300-0100Z, Sun 2000-0000Z, clsd Sat and federal holidays, other times Class E.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

(H) **VORTAC** 115.4 END Chan 101 N36°20.70' W97°55.10' at fld. 1315/9E. Monitored during published opr hr only. VOR portion unusable 174°-194° byd 20 NM blo 3,500'. MP Sat 1500-1900Z.

WOODRING (T) VOR/DME 109.0 ODG Chan 27 N36°22.43' W97°47.29' 244° 6.6 NM to fld.

1149/8E. NOTAM FILE WDG.

ILS 108.9 I-LVC Rwy 17C. Monitored during published opr hr only. No NOTAM MP Tue and Wed 1100-1230Z.

ILS 110.1 I-END Rwy 35C. Monitored during published opr hr only. No NOTAM MP Sat 1500-1900Z.

VICI MUNI (501) 1 S UTC-6(-5DT) N36°08.50' W99°18.19'

WICHITA

2268 NOTAM FILE MLC

RWY 16-34: H2565X50 (ASPH) S-8 LIRL

RWY 16: Tree.

AIRPORT REMARKS: Unattended. 145' Grain elevator 3200' NE fm end of Rwy 16.

COMMUNICATIONS: CTAF 122.9

VINITA MUNI (H04) 2 SE UTC-6(-5DT) N36°36.98' W95°09.08'

KANSAS CITY

696 B TPA-1496(800) NOTAM FILE MLC

L-15E

RWY 17-35: H3265X60 (ASPH) MIRL

RWY 17: Thld displcd 110'. Trees. **RWY 35:** Trees.

AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. +17' interstate highway 425' north of Rwy 17

AER. ACTIVATE MIRL Rwy 17-35-122.8.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 EOS Chan 120 N36°50.55' W94°26.14' 242° 37.1 NM to fld. 1200/7E.

WAGONER

HEFNER-EASLEY (H68) 2 E UTC-6(-5DT) N35°57.76' W95°20.51'

DALLAS-Ft. WORTH

609 B NOTAM FILE MLC

L-15E

RWY 18-36: H3405X60 (ASPH) S-12.5 MIRL 0.4% up S

IAP

RWY 18: PAPI(P2L)-GA 3.0° TCH 31'. Trees.

RWY 36: PAPI(P2L)-GA 3.0° TCH 31'. Trees.


AIRPORT REMARKS: Unattended. N-S turf used for twy only. Ultralights on or invof arpt. Rwy 36 PAPI OTS indef. PAPI Rwy 18 unusable byd 7° left of course and 8° right of course. Rwy 18-36 MIRL OTS indef.

COMMUNICATIONS: CTAF 122.9

TULSA APP/DEP CON 119.1

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 115° 25.8 NM to fld. 770/8E.



WALTERS MUNI (305) 4 W UTC-6(-5DT) N34°22.36' W98°24.35'

DALLAS-Ft. WORTH

1058 B NOTAM FILE MLC

RWY 16-34: H2900X50 (ASPH) S-7 MIRL

RWY 16: P-line. **RWY 34:** P-line.

AIRPORT REMARKS: Unattended. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9

WAMPA N34°47.87' W95°49.24' NOTAM FILE MLC.

DALLAS-Ft. WORTH

NDB (LOM) 344 ML 014° 5.4 NM to McAlester Rgnl.

WATONGA RGNL (JWG) 1 NW UTC-6(-5DT) N35°51.88' W98°25.25'**DALLAS-FT. WORTH**

1550 B FUEL 100LL NOTAM FILE JWG

L-15D

RWY 17-35: H4000X60 (ASPH) S-30 MIRL 0.5% up N

IAP

RWY 17: Rgt tfc.

RWY 35: Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. For aprt attendant after hours call 580-623-5911. Golfers on west side of rwy. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 134.175 (580) 623-7388.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **VANCE APP/DEP CON** 120.525 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM.

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95. (1 Mar-31 Oct) Mon-Fri 0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†, (1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun 2300-1900Z†, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32' W98°00.24' 271° 20.6 NM to fld. 1110/9E.

**WAYNOKA MUNI** (1K5) 2 SE UTC-6(-5DT) N36°34.00' W98°51.14'**WICHITA**


1543 B NOTAM FILE MLC

RWY 17-35: H2507X50 (ASPH) S-8 LIRL

RWY 35: Rgt tfc.

AIRPORT REMARKS: Unattended. Parallel twy clsd indef. LIRL OTS indef. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9



WEATHERFORD**THOMAS P. STAFFORD** (OJA) 2 NE UTC-6(-5DT) N35°32.69' W98°40.11'

DALLAS-FT. WORTH

1605 B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE MLC

L-15D

RWY 17-35: H4400X75 (CONC) S-30, D-48 MIRL

IAP

RWY 17: PAPI (P2L)—GA 3.0° TCH 40'. Trees.

RWY 35: PAPI (P2L)—GA 3.0° TCH 38'. P-line.

AIRPORT REMARKS: Attended 1400-0000Z†.

WEATHER DATA SOURCES: AWOS-3 118.575 (580) 772-7020.

COMMUNICATIONS: CTAF/UNICOM 122.8


GCO 135.075 (FLIGHT SERVICES)

FORT WORTH CENTER APP/DEP CON 128.4

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'

W98°00.24' 236° 36.0 NM to fld. 1110/9E.

**WESTPORT** (4F1) 2 E UTC-6(-5DT) N36°13.34' W96°20.77'

KANSAS CITY

900 TPA-1500(600) NOTAM FILE MLC

RWY 03-21: H2900X42 (ASPH) S-10, D-12.5 MIRL

AIRPORT REMARKS: Unattended. Rwy 21 steep uphill slope up to 130' at end of rwy. ACTIVATE MIRL Rwy 03-21—CTAF.

COMMUNICATIONS: CTAF 122.9

WEST WOODWARD (See WOODWARD)**WILBURTON MUNI** (H05) 4 W UTC-6(-5DT) N34°55.20' W95°23.64'

DALLAS-FT. WORTH

670 B NOTAM FILE MLC

L-17D

RWY 17-35: H3000X60 (ASPH) S-2 MIRL

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Unattended. Deer on and in/ovf rwy. Parallel twy closed indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 069° 19.6 NM to fld. 820/8E. HIWAS.

**WILEY POST** (See OKLAHOMA CITY)**WILLIAM POGUE** N36°10.38' W96°09.25' NOTAM FILE MLC.

KANSAS CITY

NDB (MHW) 362 OWP at William R. Pogue Muni. Unmonitored.

I-15E

WILLIAM R. POGUE MUNI (See SAND SPRINGS)**WILL ROGERS WORLD** (See OKLAHOMA CITY)

WOODRING N36°22.43' W97°47.29' NOTAM FILE WDG.
 (T) VORW/DME 109.0 ODG Chan 27 at Enid Woodring Rgnl. 1149/08E.
 RCO 122.6 (MC ALESTER RADIO)

WICHITA
 L-15D

WOODWARD

WEST WOODWARD (WWR) 6 W UTC-6(-5DT) N36°26.28' W99°31.36'

2189 B S2 FUEL 100LL, JET A NOTAM FILE WWR

RWY 17-35: H5502X100 (CONC) S-30, D-60 MIRL 0.5% up S

RWY 17: PAPI(P4L)—GA 3.0° TCH 39'.

RWY 35: PAPI(P4L)—GA 3.0° TCH 40'.

RWY 05-23: H2500X60 (ASPH) MIRL

RWY 05: Trees.

RWY 23: Rgt tfc.

AIRPORT REMARKS: Attended 1400-0200Z+. Ultralight activity on and in/ov arpt. Center twy clsd indef.

WEATHER DATA SOURCES: AWOS-3 118.425 (580) 254-5217. Visibility unreliable.

COMMUNICATIONS: CTAF/UNICOM 122.8


KANSAS CITY CENTER APP/DEP CON 126.95

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 61.8° 18.2 NM to fld. 2430/10E. HIWAS.

WICHITA
 H-6H, L-15C
 IAP



2009 U.S. & CANADIAN MILITARY AERIAL AIRCRAFT/PARACHUTE DEMONSTRATIONS

During CY 2009, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2009 aerial demonstration locations, subject to change without notice, are:

DATE:		USAF Thunderbirds	USN Blue Angels	Canadian Snowbirds	USA Golden Knights
October	24-25		Fort Worth, TX		Fort Worth, TX
	24-25				Pinehurst, NC
	31		Houston, TX		
November	1		Houston, TX		
	7-8	Homestead AFB, FL	Jacksonville Beach, FL		
	13-14		NAS Pensacola, FL		
	14-15	Nellis AFB, NV			

Note: Dates and locations are scheduled "show dates" only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding any airspace restrictions.

PROHIBITED AREA P-49, CRAWFORD, TEXAS

In response to a request from the United States Secret Service, the FAA has established a prohibited area over President George W. Bush's ranch in Crawford, Texas. The prohibited area extends from the SFC up to 5,000' MSL within a 3 NMR of lat. N31°34'45", long. W97°32'00" (ACT242R/15).

**Bomb Disposal Area
McAlester, Oklahoma Vicinity**

Bomb disposal area, one NM radius, MLC 240°/006, SFC to 2000 AGL. Times of use: Daily, 30 min after SR to 30 min before SS. Avoidance advised. For further information contact McAlester AFSS.

AEROBATIC PRACTICE AREA**Coushatta, LA, Red River Airport (OR7)**

Aerobatic practice will be conducted at Red River Airport between the surface and 5,000 feet AGL within the boundaries of the airspace bounded on the west by the western edge of Rwy 17/35, extending northward and southward to the respective airport boundaries, extending eastward for 1.5 miles to an imaginary line connecting to the northeast and southeast corners, to create the practice area. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Esterwood, LA, Le Gros Airport (3R2)

Aerobatic practice will be conducted at Le Gros Airport within the area defined as a semicircle extending southward from its diameter centered on the north end of the north/south taxiway at its intersection with the south edge of the east/west taxiway extending eastward 6,000 feet and westward 6,000 feet from the surface to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Farmerville, LA, Union Parish Airport (F87)

Aerobatic practice will be conducted within a 2 NM radius of the Union Parish Airport, SFC to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Jennings, LA, Jennings Airport (3R7)

Aerobatic practice will be conducted centered from 1 NM northwest of Jennings Airport, within an approx. 2.5 NM radius, 500 feet to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Opelousas, LA, St. Landry Parish Airport (OPL)

Aerobatic practice will be conducted at St. Landry Parish Airport within 1 NM radius of the Lafayette VORTAC, LFT343022, SFC to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Springhill Airport (SPH), Springhill, LA

Aerobatic practice conducted at the Springhill (SPH) Airport, from SFC to 5000 MSL, within the area defined as having its western boundary along the western edge of Rwy 18/36, extending northward 1000 feet beyond the north end of the runway; then eastward 150 feet to the eastern boundary; then southward parallel to the runway to a line which runs along the southern edge of Rwy 18/36, extending from its western edge 1500 feet to a point where it intersects the eastern boundary. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information, contact DeRidder AFSS on 1-800-WX-BRIEF (992-7433).

Sulphur, LA, West Calcasieu Airport, Southland Field (UXL)

Aerobatic practice will be conducted at West Calcasieu Airport, Southland Field within a 2 NM radius of the Lake Charles VORTAC, LCH261014, SFC to 4,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information Flight Services at 1-800-WX-BRIEF (992-7433).

Bristow, OK, Jones Memorial Airport (3F7)

Aerobatic practice will be conducted within 2 NM radius of Jones Memorial Airport (3F7), SFC to 6,000 feet AGL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Cookson, OK, Tenkiller Airpark (44M)

Aerobatic practice will be conducted at Tenkiller Airpark in a 3,000 foot box, beginning at the centerline of the approach end of RY23 and extending 400 feet beyond the departure end of RY23, thence extending 3,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

Ketchum, OK, South Grand Lake Regional Airport (1K8)

Aerobatic practice will be conducted within 1 NM radius of the South Grand Lake Regional Airport (1K8), SFC to 4,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Muskogee, OK, Davis Field (MKO)

Aerobatic practice will be conducted within 1.25 NM radius of Davis Field, Muskogee, OK (MKO), SFC to 4,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Nowata, OK, Nowata Airport (H66)

Aerobatic practice will be conducted centered from 3 NM northwest of the Nowata Airport (H66), SFC to 3,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Tulsa, OK

Aerobatic practice will be conducted within 3 NM radius of TUL350022, SFC to 5,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Brenham, TX, Brenham Muni Airport (11R)

Aerobatic practice will be conducted within 2 NM radius of the Brenham Muni Airport (11R), SFC to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Celina, TX, Four Winds Ranch (1TS9)

Aerobatic flight activity will be conducted at Four Winds Ranch, bound on the north by County Road 102, on the south by an imaginary line parallel to and 800 feet south of County Road 134, on the west by an imaginary line just east of the three lakes, and on the east by a tree line, SFC to 4,500 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Edna, TX, Jackson County Airport (26R)

Aerobatic practice will be conducted within a 1 NM radius of the Jackson County Airport (26R), from SFC to 1,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Fort Worth, TX, Naval Air Station JRB (NFW)

Aerobatic practice will be conducted centered from 1 NM East and 3 NM West, North and South of NAS JRB Fort Worth (NFW) runway 17/35, from SFC to 6,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Georgetown (GTU), TX

Aerobatic practice will be conducted within 1 NM radius of CWK342019, SFC to 4000' AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. Pilots should use caution within this area. For further information, contact San Angelo AFSS on 1-325-223-6041.

Graford, TX, Possum Kingdom (F35)

Aerobatic practice will be conducted within 1 NM radius of MQP289929 3.5 NM west of Possum Kingdom Airport, SFC to 5,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Grayson City Arpt, Denison, TX (GYI)

Aerobatic flight activity will be conducted within a 2 NM radius of the BYP290024.4, SFC to 5700 feet MSL, SR-SS daily. The practice area is for waiver holders only. Pilots should use caution when operating in this area. For further information contact Fort Worth AFSS on 1-800-992-7433.

Hondo Muni (HDO), Hondo, TX

Aerobatic flight activity will be conducted in a 2 NM radius of Hondo Muni Airport. Flights will occur SR-SS, SFC to 3,500 AGL. Pilots should use caution when operating within this area. For further information, contact San Angelo AFSS, 325-223-6041.

Huber Airpark, Sequin, TX

Aerobatic flight activity will be conducted within an area 3300 feet by 3300 feet located on the SAT 089/25. Flights will occur SR-SS Sat/Sun, SFC to 4600 MSL. Pilots should use caution when operating in this area. For further information contact San Angelo AFSS on 1-325-223-6041.

LaGrange, TX, Fayette Regional Airport (3T5)

Aerobatic flight activity will be conducted within a 2 NM radius of the Fayette Regional Airport (3T5), from 900 feet MSL up to and including 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Lubbock, TX, Biggin Hill Strip (TA67)

Aerobatic flight activity will be conducted within 0.5 NM radius of the LBB280008.3/TA67, SFC to 6,500 MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Navasota, TX

Glider operations will be conducted within a 5 NM radius of the TNV VOR 130/007, from SFC to 8000 feet MSL, SR-SS. Pilots should use caution when operating in this area. For further information, contact Montgomery County AFSS on 866-689-5992.

O'Brien Airpark, Waxahachie, TX

Aerobatic flight practice will be conducted within 1 1/2 NM radius of TTT 148/024 from SFC to 3500 MSL. Pilots should use caution when operating within this area. For further information contact Fort Worth AFSS on 1-800-992-7433.

Olney, TX, Olney Muni (ONY)

Aerobatic flight activity will be conducted within a 4,000 square foot area located over the Olney Muni airport property commencing from the west side of Rwy 17-35, SFC to 3,500 AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Skywest Inc. Airport, Midland, TX

Aerobatic flight activity will be conducted within a 3300' by 3300' square box, located 1/4 mile south southeast of the approach end of Rwy 34 at Skywest airport, Midland, Texas. Flights will occur between sunrise and sunset, from the surface to 6,500 feet MSL.

Slidell, TX, Akroville Airport (XA68)

Aerobatic practice will be conducted within 1.5 NM radius of the UKW108026, SFC to 4,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Songbird Airport, Friendswood, Texas

Aerobatic flight activity will be conducted within a 2 NM radius of the Houston Hobby VOR 185° radial at the 18 mile DME fix. Flight will occur from sunrise to sunset, from the surface to 3500 feet AGL. Pilots should use caution when operating within this area. For further information contact Montgomery County AFSS, 866-689-5992.

Waller, TX, Simaron Ranch Airport, (9TS3)

Aerobatic practice will be conducted within 1 NM radius of TNV130007.5/3.8 NNE 9TS3, 800 feet MSL to 3,500 feet MSL. SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Wichita Falls, TX, Kickapoo Downtown Airport (CWC)

Aerobatic practice will be conducted within 1.5 NM radius of the SPS136009.2, SFC to 4,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Wichita Falls, TX, Sheppard AFB (SPS)

Aerobatic practice will be conducted within a 1.5 NM radius of the SPS200007, SFC to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Wichita Falls, TX, Wichita Valley Airport (F14)

Aerobatic practice will be conducted within a 1 NM radius of the SPS190003, SFC to 4,000 feet AGL. The activation of this practice area is only authorized when 80th Flying Training Wing Flying operations are not active at Sheppard Air Force Base. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Zuehl Airport, Marion, Texas

Aerobatic flight activity will be conducted within a 4,000 foot square box, on the northeast side of Zuehl Airport, Marion, Texas, or 8 miles southeast of Randolph AFB. Flights will occur SR-SS, SFC to 4,000 feet AGL. Pilots should use caution when operating within this area. For further information contact San Angelo AFSS, 1-325-223-6041.

MODEL AIRCRAFT ACTIVITY**Haskell, OK (2K9)**

Model rocket activity will be conducted within a 1 NM radius of GNP292008, SFC to 9,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Oklahoma City, OK

Model rocket activity will be conducted within a 1 NM radius of IRW270023, SFC to 6,400 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

Fort Stockton (FST), TX

Model rocket activity will be conducted within a 2.6 NM radius of FST 146/014, SFC to 20,000 MSL, SR-SS. For further information, contact San Angelo AFSS on 1-325-223-6041. Model rocket activity will be conducted within a 2 NM radius of FST 212/9, SFC to 23,100 MSL, SR-SS. For further information, contact San Angelo AFSS on 1-325-223-6041.

Kileen (ILE), Texas, Vicinity

Model airplane activity conducted 1 NM radius ILE 138R/006NM, 10008 AGL and below. Intermittent launches daily. For further information, contact San Angelo AFSS on 1-325-223-6041.

Lake Jackson TX (LHB)

Model rocket activity will be conducted within a 1 NM radius of the Hearne Muni Airport (LHB) or the CLL 319/018 SFC to 12,500' MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

Nacogdoches, TX (OCH)

Model Rocket activity will be conducted within a 1 NM radius of the Mangham Rgnl Arpt (OCH) 045018, SFC to 3,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Wills Point, TX (76F)

Model rocket activity will be conducted within a 5 NM radius of TTT100051, SFC to 24,000 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

Waco, TX (ACT)

Model rocket activity will be conducted within a 5 NM radius of ACT 131014, SFC to 24,000 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

UNMANNED AIRCRAFT SYSTEM (UAS)**Hondo, TX**

Unmanned Aircraft System (UAS) activity will be conducted within 2 NM radius of HDO 220/010, SFC to 1,700' MSL 0800-1600 LCL, Mon-Fri, through April 27, 2009. For further information, contact Fort Worth AFSS on 1-800-WX-BRIEF.

**DALLAS-FORT WORTH, TX, DALLAS/FORT WORTH INTL AIRPORT (DFW)
NOISE ABATEMENT PROCEDURES**

Successive or simultaneous departures from Runways 17R, 17C, 18R, 18L, 35L, 35C, 36L and 36R are authorized, with course divergence beginning within 5 miles from the departure end of parallel runways, due to noise abatement restrictions.

LASER LIGHT DEMONSTRATIONS**Biloxi, Mississippi**

A permanent Laser Light Demonstration will be conducted at Casino Magic, located in Biloxi, Mississippi, on Gulfport VORTAC 096° Radial, 12 NM Lat 30°23'N/Long 88°51'W, nightly from dusk until 2 AM. Laser light beam is not expected to elevate above the horizon from a 120 foot high platform. Laser light beam may be injurious to eyes if viewed within 1 nautical mile laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

Biloxi, Mississippi

A permanent Laser Light Demonstration will be conducted at Palace Casino, located in Biloxi, Mississippi, on the Gulfport VORTAC 094° Radial, 12 NM Lat 30°23'N/Long 88°51'W, nightly 8:00 P.M. until 4:00 A.M. Laser light beam is not expected to elevate above the horizon from a 70 foot high platform. Laser light beam may be injurious to eyes if viewed within 1 nautical mile laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

Robinsonville, Mississippi

Laser light activity will be conducted at the Grand Casino, Robinsonville, MS, N34°52'22"/W90°17'40" MEM VOR 243R/18.3 NM, from 0000 to 0700 UTC daily. Laser light beams may be injurious to eyes within 300 feet vertically and 21,000 feet laterally. Flash blindness or cockpit illumination may occur beyond these distances.

Vicksburg, Mississippi

A permanent Laser Light Demonstration will be conducted at Harrah's Casino Hotel, Vicksburg, MS, (JAN VORTAC 255° Radial, 38 Nautical Miles, Latitude 32°21'N, Longitude 90°53'W), nightly from sunset until 12:00 A.M. Laser Light beam may be injurious to eyes if viewed within 1000 feet vertically and/or 3000 feet laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

DFW INTERNATIONAL AIRPORT LAND AND HOLD SHORT OPERATIONS

DFW is authorized to instruct aircraft to land on a runway and hold short of an intersecting taxiway while aircraft/vehicles simultaneously taxi across the runway at beyond the hold-short point for the following runway/taxiway combinations.

18R	AND	TAXIWAY B	10,100 feet
17C	AND	TAXIWAY B	10,460 feet
35C	AND	TAXIWAY EJ	9,050 feet
36L	AND	TAXIWAY Z	10,650 feet

These procedures are governed by the following conditions and limitations:

- The tailwind on the hold short runway shall be calm (less than 3 knots).
- A statement that simultaneous landings and runway crossings are being conducted shall be included on the ATIS.
- LAHSO wet runway operations are authorized provided pilot reported braking action is not less than good, the runway is not classified as contaminated by the airport operator, and the hold short position lights are operational and "on".
- The weather conditions must be at or greater than ceiling 1,000 feet, and visibility 3 miles.
- Traffic information shall be exchanged and a readback shall be obtained from the landing aircraft with a LAHSO clearance. An acknowledgment shall be received from the crossing aircraft/vehicle.
- Operations beyond the hold short point except for runway crossings are not authorized during LAHSO.
- Hold short markings, taxiway identification signs, and in-pavement lights will be used to identify the hold-short points. The lighting system consists of six or seven in-pavement white lights, flashing/pulsing simultaneously, arranged in a line across the landing runway perpendicular to the runway centerline.

The safety and operation of an aircraft remain the responsibility of the pilot. A pilot must inform air traffic control if the full length of the runway or another runway is desired. The runway distance from the landing threshold to the hold short point will be provided to the pilot upon request.

- Vertical guidance required for LAHSO (Glideslope, VASI, PAPI).

INTERSECTION DEPARTURES DURING PERIODS OF DARKNESS DALLAS-FORT WORTH INTERNATIONAL AIRPORT (DFW) DALLAS-FORTH WORTH, TEXAS

Dallas-Fort Worth Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersections listed below.

Runway 17R at Taxiway Yankee
Runways 17R/C and 18R/L at Taxiway Zulu
Runway 18L at Taxiway Yankee
Runways 35L/C and 36L/R at Taxiway Alpha
Runways 35L/C and 36L/R at Taxiway Bravo
Runway 13L at Taxiway Papa
Runway 31L at Taxiway "A5"

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Simultaneous taxi into position and hold are not authorized on the same runway. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into "position and hold" prior to takeoff clearance.

**SPECIAL NORTH ATLANTIC, CARIBBEAN AND
PACIFIC AREA COMMUNICATIONS**

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

North Atlantic area:	123.45 MHz
Caribbean area:	123.45 MHz
Pacific area:	123.45 MHz

**ALBUQUERQUE ARTCC
VFR Services South of El Paso, Texas**

VFR radar advisory service and merging target service available to transponder equipped aircraft above 10,000 feet MSL from a point 75 miles south of El Paso, Texas, to the U.S./Mexican border.

**HOUSTON ARTCC
Secondary-Only Radar in the Vicinity of Lufkin, Texas**

The Air Traffic Control Beacon Interrogator-6 (ATCBI-6) located at the Angelina County Airport (LFK), Lufkin, Texas, is the only source of radar data within an approximate 50 NM radius of LFK. This is a secondary radar system; therefore radar services are available on transponder equipped aircraft only.

**CAUTION-HIGH DENSITY STUDENT FLYING
Little Rock AFB, AR**

High density student flying training in the vicinity of Little Rock AFB and on low level Slow Routes (SR) within Arkansas; 0600-0200 Mon-Fri, occasional weekend. Extensive use of All American Drop Zone, Little Rock VORTAC 332° radial 15.0 NM, and Blackjack Drop Zone, Little Rock VORTAC 009° radial 33.0 NM; 0600-0200, Mon-Fri, occasional weekend. Drop Zones are used for personnel and cargo, including IMC (AWDS) drops. For further information, contact Little Rock AFB, Base Operations, on 1-501-988-6125.

**CAUTION-VERTICAL LIGHTS ON BUILDING
Downtown Tulsa, Oklahoma**

Approximately ten miles southwest of Tulsa International Airport in the area of downtown Tulsa, four 4,000-watt xenon lights are mounted on each corner of the roof of a 40-story building. Illumination is vertical and hours of use are daily, dusk to midnight.

BAYOU SAUVAGE NATIONAL WILDLIFE REFUGE, LA

Request aircraft remain at or above 2,000 ft in the vicinity of Bayou Sauvage National Wildlife Refuge bounded by Lake Pontchartrain to the Northwest and Northeast, Lake Borgue to the Southeast and New Orleans to the Southwest.

**CAUTION-LARGE CONCENTRATION OF BATS
San Antonio, Texas, Vicinity**

From April to October large concentration of bats are observed in the vicinity of Braken Cave located 5.5 miles east of SAT VORTAC. Most activity is observed around sunset and sunrise at altitudes up to 10,000 feet.

U.S. SPECIAL CUSTOMS REQUIREMENT

Air Commerce Regulations of the Treasury Department's Customs Service require all private aircraft arriving in the U.S. from a foreign place in the Western Hemisphere, (a) south of 33 degrees north latitude which cross into the U.S. over a point on the U.S./Mexican border between 97 and 120 degrees west longitude, or (b) south of 31 degrees north latitude which enter the U.S. via the Gulf of Mexico and Atlantic Coasts, to provide notice of intended arrival to the Customs Service at least one hour prior to crossing the U.S./Mexican border or the U.S. coastline. This notice may be provided by: (1) radio through an appropriate FAA Flight Service Station, (2) normal FAA flight plan notification procedures (a flight plan filed in Mexico does not meet this requirement due to unreliable relay of data), or (3) directly to the District Director of Customs or other Customs officer at place of first intended landing. Unless an exemption has been granted by Customs, private aircraft are required to make first landing in the U.S. at one of the following designated airports nearest to the point of border or coastline crossing:

Brownsville International, Corpus Christi International, Del Rio International, Eagle Pass Airport, El Paso International, Hobby Airport, Jefferson County Airport, Laredo International, Miller International, or Presidio-Lely International in Texas; Calexico International, or Brown Field in California; Bisbee Douglas International, Nogales International, Tuscon International, or Yuma International in Arizona; Las Cruces Intl in New Mexico; Lakefront or Louis Armstrong New Orleans Intl in Louisiana; Fort Lauderdale Executive, Fort Lauderdale-Hollywood International, Key West Airport, Miami International, Opa-Locka Airport, St. Lucie County International, Tampa International, or West Palm Beach Airport in Florida.

CAUTION-HIGH DENSITY AIR TRAFFIC AREA

Heavy helicopter and seaplane traffic exists over the Gulf of Mexico and adjacent onshore areas. Thousands of operations per month occur in this area in support of oil drilling and exploration.

Itinerant pilots traversing this area should familiarize themselves with offshore operating practices and frequencies through contact with the pertinent Flight Standards District Office (FSDO) or Flight Service Station.

MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

CIVIL USE OF MILITARY FIELDS:

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

FEDERAL AVIATION REGULATION 91.713

The provisions of FAR 91.713 will apply as follows:

Air traffic clearances to aircraft of Cuban registry not engaged in scheduled International Air Service in U.S. airspace will require that the flight plan be filed with appropriate authorities at least five days prior to the proposed departure time. Route changes while en route will normally not be authorized. The procedures set forth herein do not apply at this time to overflights by aircraft of Cuban registry engaged in scheduled International Air Service.

CONTROLLED FIRING

Camden, Harrell Fld, AR

6E Camden 2 NM radius surface—005 avoidance advised Mon–Fri daylight hours.

El Dorado, South Arkansas Rgnl

ELD 021/024 2 NM radius surface—500 AGL avoidance advised Mon–Fri daylight hours.

Texarkana Rgnl Webb Fld, AR.

.25 NM radius TXK 223010 2000/blo Mon–Thu. 1900–0500Z†

.5 NM radius TXK 240014 1000/blo Mon–Sat SR–SS.

**Camp Bullis Training Site
Controlled Firing Area (CTA)
Camp Bullis, TX**

1. CFA Description:

- a. Boundaries: Beginning at
Lat. 29°41'10.07"N., Long. 98°31'41.40"W. to
Lat. 29°40'25.05"N., Long. 98°33'57.40"W. to
Lat. 29°39'20.22"N., Long. 98°34'44.18"W. to
Lat. 29°38'03.77"N., Long. 98°34'13.26"W. to
Lat. 29°37'53.94"N., Long. 98°33'46.90"W. to
Lat. 29°38'36.77"N., Long. 98°31'55.13"W. to
Lat. 29°39'48.07"N., Long. 98°31'06.07"W. to
Point of beginning.

- b. Altitudes: Surface to 3,000 feet AGL.

c. Times of use: Approximately 70 times per year. Utilization will normally be 7 days per week, 0700–2300 local time. Give prior notice of all activities to the San Angelo Automated Flight Service Station (AFSS). Notify the AFSS when activities are terminated each day.

2. Activities:

- a. M203 40mm Grenade Launcher, HE/Target Practice Training (TPT) rounds, average use 50 times per year.

b. Heavy Demolitions Range, types of explosives will vary, but all are conventional (no nuclear, biological, or chemical), 20 times per year.

- c. Emergency destruction of illegal explosive devices will be unscheduled due to the nature of the event.

3. Using Agency: U.S. Army, Commander, Camp Bullis Training Site, Camp Bullis, TX

4. Effective date: The effective date is February 1, 2004. Biannual approval of the CFA is automatic upon receipt of a biannual status report from the Department of the Army Regional Representative containing a statement that the activities for which the area was established have not changed.

5. Conditions, Operating Limitations, and Safety Precautions:

a. Camp Bullis Training Site will maintain observers with direct communications to the Range Towers located in positions that allow for sufficient visual surveillance of the entire area.

- b. Firing will cease upon observation of low-flying aircraft.

- c. The ceiling shall be at least 1,000 feet above the maximum ordinate of projectiles and/or debris.

d. Visibility shall be sufficient to maintain visual surveillance of the entire CFA plus a distance of 5 statute miles beyond the CFA in all directions.

e. All user responsibilities, precautionary measures, and surveillance requirements listed in FAA Order 7400.2 shall be complied with.

- f. All activities will be contained within the designated impact area at Camp Bullis.

6. With the exception of the emergency destruction of unsafe explosive devices, the following information shall be filed with the San Angelo AFSS in sufficient time to permit a NOTAM to be transmitted at least 2 hours prior to scheduled operations:

- a. Location of the CFA.

- b. Time of use.

- c. Activity to be conducted.

- d. Maximum altitudes.

- e. User.

7. Any violation of the conditions, as outlined above, shall be the basis for the FAA to withdraw authorization of the CFA.

CONTROLLED FIRING AREA CAMP STANLEY, SAN ANTONIO, TEXAS

The Military has established a controlled firing area bordered by the following geographic coordinates: beginning at N29°40'37"/W98°37'53"; thence to N29°41'17"/W98°35'49"; to N29°43'51"/W98°35'50"; to N29°43'51"/W98°37'23"; to point of beginning. Operating SR-SS daily, SFC to 1,500 feet AGL (2,500 feet MSL). For further information contact San Angelo AFSS on 1-325-223-6041.

CONTINUOUS POWER FACILITIES

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.


In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.

1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
2. Wind Measuring Capability
3. Approach Light System (ALS) or Short ALS (SALS)
4. Ceiling Measuring Capability
5. Touchdown Zone Lighting (TDZL)
6. Centerline Lighting (CL)
7. Runway Visual Range (RVR)
8. High Intensity Runway Lighting (HIRL)
9. Taxiway Lighting
10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

Airport/Ident	Runway No.	Airport/Ident	Runway No.
Albuquerque, NM (ABQ)	08	Milwaukee, WI (MKE)	01L
Anchorage, AK (ANC)	07R	Minneapolis, MN (MSP)	30L
Andrews AFB, MD (ADW)	01L	Nashville, TN (BNA)	02L
Atlanta, GA (ATL)	09R	New Orleans, LA (MSY)	10
Baltimore, MD (BWI)	10	New York, NY (JFK)	04R
Bismarck, ND (BIS)	31	New York, NY (LGA)	22
Boise, ID (BOI)	10R	Newark, NJ (EWR)	04R
Boston, MA (BOS)	04R	Oklahoma City, OK (OKC)	35R
Charlotte, NC (CLT)	36L	Omaha, NE (OMA)	14R
Chicago, IL (ORD)	14R	Ontario, CA (ONT)	26L
Cincinnati, OH (CVG)	36C	Philadelphia, PA (PHL)	09R
Cleveland, OH (CLE)	06R	Phoenix, AZ (PHX)	08
Dallas/Fort Worth, TX (DFW)	17C	Pittsburgh, PA (PIT)	10L
Denver, CO (DEN)	35R	Reno, NV (RNO)	16R
Des Moines, IA (DSM)	31	Salt Lake City, UT (SLC)	34L
Detroit, MI (DTW)	03R	San Antonio, TX (SAT)	12R
El Paso, TX (ELP)	22	San Diego, CA (SAN)	09
Fairbanks, AK (FAI)	01L	San Francisco, CA (SFO)	28R
Great Falls, MT (GTF)	03	San Juan, PR (SJU)	08
Honolulu, HI (HNL)	08L	Seattle, WA (SEA)	16C
Houston, TX (IAH)	26L	St. Louis, MO (STL)	30R
Indianapolis, IN (IND)	05L	Tampa, FL (TPA)	36L
Jacksonville, FL (JAX)	07	Tulsa, OK (TUL)	36R
Kansas City, MO (MCI)	19R	Washington, DC (DCA)	01
Los Angeles, CA (LAX)	24R	Washington, DC (IAD)	01R
Memphis, TN (MEM)	36L	Wichita, KS (ICT)	01L
Miami, FL (MIA)	08R		

NOTE—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.

FIREFIGHTING TRAFFIC AREAS

Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, and Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93-1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at <http://www.faa.gov>. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e-CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll-free telephone number for accessing e-CVRS is 1-800-875-9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll-free areas may access e-CVRS by calling the toll number of 703-707-0568. The Internet web address for accessing the e-CVRS is <http://www.fly.faa.gov/ecvrs>. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904-4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904-4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e-CVRS.

FSS TELEPHONE NUMBERS

Flight Service Station (FSS) facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

Selected remote FSS facilities across the contiguous United States have variable part-time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services are available continuously using published telephone numbers and radio frequencies.

Telephone Information Briefing Service (TIBS) is the FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

NATIONAL FSS TELEPHONE NUMBER

Pilot Weather Briefings 1-800-WX-BRIEF (1-800-992-7433)

OTHER FSS TELEPHONE NUMBERS (except in Alaska)

TIBS (see description above) 1-800-4TIBS-WX (1-877-484-2799)

Clearance Delivery Only 1-888-766-8267

Lifeguard Flights Only 1-877-LIF-GRD3 (1-877-543-4733)

Flights within DC SFRA & FRZ * 1-866-225-7410

* District of Columbia Special Flight Rules Area & Flight Restricted Zone

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT
FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA
OVC008CB
FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR
FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC

METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB
18/16 A2992 RMK SLP045 T01820159

Forecast	Explanation	Report
TAF	Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> -hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report	METAR
KPIT	ICAO location indicator	KPIT
091730Z	Issuance time: ALL times in UTC " <u>Z</u> ", 2-digit date, 4-digit time	091955Z
091818	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times	
	In U.S. METAR : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on	COR
15005KT	Wind: 3 digit true-north direction, nearest 10 degrees (or <u>Var</u> ia <u>ble</u>); next 2-3 digits for speed and unit, <u>KT</u> (KMH or MPS); as needed, <u>Gust</u> and maximum speed; 00000KT for calm; for METAR , if direction varies 60 degrees or more, <u>Variability</u> appended, e.g. 180 <u>V</u> 260	22015G25KT
5SM	Prevailing visibility: in U.S., <u>Statute</u> <u>M</u> iles & fractions; above 6 miles in TAF <u>Plus</u> 6SM. (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)	3/4SM
	Runway Visual Range: <u>R</u> ; 2-digit runway designator <u>Left</u> , <u>Center</u> , or <u>Right</u> as needed; <u>'</u> / <u>'</u> ; <u>Minus</u> or <u>Plus</u> in U.S., 4-digit value, <u>Fee</u> <u>T</u> in U.S., (usually meters elsewhere); 4-digit value <u>Variability</u> 4-digit value (and tendency <u>Down</u> , <u>Up</u> or <u>No</u> change)	R28L/2600FT
HZ	Significant present, forecast and recent weather: see table (on back)	TSRA
FEW020	Cloud amount, height and type: <u>SKY</u> <u>C</u> lear 0/8, <u>FEW</u> >0/8-2/8, <u>SCa</u> tered 3/8-4/8, <u>Bro</u> ke <u>N</u> 5/8-7/8, <u>O</u> ver <u>C</u> ast 8/8; 3-digit height in hundreds of ft; <u>T</u> owering <u>C</u> umulus or <u>C</u> umulonim <u>B</u> us in METAR ; in TAF , only <u>CB</u> . <u>V</u> ertical <u>V</u> isibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In automated METAR reports only, <u>C</u> lea <u>R</u> for "clear below 12,000 feet"	OVC010CB
	Temperature: degrees Celsius; first 2 digits, temperature <u>'</u> / <u>'</u> last 2 digits, dew-point temperature; <u>Minus</u> for below zero, e.g., M06	18/16
	Altimeter setting: indicator and 4 digits; in U.S., <u>A</u> -inches and hundredths; (<u>Q</u> -hectoPascals, e.g., Q1013)	A2992

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

Forecast	Explanation	Report
WS010/31022KT	In U.S. TAF , non-convective low-level ($\leq 2,000$ ft) <u>Wind Shear</u> ; 3-digit height (hundreds of ft); <u>"Z"</u> ; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u> In METAR , <u>ReMark</u> indicator & remarks. For example: <u>Sea-Level Pressure</u> in hectoPascals & tenths, as shown: 1004.5 hPa; <u>Temp/dew-point</u> in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C	RMK SLP045 T01820159
FM1930	<u>FroM</u> and 2-digit hour and 2-digit minute beginning time: indicates significant change. Each FM starts on new line, indented 5 spaces.	
TEMPO 2022	<u>TEMPO</u> rary: changes expected for < 1 hour and in total, < half of 2-digit hour beginning and 2-digit hour ending time period	
PROB40 0407	<u>PROB</u> ability and 2-digit percent (30 or 40): probable condition during 2-digit hour beginning and 2-digit hour ending time period	
BECMG 1315	<u>BEC</u> oMinG: change expected during 2-digit hour beginning and 2-digit hour ending time period	

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.

QUALIFIER

Intensity or Proximity

- Light "no sign" Moderate + Heavy

VC Vicinity: but not at aerodrome; in U.S. **METAR**, between 5 and 10SM of the point(s) of observation; in U.S. **TAF**, 5 to 10SM from center of runway complex (elsewhere within 8000m)

Descriptor

MI Shallow	BC Patches	PR Partial	TS Thunderstorm
BL Blowing	SH Showers	DR Drifting	FZ Freezing

WEATHER PHENOMENA

Precipitation

DZ Drizzle	RA Rain	SN Snow	SG Snow grains
IC Ice crystals	PL Ice pellets	GR Hail	GS Small hail/snow pellets
UP Unknown precipitation in automated observations			

Obscuration

BR Mist ($\geq 5/8$ SM)	FG Fog ($< 5/8$ SM)	FU Smoke	VA Volcanic ash
SA Sand	HZ Haze	PY Spray	DU Widespread dust

Other

SQ Squall	SS Sandstorm	DS Duststorm	PO Well developed dust/sand whirles
FC Funnel cloud	+FC tornado/waterspout		

- Explanations in parentheses "()" indicate different worldwide practices.
- Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility.
- NWS **TAFs** exclude turbulence, icing & temperature forecasts; NWS **METARs** exclude trend fcsts
- Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility ≥ 10 km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

UNITED STATES DEPARTMENT OF COMMERCE

NOAA/PA 96052

National Oceanic and Atmospheric Administration—National Weather Service

FAA AND NWS

KEY AIR TRAFFIC FACILITIES

Air Traffic Control System Command Center

Main Number.....703-904-4400

RGNL AIR TRAFFIC DIVISIONS

REGION	TELEPHONE
Alaskan	907-271-5464
Central	816-329-2500
Eastern	718-553-4502
Great Lakes	847-294-7202
New England	781-238-7500
Northwest Mountain	425-227-2500
Southern	404-305-5500
Southwest	817-222-5500
Western Pacific	310-725-6500

AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m.-4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m.-4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m.-5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m.-4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m.-4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	817-858-7503
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m.-4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m.-4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m.-4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m.-4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m.-4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m.-3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m.-4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m.-4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m.-3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m.-4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m.-4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m.-4:30 p.m.	703-771-3401

MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m.-4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m.-3:30 p.m.	916-366-4001
Southern CA	310-725-3300	7:30 a.m.-4:00 p.m.	858-537-5800

*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

KEY AIR TRAFFIC FACILITIES **DAILY NAS REPORTABLE AIRPORTS**

AIRPORT NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque Intl Sunport, NM	817-222-5006	8:00 a.m.-5:00 p.m.	505-842-4366
Andrews AFB, MD	718-995-5426	8:00 a.m.-4:30 p.m.	301-735-2380
Baltimore/Washington Intl Thurgood Marshall, MD	718-995-5426	8:00 a.m.-4:30 p.m.	410-962-3555
Boston Logan Intl, MA	781-238-7001	7:30 a.m.-4:00 p.m.	617-455-3100
Bradley Intl, CT	617-238-7001	7:30 a.m.-4:00 p.m.	203-627-3428
Burbank/Bob Hope, CA	310-725-3300	7:00 a.m.-5:30 p.m.	818-567-4806
Charlotte Douglas Intl, NC	404-305-5180	8:00 a.m.-4:30 p.m.	704-344-6487
Chicago Midway, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-884-3670
Chicago O'Hare Intl, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-601-7600
Cleveland Hopkins Intl, OH	847-294-8400	8:00 a.m.-4:00 p.m.	216-898-2020
Covington/Cincinnati, OH	708-294-7401	8:00 a.m.-4:30 p.m.	606-767-1006
Dallas/Ft. Worth Intl, TX	817-222-5006	8:30 a.m.-5:00 p.m.	972-615-2531
Dayton Cox Intl, OH	847-294-8400	7:30 a.m.-4:00 p.m.	937-454-7300
Denver Intl, CO	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1600
Detroit Metro, MI	847-294-8400	8:00 a.m.-4:00 p.m.	734-955-5000
Fairbanks Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-474-0050
Fort Lauderdale Intl, FL	404-305-5180	7:00 a.m.-3:30 p.m.	305-356-7932
George Bush Intercontinental/Houston, TX	817-222-5006	7:30 a.m.-4:00 p.m.	713-230-8400
Hartsfield-Jackson Atlanta Intl, GA	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Honolulu Intl, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-840-6100
Houston Hobby, TX	817-222-5006	8:00 a.m.-5:00 p.m.	713-847-1400
Indianapolis Intl, IN	847-294-8400	8:00 a.m.-4:00 p.m.	317-484-6600
Kahului/Maui, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-877-0725
Kansas City Intl, MO	816-329-3000	7:30 a.m.-4:00 p.m.	816-329-2700
Las Vegas McCarran, NV	310-725-3300	7:30 a.m.-4:00 p.m.	702-262-5978
Los Angeles Intl, CA	310-725-3300	7:00 a.m.-3:30 p.m.	310-342-4900
Louis Armstrong New Orleans Intl, LA	817-222-5006	7:00 a.m.-4:30 p.m.	504-471-4300
Memphis Intl, TN	404-305-5180	7:30 a.m.-4:00 p.m.	901-322-3350
Miami Intl, FL	404-305-5180	7:00 a.m.-4:00 p.m.	305-869-5400
Minneapolis/St. Paul, MN	847-294-8400	8:00 a.m.-4:00 p.m.	612-713-4000
Nashville Intl, TN	404-305-5180	7:00 a.m.-3:30 p.m.	615-781-5460
New York Kennedy Intl, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-656-0335
New York La Guardia, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-335-5461
Newark Liberty Intl, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	973-645-3103
Norman Y. Mineta San Jose Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	408-982-0750
Ontario Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	909-983-7518
Orlando Intl, FL	404-305-5180	7:30 a.m.-5:00 p.m.	407-850-7000
Philadelphia Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	215-492-4100
Phoenix Sky Harbor Intl, AZ	310-643-3200	7:30 a.m.-4:00 p.m.	602-379-4226
Pittsburgh Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	412-269-9237
Portland Intl, OR	425-227-1389	7:30 a.m.-4:00 p.m.	503-493-7500
Raleigh-Durham, NC	404-305-5180	8:00 a.m.-4:30 p.m.	919-840-5544
Ronald Reagan Washington National, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-413-1535
Salt Lake City, UT	425-227-1389	7:30 a.m.-4:00 p.m.	801-325-9600
San Antonio Intl, TX	817-222-5006	8:00 a.m.-4:30 p.m.	210-805-5507
San Diego Lindbergh Intl, CA	310-725-3300	8:00 a.m.-4:30 p.m.	619-299-0677
San Francisco Intl, CA	310-643-3200	7:00 a.m.-3:30 p.m.	650-876-2883
San Juan Intl, PR	404-305-5180	7:30 a.m.-5:00 p.m.	809-253-8663
Seattle-Tacoma Intl, WA	425-227-1389	7:30 a.m.-4:00 p.m.	206-768-2900
St. Louis Lambert, MO	816-329-3000	7:30 a.m.-4:00 p.m.	314-890-1000
Tampa Intl, FL	404-305-5180	7:30 a.m.-4:00 p.m.	813-371-7700
Ted Stevens Anchorage Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-271-2700
Teterboro, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	201-288-1889
Washington Dulles Intl, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-661-6031
West Palm Beach, FL	404-305-5180	8:00 a.m.-4:30 p.m.	407-683-1867
Westchester Co, NY	718-995-5426	8:00 a.m.-4:30 p.m.	914-948-6520

*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel) spacing is required.

®ALBUQUERQUE CENTER 134.6 132.8	H-4-5-6-7, L-5-6-7-8-10-15-17-19 (KZAB)
Amarillo Nr 1 – 127.85	
Amarillo Nr 2 – 134.75	
El Paso A – 135.875 134.175	
El Paso B – 128.2 125.525	
Fort Stockton – 135.875 132.2 120.975	
Mount Dora – 133.05 127.852	
®FORT WORTH CENTER 134.4	H-6, L-6-15-17-18-19-21-22 (KZFW)
Abilene – 134.25 127.45	
Ardmore – 132.975 128.1	
Big Spring – 133.7	
Blue Ridge A – 124.875	
Blue Ridge B – 127.6	
Brownwood – 127.45	
Clinton-Sherman – 132.45 128.4 126.3	
Cumby – 132.85 132.02 126.575	
Dublin – 128.325	
Dublin A – 135.375	
Dublin B – 127.15	
El Dorado – 128.2	
Frankston – 135.25 134.025	
Gainsville – 126.775 124.75	
Keller – 135.275 134.15 133.25	
Lubbock – 132.6 126.45 120.775	
Marshall – 135.1 128.125	
McAlester – 135.45 132.2	
Midland A – 133.1 132.075	
Mineral Wells – 127.0 120.35	
Monroe – 126.325	
Oklahoma City – 133.9 132.45	
Paducah – 134.55 133.5 126.45 120.775	
Paris – 124.875	
Plainview – 126.45	
San Angelo – 126.15 120.275	
Scurry – 135.75 126.725	
Shreveport – 133.875 132.275 126.325	
Snyder – 132.6	
Texarkana – 134.475 126.575 123.925	
Tyler – 135.25 134.025	
Waco – 133.3	
Wichita Falls Nr1 – 132.925 124.525	
Wichita Falls Nr2 – 133.5 127.95	

® HOUSTON CENTER – 134.35	H-6-7-8-9, L-17-18-19-20-21-22
Arr-Dep US – 135.77 134.95 133.75 133.4 132.65 132.4 128.3 127.8 125.75 120.35	(KZHU)
Alexandria – 132.7 127.85 120.975	
Austin – 132.725 125.65	
Beaumont – 133.8 126.95	
Cameron County – 132.65 132.65	
College Station – 135.325 134.8 134.5 125.15 120.4	
Fredericksburg – 134.2 132.725	
Galveston – 133.8	
Galveston A – 133.4	
Grand Isle – 134.9 132.175	
Hattiesburg – 126.8 119.725	
Houma – 132.65 132.65	
Intracoastal City – 120.35	
Kerrville – 134.95	
Kingsville – 133.75 128.15	
Lacombe – 126.875	
Lafayette – 133.65 126.35	
Lake Charles – 132.95 124.7	
Laredo – 128.6 127.8 126.75	
Lometa – 132.35	
Lufkin – 134.8 133.575 132.775 126.95 125.17	
McComb – 126.8	
Mobile – 132.6 125.775	
Natchez – 120.97	
Newton – 134.8 126.95	
New Orleans – 126.35 127.0	
Palacios – 132.15 128.6	
Rockport – 135.47 134.6 128.15	
Rocksprings – 132.4 125.75	
San Antonio – 134.95 132.8 125.25	
San Antonio A – 134.6 126.425 120.6	
Sealy – 132.15 126.425 119.175	
Uvalde – 134.95 126.1	
Vermillion – 120.35	
Victoria – 135.05	

® KANSAS CITY CENTER – 132.325	H-5-6, L-10-15-16-27, A-2
Chanute – 132.9	(KZKC)
Gage – 126.95	
Liberal – 134.675 134.0	
Oklahoma City – 128.3	
Ponca City – 127.8	
Tulsa – 125.825 128.8	

® MEMPHIS CENTER – 127.975 124.025	H-5-6-9, L-15-16-17-18-22-25-26
Brinkley – 135.3 124.025 126.85	(KZME)
Columbus – 134.775 133.125 127.1	
Fayetteville – 132.55 126.1	
Fort Smith – 126.1	
Greenville – 135.875 133.075 124.925	
Greenwood – 132.5 127.425	
Harrison – 126.85	
Hot Springs – 128.475	
Jackson – 132.5	
Louisville – 132.75	
McKellar – 134.65 127.975 126.45 124.35	
Meridian – 128.275 125.975	
Pine Bluff – 135.875 132.425 125.475	
Russellville – 128.475	
Tupelo – 135.9 135.9 134.4 128.5 127.375	
Walnut Ridge – 132.375 120.075	

VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above. "T" indicates transmit only and "R" indicates receive only. RCO's available at NAVAID's are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

ALBUQUERQUE AFSS 122.55

EL PASO RCO **122.4** 122.55
 FORT STOCKTON VORTAC 116.9T 122.1R
 GUADALUPE PASS RCO 122.35
 MARFA VOR/DME 115.9T 122.1R

DE RIDDER AFSS

BATON ROUGE RCO 122.2
 DE RIDDER RCO 122.2
 DRISKILL MOUNTAIN RCO 122.35
 ESLER RCO **122.55**
 HOUMA RCO 122.45
 LAFAYETTE RCO 122.35
 LAKE CHARLES RCO **122.3**
 LEEVILLE VORTAC 113.5T 122.1R
 MANY RCO 122.15
 MONROE RCO 122.25
 NEW ORLEANS RCO **122.6**
 PATTERSON RCO 122.5
 SHREVEPORT RCO **122.6**
 SOUTH TIMBALIER RCO 122.6
 TIBBY VORTAC 112.0T 122.1R
 VERMILION RCO 122.6

FORT WORTH AFSS 122.6

ABILENE RCO **122.65**
 AMARILLO RCO **122.65**
 BRECKENRIDGE RCO 122.5
 BROWNWOOD RCO 122.5
 CHILDRESS RCO 122.45
 DALHART RCO 122.2
 DALLAS RCO 122.3
 GREGG COUNTY RCO 122.2
 JACKSBORO RCO 122.4
 LUBBOCK RCO 122.55
 MINERAL WELLS RCO 122.2
 PARIS RCO 122.25
 PLAINVIEW RCO 122.55
 SHERMAN/DENISON RCO 122.3
 SNYDER RCO 122.45
 TYLER RCO 122.3
 WACO RCO **122.15**
 WICHITA FALLS RCO 122.65

GREENWOOD AFSS

BIGBEE RCO 123.65
 EATON VORTAC 110.6T 122.1R
 GREENVILLE VOR/DME 110.2T 122.1R
 GREENWOOD RCO 122.2 **122.55**
 GULFPORT VOR/DME 109.0T 122.1R
 HOLLY SPRINGS VORTAC 112.4T 122.1R 122.3
 JACKSON VORTAC 112.6T 122.1R 122.2 122.65
 KEWANEE VORTAC 113.8T 122.1R
 LAUREL RCO 122.3
 MC COMB RCO 122.2 122.4
 MC COMB VORTAC 116.7T 122.1R 122.2 122.4
 MERIDIAN VORTAC 117.0T 122.1R 122.2 122.6
 NATCHEZ VOR/DME 110.0T 122.1R
 PICAYUNE VOR/DME 112.2T 122.1R
 SIDON VORTAC 114.7T 122.1R
 TUPELO RCO 122.5

JONESBORO AFSS 122.2 122.3

BATESVILLE RCO 122.25
 EL DORADO RCO 122.65
 FAYETTEVILLE RCO 122.3
 FAYETTEVILLE (SPRINGDALE) RCO 122.55
 FLIPPIN RCO 122.35
 FORT SMITH RCO 122.2
 HARRISON RCO 122.45
 HOT SPRINGS VOR/DME 110.0T 122.1R
 JONESBORO RCO 122.2 122.3 123.6
 LITTLE ROCK RCO **122.55**
 MONTICELLO VOR/DME 111.6T 122.1R
 PINE BLUFF RCO 122.6
 SOCIAL HILL RCO 122.075
 TEXARKANA RCO **122.45**
 WALNUT RIDGE VORTAC 114.5T 122.1R

MC ALESTER AFSS

ADA RCO **122.45**
 ARDMORE RCO **122.55**
 BARTLESVILLE RCO 123.6
 GAGE RCO **122.55**
 HOBART RCO 122.2
 MC ALESTER RCO **122.65** 123.6
 MUSKOGEE RCO 122.5
 NORMAN RCO **122.15**
 PONCA CITY RCO **122.25**
 RICH MOUNTAIN RCO 122.6
 SAYRE VORTAC 115.2T 122.1R
 STILLWATER VOR/DME 108.4T 122.1R 122.3
 TULSA RCO 122.2 **123.65**
 WILEY POST RCO 122.4 **122.65**
 WOODRING RCO 122.6

MONTGOMERY COUNTY AFSS

BEAUMONT RCO 122.2
 CENTER RCO 122.6
 COLLEGE STATION RCO 122.2 **122.65**
 EAST BREAKS RCO 122.5
 GALVESTON RCO **122.15** 122.2
 HIGH ISLAND RCO **122.35**
 HOBBY RCO **122.35**
 HOUSTON RCO **122.4**
 HUNTSVILLE RCO 122.3
 JASPER RCO **122.5**
 LUFKIN RCO 122.2
 MONTGOMERY COUNTY RCO 122.0 122.2
 PALACIOS RCO **122.25**
 VICTORIA RCO 122.2

SAN ANGELO AFSS

ALICE RCO 122.6
 AUSTIN RCO 122.55
 BIG SPRING RCO 122.4
 BROWNSVILLE RCO 122.3
 CENTER POINT VORTAC 117.5T 122.1R
 CORPUS CHRISTI RCO **122.65**
 COTULLA RCO 122.2
 DEL RIO RCO 122.3
 EAGLE PASS RCO **122.3**
 HARLINGEN RCO **122.35**
 JUNCTION RCO 122.3
 LAMPASAS RCO 122.55
 LAREDO RCO 122.3
 MC ALLEN RCO 122.2
 MIDLAND RCO 122.6
 PECOS VOR/DME 111.8T 122.1R
 ROCKSPRINGS VORTAC 111.2T 122.1R
 SAN ANGELO RCO 122.25
 SAN ANTONIO RCO 122.2 122.3
 STONEWALL VORTAC 113.8T 122.1R
 TEMPLE VOR/DME 110.4T 122.1R
 THREE RIVERS VORTAC 111.4T 122.1R
 UVALDE RCO 123.65
 WINK RCO 122.05

FLIGHT STANDARDS DISTRICT OFFICES (FSDO)

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office—Federal Aviation Administration.

ARKANSAS

1701 Bond Street
Little Rock, AR 72202
Telephone: 501-918-4400
1-800-632-9566 (AR only)

LOUISIANA

9191 Plank Road
Baton Rouge, LA 70811
Telephone: 225-358-6800
1-800-821-1960

MISSISSIPPI

100 W. Cross Street, Suite C
Jackson-Evers Intl Airport
Jackson, MS 39208
Telephone: 601-664-9800

OKLAHOMA

The Parkway Building
1300 S. Meridian, Suite 601
Oklahoma City, OK 73108
Telephone: 405-951-4200

TEXAS

1431 Greenway Drive, Suite 1000
Irving, TX 75038
Telephone: 972-582-1800
972-582-1872 (Fax)
972-582-1862 (Fax)

14800 Trinity Blvd., Suite 200
Fort Worth, TX 76155
Telephone: 817-684-6700
817-684-6757 (Fax)

Route 3, Box 51
Lubbock, TX 79403-9712
Telephone: 806-740-3800
806-740-3809 (Fax)
1-800-858-4115

10100 Reunion Place, Suite 200
San Antonio, TX 78216-4128
Telephone: 210-308-3300
1-800-292-2023

2221 Alliance Blvd, Suite 400
Fort Worth, TX 76177
Telephone: 817-491-5000

13100 Space Center Blvd., Suite 5400
Houston, TX 77059-3598
Telephone: 281-212-9700
888-285-2127 (Toll free)
281-212-9759 (Fax)

PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their routes of flight to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and enroute flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, enroute and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.
2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).
3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.
4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.
5. Where more than one route is listed the routes have equal priority for use.
6. Official location identifiers are used in the route description for VOR/VORTAC nav aids.
7. Intersection names are spelled out.
8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39; another navaid radial (e.g., UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).
9. Where two nav aids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.
10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.
11. (90–170 incl) altitude flight level assignment in hundred of feet.
12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.
13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.
 Sun 1300–2259 local time.
 Mon thru Fri 0701–2259 local time.
 Sat 0701–1459 local time.
14. Use current SIDs and STARs for flight planning.
15. For high altitude routes, the portion of the routes contained in brackets is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

LOW ALTITUDE

Terminals	Route	Effective Times (UTC)
DALLAS/FORT WORTH AREA		
Atlanta (ATL)	TTT084 SOLD0 UIM V54 TXK V278 VUZ V417 MAYES V325 DALAS ATL	0000–2359
Chicago Midway (MDW)	FUZ022 MLC206 MLC V63 UIN V586 PIA PIA056 MOTIF JOT	0000–2359
Chicago O'Hare (ORD)	FUZ022 MLC206 MLC V63 UIN V586 PIA V262 BDF V10 PLANO	0000–2359
Houston Hobby (HOU)	V369 TNV	0000–2359
Memphis (MEM)	TTT084 SOLD0 UIM V54 TXK V16 UJM	1200–1400 and 1800–0000
New Orleans (MSO)	TTT084 SOLD0 UIM V114 VEILS	0000–2359
San Antonio (SAT)	ACT V358 STV	0000–2359
HOUSTON METRO AREA		
Dallas/Fort Worth Area (DFW)	V477 CQY	0000–2359
From GEORGE BUSH INTCNL/HOUSTON (IAH): New Orleans (MSO)	(below FL180) TRIOS V222 LCH V20	1100–0300

Terminals	Route	Effective Times (UTC)
From HOUSTON WILLIAM P HOBBY (HOU): New Orleans (MSO)	(below FL180) V198 TBD V552	1100-0300
NEW ORLEANS METRO AREA		
Dallas/Fort Worth (DFW)	RQR V566 AEX V114 GGG V94 CQY	0000-2359
TULSA (TUL)		
Indianapolis (IND)	V14 SGF V190 PXV V11	0000-2359
Springfield (SPI)	V14 SGF V63 UIN V50	0000-2359
Terre Haute (HUF)	V14 SGF V190 PXV V7	0000-2359

Terminals	Route	Effective Times (UTC)
BATON ROUGE METRO AREA		
Atlanta (ATL)	GCV LGC-STAR	
	or	
	(RNAV only) GCV HONIE (RNAV)-STAR	
Houston (HOU)	(GPS or DME/DME-IRU equipped) SALVO LFT ELAAN CLMBA COLUMBIA (RNAV)-STAR	
	or	
	(Non-advanced NAV only) SALVO LFT LCH DAISETTA-STAR	
Houston (IAH)	(GPS OR DME/DEM-IRU EQUIPPED) SALVO LFT GIRLY WOLDE WOLDE (RNAV)-STAR	
	or	
	(Non-advanced NAV only) SALVO LFT LCH DAISETTA-STAR	
DALLAS/FORT WORTH METRO AREA		
Baltimore (BWI)	TXK J42 BKW J147 CSN OTT-STAR	
	or	
	(GPS or DME/DME-IRU equipped) TXK J42 BKW J147 CSN RAVNN (RNAV)-STAR	
Boca Raton (BCT)	(GPS OR DME/DEM-IRU EQUIPPED) SWB MCB J50 CEW J2 SZW PRRIE (RNAV) STAR	
	or	
	(GPS OR DME/DME-IRU EQUIPPED) SWB HRV Q105 REDFN Q100 SRQ PRRIE (RNAV STAR) TTT064 LIT235 LIT J131 PXV J29 JHW J82 ALB GDM-STAR	
	or	
	SQS J52 ATL GRD J209 RDU J207 FKN J79 JFK060060 ORW PVD V151 INNDY	
Charlotte (CLT)	SQS J52 ATL UNARM-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) SQS J52 ATL ADENA (RNAV)-STAR	
Chicago Midway (MDW)	FUZ J181 MAGOO MOTIF-STAR	
Chicago O'Hare (ORD)	FUZ J181 BDF BDF-STAR	1200-0400
Cincinnati (CVG)	(RNAV only) TXK J42 MEM J29 PXV SARGO (RNAV)-STAR	
Cleveland Metro Area (CLE) (CGF) (BLK) (LNN) (LPR)	PXV ABERZ-STAR	
Denver (DEN)	ADM ADM303 ROLLS J52 LAA QUAIL-STAR	
Detroit Metro-Wayne (DTW)	LIT J131 PXV VHP FWA MIZAR-STAR	1200-0400
Detroit Metro Area (PTK), (YIP), (ARB)	TXK J131 PXV VHP FWA CRUXX-STAR	
(DET), (CYQG)	TXK J131 PXV VHP FWA V96 VVW VVW051 POOFE	
Fort Lauderdale (FLL)	(DME/DME-IRU OR GPS) SWB HRV Q105 BLVNS Q102 BAGGS JINGL (RNAV) STAR	
	or	
	(all others) SWB HRV Q105 BLVNS Q102 BAGGS RSW FORTL-STAR	
Houston (HOU)	(Turbojets) JPOOL-DP ELLVR TEXNN-STAR	
	or	
	(Non-Turbojets) JPOOL-DP CLL BLUBL-STAR	
Houston (IAH)	JPOOL-DP BILEE RIICE-STAR	

Terminals	Route	Effective Times (UTC)
Kennedy (JFK)	SQS J52 ATL GRD J209 ORF J121 SIE CAMRN-STAR	
La Guardia (LGA)	SQS J52 ATL AHN J208 HPW J191 PXT KORRY-STAR	
Louisville (LUV)	TXK J42 BNA BNA037 BARRY EWO	
Miami (MIA)	(all others) SWB HRV Q105 BLVNS Q102 CYY CYY-STAR	
	or (all others) SWB MCB J50 CEW J2 SZW J43 PIE CYY-STAR	
	or (DME/DME/IRU OR GPS TURBOJET) SWB MCB J50 CEW J2 SZW SSCOT (RNAV)-STAR	
	or (DME/DME/IRU OR GPS TURBOJET) SWB HRV Q105 BLVNS Q102 BAGGS SSCOT (RNAV)-STAR	
Newark (EWR)	TXK J42 GVE DYLIN-STAR	
	or (GPS or DME/DME-IRU equipped) TXK J42 GVE PHLBO (RNAV)-STAR	
Philadelphia (PHL)	TXK J42 OTT DQO-STAR	
Phoenix (PHX)	ABI J4 SSO J50 TOTEC	0100-0500
Pittsburgh (PIT)	TXK J42 MEM J29 PAV HNN WISKE-STAR	
San Francisco (SFO)	TTT275 GTH119 GTH GTH288 TCC105 TCC J76 FTI J58 OAL MOD	
San Jose (SJC)	TTT275 GTH119 GTH GTH288 TCC105 TCC J76 FTI J58 OAL HYP	
West Palm Beach (PBI)	SWB HRV Q105 REDFN Q100 SRQ WLACE (RNAV)-STAR	
	or SWB MCB J50 CEW J2 SZW WLACE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) SWB MCB J50 CEW J2 SZW WLACE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) SWB HRV Q105 REDFN Q100 SRQ WLACE (RNAV)-STAR ..	
GULFPORT		
Houston (HOU)	(DME/DME-IRU or GPS-equipped) HRV COLUMBIA (RNAV)-STAR	
Houston (IAH)	(DME/DME-IRU or GPS-equipped) HRV WOLDE (RNAV)-STAR	
HOUSTON METRO AREA (HOU, IAH)		
Atlanta (ATL)	LAKE CHARLES-DP BTR GCV LGC-STAR	
	or (RNAV only) LAKE CHARLES-DP BTR GCV HONIE (RNAV)-STAR	
Baltimore (BWI)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 SPA J14 RIC OTT-STAR	
	or (GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 SPA J14 RIC RAVNN (RNAV)-STAR	
Boca Raton (BCT)	(GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q100 SRQ PRRIE (RNAV)-STAR ..	
	or (GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q102 BAGGS JINGL (RNAV)-STAR	
Boston (BOS)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK ORW-STAR	
Charlotte (CLT)	LAKE CHARLES-DP BTR KALBE MEI J239 ATL UNARM-STAR	1400-0100
	or	

Terminals	Route	Effective Times (UTC)
	(Turbojets—GPS or DME/DME—IRU equipped)	
	LAKE CHARLES—DP BTR KALBE MEI J239 ATL	
	ADENA (RNAV)—STAR	1400–0100
Chicago (ORD)	LUFKIN—DP LIT J101 STL STL349 MAG00	
	BDF—STAR	0111–2024 and 2126–2359
	or	
	J33 FUZ J105 BDF—STAR.....	2025–2125 and 0000–0110
	or	
	LUFKIN—DP LIT J180 FTZ BDF—STAR	
Cincinnati (CVG).....	(RNAV only) LUFKIN—DP LIT J131 PXV SARGO	
	(RNAV)—STAR	
	or	
	(all others) LUFKIN—DP LIT J131 PXV	
	MOSEY—STAR	
Cleveland (CLE)	LUFKIN—DP LIT J131 PXV JUDDI CVG	
	ZABER—STAR	
Detroit—Wayne (DTW)	LUFKIN—DP LIT J131 PXV VHP FWA MIZAR—STAR ..	
	or	
	ALAMO—DP LFK J101 LIT J131 PXV VHP FWA	
	MIZAR—STAR	
Fort Lauderdale (FLL)	(GPS or DME/DME—IRU equipped)	
	SABINE PASS (RNAV)—DP LEV Q102 BAGGS	
	RSW FORTL—STAR	
	or	
	(GPS or DME/DME—IRU equipped)	
	SABINE PASS (RNAV)—DP LEV Q102 BAGGS	
	JINGL (RNAV)—STAR	
Kennedy (JFK).....	(GPS or DME/DME—IRU equipped) GUSTI	
	(RNAV)—DP SJI J37 MGM MGM048138 GRD	
	J209 ORF J121 SIE CAMRN—STAR	
La Guardia (LGA)	(GPS or DME/DME—IRU equipped) GUSTI	
	(RNAV)—DP SJI J37 MGM AHN J208 HPW J191	
	PXT KORRY—STAR.....	
Miami (MIA)	(GPS or DME/DME—IRU equipped) SABINE PASS	
	(RNAV)—DP LEV Q102 CYY CYY—STAR	
	or	
	(Turbojets—GPS or DME/DME—IRU equipped)	
	SABINE PASS (RNAV)—DP LEV Q102 BAGGS	
	SSCOT (RNAV)—STAR	
Newark (EWR).....	(GPS or DME/DME—IRU equipped) GUSTI	
	(RNAV)—DP SJI SPA J14 J51 FAK PHLBO	
	(RNAV)—STAR	
Orlando (MCO)	(all others) SABINE PASS (RNAV)—DP LEV Q100	
	REMIS BOXKR MINEE—STAR	
	or	
	(Turbojets, GPS or DME/DME—IRU equipped)	
	SABINE PASS (RNAV)—DP LEV Q100 REMIS	
	BOXKR COSTR (RNAV)—STAR.....	1100–0400
Palm Beach (PBI)	(GPS or DME/DME—IRU equipped) SABINE PASS	
	(RNAV)—DP LEV Q100 SRQ WLACE	
	(RNAV)—STAR	
Philadelphia (PHL).....	(GPS or DME/DME—IRU equipped) GUSTI	
	(RNAV)—DP SJI J37 SPA J14 J51 FAK	
	DPNT—STAR	
Pittsburgh (PIT)	LUFKIN—DP LIT J131 PXV IJU HNN WISKE—STAR ...	
	or	
	(GPS or DME/DME—IRU equipped) LEV Q100	
	REMIS BLOND BLOND(RNAV)—STAR	
Tampa (TPA)	(GPS or DME/DME—IRU equipped) SABINE PASS	
	(RNAV)—DP LEV Q102 REMIS BLOND BLOND	
	(RNAV)—STAR	

Terminals	Route	Effective Times (UTC)
Washington (DCA)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 SPA J14 RIC OJAAY (RNAV)-STAR.....	1630-1800
Washington (IAD)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 SPA J14 CREWE J51 FAK BARIN COATT-STAR.....	
Windsor Locks (BDL)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 MGM MGM 048/138 GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR ...	
JACKSON (JAN)		
Houston (HOU)	(DME/DME-IRU or GPS-equipped) AEX ROKIT (RNAV)-STAR..... or (Non-advanced NAV only) AEX DAS-STAR.....	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) AEX TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) AEX DAS STAR	
LITTLE ROCK (LIT)		
Houston (HOU)	(DME/DME-IRU or GPS-equipped) J180 SWB ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) J180 SWB DAS-STAR ..	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) J180 SWB TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) J180 SWB DAS-STAR ..	
NEW ORLEANS (MSY)		
Atlanta (ATL)	GCV LGC-STAR	
Baltimore (BWI)	J37 SPA J14 RIC OTT-STAR	
	or (GPS or DME/DME-IRU equipped) J37 SPA J14 RIC RAVVN (RNAV)-STAR.....	
Boston (BOS)	J37 MGM MGM048138 GRD J209 RDU J207 FKN J79 JFK ORW-STAR	
Cincinnati (CVG)	(RNAV only) J35 MEM J29 PVX SARGO (RNAV)-STAR.....	
	or (all others) J35 MEM J29 PVX MOSEY-STAR.....	
Charlotte (CLT)	(Turbojets-GPS or DME/DME-IRU Equipped) MEI J239 ATL ADENA (RNAV)-STAR	
Cleveland Metro Area (CLE) (CGF) (BKL) (LNN) (LPR)	IIU ZABER-STAR.....	
Denver (DEN)	J58 FUZ J21 ADM J52 LAA QUAIL-STAR	
Detroit Metro-Wayne (DTW)	MEM J29 IMPEL VHP FWA MIZAR-STAR	
Houston (HOU)	(DME/DME-IRU or GPS-equipped) KCEEE COLUMBIA (RNAV)-STAR	
	or (Non-advanced NAV only) AEX DAS-STAR.....	
Houston (IAH)	(DME/DME-IRU or GPS-equipped) JEPEG KUGLE WOLDE WOLDE (RNAV)-STAR.....	
	or (Non-advanced NAV only) AEX DAS-STAR.....	
Kennedy (JFK)	J37 MGM MGM048138 GRD J209 ORF J121 SIE CAMRN-STAR	
La Guardia (LGA)	J37 MGM AHN J208 HPW J191 PXT KORRY-STAR.....	
Louisville (IIU)	J35 MEM BWG EWO	
Newark (EWR)	J37 SPA J14 J51 FAK DYLIN-STAR	
	or (GPS or DME/DME-IRU equipped) J37 SPA J14 J51 FAK PHLBO (RNAV)-STAR	
Washington Dulles (IAD)	J37 SPA J14 J51 FAK COATT-STAR	
Washington Natl (DCA)	J37 SPA J14 RIC IRONS-STAR	
	or	

Terminals	Route	Effective Times (UTC)
Windsor Locks (BDL)	(GPS or DME/DME-IRU equipped) J37 SPA J14 RIC OJAAY (RNAV)-STAR	
	J37 MGM MGM048138 GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR	
OKLAHOMA CITY (OKC)		
Houston HOU)	(Turbojets) CVE TEXNN-STAR..... or (Non-Turbojets) CVE ELLVR BLUBL-STAR	
Houston (IAH)	CVE RIICE-STAR.....	
SAN ANTONIO (SAT)		
Atlanta (ATL)	J2 LCH J590 GCV LGC STAR..... or (RNAV only) J2 LCH J590 GCV HONIE RNAV-STAR J17 AMA TBE J171 TODDE QUAIL-STAR	
Denver (DEN)	ALAMO-DP LFK J101 LIT J131 PXV VHP FWA MIZAR-STAR	
Detroit Metro-Wayne Co (DTW)	ALAMO-ELA LISSE-STAR	
Houston (HOU).....	ALAMO-ELA GLAND-STAR	
Houston (IAH)		
TULSA (TUL)		
Houston (HOU)	(Turbojets) OKM CVE TEXNN-STAR	
Houston (IAH)	OKM CVE RIICE-STAR.....	

SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

Terminals	Route	Effective Times (UTC)
Traffic(OCEANIC) originating South of Houston Center northbound:		
HOU	(GPS or DME/DME-IRU equipped) A766 KLAMS COLUMBIA (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) B753 MAHEE MCOOL COLUMBIA (RNAV)-STAR	
IAH	(GPS or DME/DME-IRU equipped) A766 KLAMS WOLDE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) B753 MAHEE KUGLE WOLDE (RNAV)-STAR	

HIGH ALTITUDE—SINGLE DIRECTION ROUTES

Airway	Segment Fixes	Direction Effective	Effective Times (UTC)
J6	Lancaster, PA to Little Rock, AR	Southwest	1100-0300
J42	Texarkana, AR to Robbinsville, NJ	Northeast	1100-0300
J180	Little Rock, AR to Humble, TX	Southwest	1200-0400

GULF OF MEXICO "Q ROUTES"

These area navigation routes extend more than 12 miles offshore in airspace controlled by the Federal Aviation Administration (FAA). Additional regulatory information for these routes can be found in the Notices to Airmen Publication, Part 3, International Notices to Airmen.

These routes have a Minimum Obstruction Clearance Altitude (MOCA) of 1500 feet (MSL). The Minimum Enroute Altitude (MEA) for these routes is 6000 feet (MSL)

Q100

LEV VORTAC
 REDFN N28°52.98' /W088°42.11'
 ROZZI N28°18.87' /W086°42.31'
 REMIS N27°53.04' /W085°15.47'
 SRQ VORTAC

Q102

LEV VORTAC
 BLVNS N28°22.94' /W088°02.05'
 BUNNZ N28°00.58' /W086°45.76'
 BACCA N27°35.51' /W085°20.66'
 CIGAR N27°29.61' /W084°46.99'
 BAGGS N27°08.06' /W082°50.45'
 CYY VORTAC

Q105

HRV VORTAC
 FATSO N29°41.40' /W089°47.08'
 REDFN N28°52.98' /W088°42.11'
 BLVNS N28°22.94' /W088°02.05'

Q-ROUTES REGULATORY

Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this A/FD volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".

Route	Segment	DME
Q1	ELMAA-ERAVE	BTG, OLM, HQM, HUH, UBG
	ERAVE-EASON	BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG
	EASON-EBINY	CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT
	EBINY-ENVIE	CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS
	ENVIE-ETCHY	OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS
Q2	ETCHY-POINT REYES	LIN, ECA, RBL, ENI, SAC, OAK
	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-HOBOL	BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS
	HOBOL-ITUCO	TFD, GBN, BLH, PXR, TUS, CIE, SSO
Q3	ITUCO-NEWMAN	EWM, TFD, PXR, CIE, SSO, TUS, TCS
	FEPOT-FAMUK	OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG
	FAMUK-FRFLY	BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT
	FRFLY-FINER	OED, EUG, RBL, LMT, ENI, CVO, FJS
	FINER-FOWND	OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS
Q4	FOWND-POINT REYES	LIN, ECA, PYE, RBL, SAC, ENI
	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-SCOLE	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SCOLE-SPTFR	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SPTFR-ZEBOL	EED, IPL, BZA, GBN, TFD, PXR, BLH
Q5	ZEBOL-SKTTR	PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS
	SKTTR-EL PASO	EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME
	HAROB-HISKU	OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH
	HISKU-HARPR	ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV
	HARPR-HOMEG	CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV
	HOMEG-HUPTU	SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS
	HUPTU-STIKM	OAK, ECA, PYE, LIN, SAC, ENI, RBL

Route	Segment	DME
Q7	JINMO-JOGEN	CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA
	JOGEN-JUNEJ	LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG
	JUNEJ-JAGWA	RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS
Q9	JAGWA-AVENAL	OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ
	SUMMA-SMIGE	OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED, EPH, MWH
	SMIGE-SUNBE	IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG
Q11	SUNBE-REBRG	RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED, SWR
	REBRG-DERBB	CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA
	PAAGE-PAWLI	EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV, OED, SEA
Q13	PAWLI-PITVE	EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO
	PITVE-PUSHH	FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ
	PUSHH-LOS ANGELES	SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS
Q15	All segments	None; GNSS required
Q19	All segments	None; GNSS required
Q20	PLESS-NASHVILLE	ENL, GQO, PXV, BNA, IJU, FAM, BWG, CSX
	CORONA-HONDS	CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME
	HONDS-UNNOS	CNX, INK, CME, TXO, TCC
Q21	UNNOS-FUSCO	FST, ACH, INK, CME, SGT, TXO, TCC
	FUSCO-JUNCTION	ABI, CWK, CSI, INK, LZZ, JCT, SGT, STV, FST
	JONEZ-RAZORBACK	BYP, EOS, TUL, TXK, ADM, RZC, OKM
Q22	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI
Q23	FORT SMITH-RAZORBACK	OKM, RZC, EOS, TUL
Q24	LAKE CHARLES-BATON ROUGE	AEX, DAS, LCH, MCB, LFT, BTR
	BATON ROUGE-IRUBE	AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY
	IRUBE-PAYTN	GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
Q25	MEEOW-WALNUT RIDGE	ELD, MEM, LIT, FAM, RZC
	WALNUT RIDGE-WLSUN	MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH
	WLSUN-POCKET CITY	BWG, PXV, ENL, BNA, TTH
Q26	WALNUT RIDGE-DEVAC	LIT, JKS, GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG
Q27	FORT SMITH-ZALDA	OKM, SGF, RZC, EOS, TUL
Q28	GRAZN-PYRMD	EIC, LIT, ELD, OKM, TXK
	PYRMD-HAKAT	ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK
	HAKAT-ESTEE	ARG, LIT, FAM, SGF, MEM
Q29	ESTEE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA
	HARES-MEMPHIS	MEM, ARG, LIT, JAN, ELD, SQS
	MEMPHIS-SIDAE	MEM, PXV, BNA, BWG, ARG, ENL
Q30	SIDAE-POCKET CITY	PXV, TTH, BWG, ENL
	SIDON-VULCAN	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG
	DHART-JODOX	SQS, LIT, TXK
Q31	JODOX-MARVELL	SQS, LIT, ELD, MEM, ARG
	MARVELL-TIIDE	ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH
	TIIDE-POCKET CITY	BWG, PXV, ENL, TTH
Q32	EL DORADO-GAGLE	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK
	GAGLE-CRAMM	JAN, SQS, MEM, ARG, VUZ, BNA, LIT
	CRAMM-NASHVILLE	BWG, MEM, VUZ, BNA, GQO
Q33	NASHVILLE-SWAPP	BWG, IJU, PXV, VXV, BNA, GQO
	DHART-LITTLE ROCK	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS
	LITTLE ROCK-PROWL	ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL
Q34	TEXARKANA-MATIE	LIT, SWB, TXK, BYP, EIC, ELD, SQS
	MATIE-MEMPHIS	LIT, ARG, MEM, ELD, SQS
	MEMPHIS-SWAPP	BWG, ARG, MEM, MKL, SQS, PXV, BNA, GQO, IJU, VXV
Q35	KIMBERLY-NEERO	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO
	NEERO-WINEN	BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE
	WINEN-CORKR	CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK
Q36	CORKR-DRAKE	TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD
	RAZORBACK-TWITS	RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT
	TWITS-DEPEC	MEM, GQO, BNA, BWG, FAM, ARG, PXV, IJU
Q36	DEPEC-NASHVILLE	GQO, BWG, BNA, PXV, IJU
	NASHVILLE-SWAPP	VXV, BWG, BNA, GQO, PXV, IJU

Route	Segment	DME
Q38	ROKIT-INCIN	DAS, LCH, SWB, IAH, LFK, HUB, AEX
	INCIN-LAREY	JAN, MCB, SWB, AEX
	LAREY-BESOM	JAN, JYU, MEI, SQS, VUZ
Q40	ALEXANDRIA-DOOMS	AEX, SWB, LCH, JAN, HEZ, MCB
	DOOMS-WINAP	JAN, SQS, MEI, MCB
	WINAP-MISLE	MEI, VUZ, JYU
Q42	KIRKSVILLE-STRUK	CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX
	STRUK-DANVILLE	ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK, OBK, GIJ, FWA, GSH, IRK
	DANVILLE-MUNCIE	GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM
	MUNCIE-HIDON	FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN, AIR, HVQ, CXR, EWC
	HIDON-BUBAA	AIR, APE, HNN, CXR, HVQ, EWC, DJB
	BUBAA-PSYKO	AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB
	PSYKO-BRNNAN	PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT
	BRNNAN-MAALS	EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE
	MAALS-SUZIE	ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK
	SUZIE-EAST TEXAS	JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN
	EAST TEXAS-ELIOT	HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK
Q104	DEFUN-HEVVN	PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG
	HEVVN-PLYER	PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD
	PLYER-SWABE	PIE, ORL, OMN, SRQ, TAY
	SWABE-ST PETERSBURG	LAL, ORL, OMN, SRQ, PHK, PIE
	ST PETERSBURG-CYPRESS	PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN
Q106	SMEIZ-BULZI	LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW
	BULZI-DRABK	AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI
	DRABK-GADAY	MGM, PZD, OTK, JYU, SZW, CEW, SJI
Q108	GADAY-CLAWZ	MGM, SJI, CEW, JYU, PZD, OTK, MCN, SZW, LGC, TAY, AMG
Q110	THNDR-JAYMC	SRQ, VRB, PHK, PIE, LAL, VKZ, ORL, PBI
	JAYMC-RVERO	VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP
	RVERO-KPASA	OMN, PIE, PBI, SRQ, ORL, LAL
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK
	GULFR-FEONA	TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM
Q112	DEFUN-HEVVN	PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB
Q116	HEVVN-INPIN	JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK
	GULFR-CEEYA	MCN, AMG, PZD, OTK, SZW, TAY
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
Q118	BRUTS-LENIE	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN
Q501	VIXIS-GOPHER	ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU, DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF
	GOPHER-SOBME	FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD
	KENPA-GOPHER	SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW, MSP, MNM, ASP, TVC, GEP, RWF, BRD
Q504	GOPHER-SOBME	FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD
	NOTAP-CESNA	SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC, SAW, GRB, BRD
	CESNA-HEMDI	ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD
Q505	OMAGA-RIMBE	SSM, TVC, ASP, SAW, GRB
	RIMBE-CESNA	SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI
	CESNA-HEMDI	GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB

*Denotes Critical DME Facility

RNAV Routing and Catch Points

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by **pitch** (entry into) and **catch** (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.

Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: <http://sua.faa.gov/sua/Welcome.do>. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.

HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIE.

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

Albuquerque	ABQ, GUP, HANOS or ZUN
Austin	ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV
Boca Raton, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Burbank includes Santa Monica and Van Nuys	GMN, MARKS or DAG LAS or HEC EED or PMD BLH
Chicago Terminal Area	IOW, PLL275065, MZV or BAE
Dallas/Fort Worth Terminal Area	ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK ELD, SWB or Aircraft destined the Chicago terminal area Except MDW EAKER MIDEE BDF BRADFORD-STAFF Or MLC J105 SGF BDF BRADFORD-STAF
Denver Terminal Area	PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE, CABET, WEEDS, OR BINKE
Fort Lauderdale (or) Fort Lauderdale Executive	THNDR KPASA Q118 LENIE or THNDR KPASA Q116 CEEYA or THNDR KPASA Q110 FEONA or THNDR SMELZ Q106 GADAY or THNDR SMELZ Q106 BULZI
Houston Bush	LIT, EMG, MLC, JCT or Aircraft destined Atlanta Terminal Area LCH Q24 PAYTN HONIE-RNAV STAR or Aircraft joining J37 to the northeast, BPT GUSTI Q22 CATLN or Aircraft joining J42 to the northeast, ELD Q32 J42

Houston Hobby	LIT, EMG, MLC, JCT, or Aircraft joining J42 to the northeast, ELD Q32 J42
Jacksonville, FL	TAY
Kansas City Terminal Area	TIFTO, CATTs or KENTN
Los Angeles, includes Ontario	GMN, RZS or DAG LAS or TRM EED or TRM PKE
Las Vegas	DOBNE, MOSBI, NICLE, TRALR or ZELOT
Long Beach includes Orange County	GMN SNS, EHF, LANDO or TRM PKE or TRM EED
Memphis	BNA, HAAWK, SALMS or SQS
Miami Terminal Area	WINCO KPASA Q118 LENIE or WINCO KPASA Q116 CEEYA or WINCO KPASA Q110 FEONA or WINCO SMELZ Q106 GADAY or WINCO SMELZ Q106 BULZI
Milwaukee	GREAS
Minneapolis Terminal Area*	ONL, ABR, FAR, OBH, OVR, FOD
New Orleans Terminal Area	AEX, MEI, SQS, KAPLN
Orlando Terminal Area	WEBBS BRUTS Q118 LENIE or WEBBS GULFR Q116 CEEYA or WEBBS BULZI Q106 GADAY or WEBBS FEONA or WEBBS BULZI
Palm Beach, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Palm Springs	TRM JOTNU BLD or TRM EED or TRM PKE
Phoenix	CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK
Portland, OR	PDT, TIMEE

Salt Lake City	HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI or TCH J56 CHE or TCH J173 EKR
Saint Louis	VIH, MAP, MYERZ, MCM or HLV MCI
San Antonio Terminal Area	FUZ, SJT, MQP, ABI or Aircraft North of LFK, LFK or Aircraft South of HUB, ELA or Aircraft South of LFK and North of HUB LCH
San Diego	TRM EED or TRM PKE or TRM JOTNU BLD
San Francisco Bay Area	GALLI, INSLO, HAROL JSICA
Oakland	GALLI, INSLO, HAROL JSICA
San Jose	GALLI or INSLO
Seattle	BLUIT
Southwest Florida Airports (RSW/FMY)	JOCKS KPASA Q118 LENIE or JOCKS KPASA Q116 CEEYA or JOCKS KPASA Q110 FEONA or JOCKS SMELZ Q106 GADAY or JOCKS SMELZ Q106 BULZI
Tampa Terminal Area	FEONA, BULZI or BRUTS Q118 LENIE or GULFR Q116 CEEYA or BULZI Q106 GADAY

*MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

Catch Points for Airports Located Outside HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Atlanta Terminal Area	Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA or Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVAC or MEM or Aircraft through ZME airspace from ZID airspace west of a line from VHP to BWG, BNA or Aircraft through ZME airspace from ZID airspace east of a line from VHP to BWG, BWG or Aircraft through ZME airspace from ZFW airspace, MEM or MEI HONIE (RNAV)–STAR or PATYN HONIE (RNAV)–STAR
-----------------------	---

Baltimore–Washington*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA or VUZ
Boston*	GEP, CRL, ECK, IIU, BNA or VUZ
Buffalo*	GEP, CRL
Hartford Bradley*	GEP, CRL
Canton–Akron*	GIJ, VHP, GEP
Charlotte	BNA, VUZ
Cincinnati Terminal Area	BNA, PXV or Aircraft north of SLC, JOT or Aircraft over or south of SLC, ENL or SLC or SFO departures, ENL, JOT
Cleveland Terminal Area*	OBK
Detroit Terminal Area	BAE MKG POLAR–STAR or VHP FWA MIZAR–STAR
Detroit Young	VHP FWA or LAN SPRTN–STAR
Indianapolis Terminal Area	BIB, SPI, JOT
Louisville	ENL, MEM
Newark*	GEP, VHP, FLM, IIU, BNA, VUZ or IOW GIJ J554 CRL J584 SLT FQM
New York Kennedy*	GEP, VHP, FLM, IIU, BNA, VUZ or DBQ J94 PMM J70 LVZ LENDY–STAR
New York LaGuardia*	GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ
Philadelphia Terminal Area*	GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ
Pittsburgh Terminal Area*	VHP, GIJ, BAE, GEP
Pontiac	LFD, LAN, VHP, FWA, GEP
Providence	JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ
Raleigh–Durham	FLM, IIU, BNA, VUZ
Toronto Terminal Area	ECK, SVM, SSM, GEP
Teterboro*	GEP, VHP, CRL, BNA, VUZ
Washington Dulles/National*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ
White Plains*	GEP, VHP, CRL, FLM, IIU, BNA, VUZ
Willow Run*	LAN, LFD, VHP, FWA, GEP

*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

or

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

Albuquerque Terminal Area	CURLY CURLY-STAR or ESPAN FRIHO-STAR or LAVAN LAVAN-STAR or FTI FRIHO-STAR or MIERA MIERA-STAR
Austin Terminal Area	Aircraft west of a north-south line at LFK, BLEWE or Aircraft east of a north-south line at LFK, IDU or LLO
Boca Raton, FL	CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or SZW INPIN SHDAY (RNAV)-STAR
Chicago Midway	CVA MOTIF-STAR or PIA MOTIF-STAR or DBQ CVA MOTIF-STAR or LMN MOTIF-STAR
Chicago O'Hare Terminal Area	GEP DLL MSN JVL JANESVILLE-STAR or TVC PULLMAN-STAR or FOD DBQ JVL JANESVILLE-STAR or MCW JANESVILLE-STAR or GCK IRK BRADFORD-STAR
Dallas/Fort Worth Terminal Area	IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM or Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW or Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS or Aircraft through ZME airspace from J52 and south of J52, SQS

Denver Terminal Area	OATHE DANDD-STAR
	or
	HGO QUAIL-STAR
	or
	LOPEC-STAR
	or
	ALS LARKS-STAR
	or
	HBU POWDR-STAR
	or
	EKR TOMSN-STAR
	or
	CHE TOMSN-STAR
	or
	BFF LANDR-STAR
	or
	LBF SAYGE-STAR
	or
	HCT SAYGE-STAR
	or
	RSK LARKS-STAR
	or
	LAA QUAIL-STAR
	or
	GCK J154 RYLIE DANDD-STAR
	or
	OCS J154 ALPOE RAMMS-STAR
	or
	YANKI J114 SNY LANDR-STAR
	or
	Aircraft filed BIL or east, MBW RAMMS-STAR
Ft Lauderdale or Ft Lauderdale Executive	CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR
	Aircraft through ZHU airspace remain south ZME and ZTL airspace
	or
Houston Bush	SZW HEVVN Q104 PIE SWAGS (RNAV)-STAR
	CRP, CVE, LLO, LUKIY, SAT
	or
	Aircraft south and east of LLA, LLA
	or
	MISLE Q40 AEX
	or
	Aircraft north and east of SJI, SJI
	or
	Aircraft east of PXV, PXV Q31 DHART SWB
	or
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
Houston Hobby	CRP, ELLVR, SAT, SWB
	or
	Aircraft south and east of GIRLY, GIRLY
	or
	Aircraft north and east of SJI, SJI
	or
	BESOM Q38 ROKIT ROKIT-STAR
	or
	Aircraft east of PXV, PXV Q29 HARES SWB
	or
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
Jacksonville	GADAY ZOOSS TAY
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	ZOOSS TAY

John Wayne–Orange County	HEC, PGS, BLD or Aircraft south of TBC from ZAB airspace, HIPPI
Kansas City Terminal Area	LMN BRAYMER–STAR or PWE ROBINSON–STAR or EMP JHAWK–STAR
Las Vegas	DILCO, LIDAT, IGM or Aircraft over PGA or north of PGA KSINO or Aircraft south of PGA PGS LYNSY
Los Angeles Terminal Area	Aircraft North of TBC, HEC, PGS or Aircraft South of TBC from ZAB airspace, HIPPI, MESSI
Miami Terminal Area	CEW DEFUN Q104 CYY DEEDS (RNAV)–STAR Aircraft through ZHU airspace remain south ZME and ZTL airspace or SZW HEVNV Q104 CYY DEEDS (RNAV)–STAR
Minneapolis Terminal Area	Aircraft from north, west, south, FAR GOPHER–STAR or RWF SKETR–STAR or ALO KASPR–STAR or BRD GOPHER–STAR or BAE EAU CLAIRE–STAR or FOD TWOLF–STAR
Memphis Terminal Area	ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD
Naples, FL	CEW DEFUN Q104 PLYER PIKKR (RNAV)–STAR Aircraft through ZHU AIRSPACE remain south of ZME and ZTL airspace or SZW HEVNV Q104 PLYER PIKKR (RNAV)–STAR
Nashville	CCT, GHM, GUITR, TINGS, VOLLS
New Orleans Terminal Area	BLUEZ, GPT, LCH, MCB, TBD, FATSO
Oakland	ILA or KATTS PAMMY or Aircraft over or south of a line ILC J16 DVC REANA KATTS PAMMY or Aircraft from north of ILC, JOPER PAMMY or KATTS PAMMY or Aircraft over or south of ILC, REANA KATTS PAMMY
Orlando Terminal Area	GADAY Q108 CLAWZ LEESE–STAR Aircraft through ZHU airspace remain south of ZME/ZTL airspace or OTK LEESE–STAR

Palm Beach, FL	CEW DEFUN Q112 INPIN GULLO (RNAV)–STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW INPIN GULLO (RNAV)–STAR
Phoenix	CORKR DRK or Aircraft from ZDV airspace, GUP or Aircraft from ZAB airspace, ZUN, MOHAK, SSO or VYLLA TUS
Phoenix Satellites	FLG, SSO, MOHAK or VYLLA, TUS
Portland, OR Terminal Area	ARNIT BONVL–STAR or LARNO BONVL–STAR or MOXEE MOXEE–STAR
St. Louis Terminal Area	SGF TRAKE–STAR or BUM TRAKE–STAR or ANX TRAKE–STAR or LMN IRK RIVRS–STAR or RBS VANDALIA–STAR
Salt Lake City Terminal Area	JNC J12 HELPR SPANE–STAR or EKR MTU SPANE–STAR or BCE DTA–TCH or MLF DTA–TCH or BVL BONNEVILLE–STAR or BYI BEARR–STAR or PIH BEARR–STAR or DBS BRIGHAM CITY–STAR or JAC BRIGHAM CITY–STAR or BPI BRIGHAM CITY–STAR or OCS BRIGHAM CITY–STAR
San Diego Terminal Area	EED, LAX, GBN
Santa Ana	HEC, PGS, BLD, HIPPI
San Antonio Terminal Area	IDU, CSI, JCT, LLO, CRP, LRD or West of a north–south line at LFK, BLEWE or East of a north–south line at LFK, IDU

San Francisco	FMG GOLDEN GATE–STAR
	or
	MVA MODESTO–STAR
	or
	ENI GOLDEN GATE–STAR
	or
	OAL MODESTO–STAR
San Jose	or
	South of a line ILC to DVC, REANA KATTS OAL MODESTO–STAR
	FMG HYP EL NIDO–STAR
	or
	OAL HYP EL NIDO–STAR
	or
	ENI GOLDEN GATE–STAR
Seattle Terminal Area	or
	South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO–STAR
	Aircraft From northeast, southeast, south, TEMPL GLASR–STAR
	or
	SUNED CHINS–STAR
	or
	BTG OLMYPIA–STAR
Southwest Florida Airports RSW and FMY	CEW DEFUN Q104 SWABE JOSFF–STAR
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	SZW HEVVN Q104 SWABE JOSFF–STAR
Tampa Terminal Area	CEW DEFUN Q104 HEVVN DARBS–STAR
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	SZW DARBS–STAR
Tucson	DRK PXR
	or
	MOHAK GBN

VISUAL FLIGHT RULES (VFR) WAYPOINTS

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name.

VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

BALTIMORE–WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPAXI	_____	N38°34.57' /W076°20.38'
VPONX	_____	N39°06.65' /W076°55.92'
VPOOP	_____	N38°56.32' /W076°36.90'

BOSTON HELICOPTER CHART

VPBAY	_____	N42°16.17' /W070°49.48'
VPBLT	_____	N42°19.67' /W070°53.40'
VPCGS	_____	N42°22.08' /W071°03.13'
VPEVS	_____	N42°23.52' /W071°04.10'
VPFEN	_____	N42°12.58' /W071°08.88'
VPFRE	_____	N42°25.03' /W071°12.32'
VPGLV	_____	N42°21.88' /W070°52.18'
VPHAM	_____	N42°30.13' /W071°07.15'
VPPIK	_____	N42°20.37' /W071°15.93'
VPQUA	_____	N42°12.10' /W071°04.78'
VPQUB	_____	N42°12.60' /W070°59.83'
VPSPF	_____	N42°24.20' /W071°09.47'
VPTOB	_____	N42°31.42' /W070°59.82'
VPWAN	_____	N42°36.88' /W071°19.45'

BOSTON TERMINAL AREA CHART

VPCOH	Cohasset	N42°13.58' /W070°48.94'
VPCUT	Cuttyhunk Harbor	N41°25.50' /W070°55.03'
VPFRA	Framingham Shopping Center	N42°18.16' /W071°23.65'
VPHOL	Woods Hole	N41°31.06' /W070°40.60'
VPHUL	Hull	N42°18.20' /W070°55.30'
VPLPT	Nantucket Great Point	N41°23.41' /W070°02.78'
VPNED	Needham Towers	N42°18.51' /W071°14.64'
VPPEA	Peabody Shopping Center	N42°32.52' /W070°56.69'
VPROC	Rockingham Race Track	N42°46.29' /W071°13.57'
VPSCI	Scituate	N42°11.89' /W070°43.69'
VPTPT	Nantucket Third Point	N41°18.51' /W070°03.37'
VPTUC	Tuckernuck	N41°18.31' /W070°15.43'
VPWAK	Wakefield	N42°30.72' /W071°05.24'
VPWAN	Wang Towers	N42°36.88' /W071°19.45'

CHARLOTTE SECTIONAL CHART

VPATO	_____	N34°37.37' /W076°31.47'
VPAVA	_____	N34°57.00' /W077°16.50'
VPBFE	_____	N32°16.38' /W080°47.50'
VPBRA	_____	N36°13.75' /W076°08.08'
VPGCE	_____	N36°03.90' /W076°36.42'
VPGHI	_____	N35°15.30' /W075°31.25'
VPGIO	_____	N35°32.50' /W076°37.33'
VPKJU	_____	N35°26.58' /W076°10.22'
VPLMN	_____	N34°55.43' /W077°46.42'
VPMAB	_____	N34°42.20' /W077°03.50'
VPNPO	ISLE OF PALMS	N32°47.78' /W079°46.45'
VPOKY	_____	N35°06.53' /W075°59.17'
VPREP	_____	N32°33.98' /W080°21.82'
VPRRS	_____	N33°25.45' /W079°07.60'
VPUMO	_____	N35°35.63' /W075°28.08'
VPWZO	_____	N36°00.87' /W075°40.07'
VPZIE	_____	N32°01.62' /W080°53.42'

CHICAGO SECTIONAL CHART

WAYPOINT IDENT
VPCOHCOLLOCATED VFR CHECKPOINT
_____LOCATION
N31°49.35' / W081°51.07'

DENVER TERMINAL AREA CHART/FLYWAY CHART

VPBEN
VPFTG
VPNIC_____

NORTH INTERCHANGEN39°44.28' / W104°26.00'
N39°44.35' / W104°32.75'
N39°58.90' / W104°59.27'

HOUSTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT
VPBWY
VPDTN
VPGLA
VPGLB
VPKTY
VPPLN
VPRSN
VPSND
VPSNT
VPTNE
VPTNW
VPTRKCOLLOCATED VFR CHECKPOINT

_____LOCATION
N29°46.25' / W095°09.24'
N29°46.59' / W095°22.01'
N30°08.32' / W095°06.62'
N30°07.80' / W094°55.70'
N29°47.05' / W095°44.92'
N30°08.80' / W095°50.42'
N29°30.00' / W095°41.00'
N29°23.13' / W095°28.86'
N29°49.29' / W094°53.94'
N29°47.48' / W095°03.34'
N29°47.06' / W095°33.81'
N29°24.06' / W095°10.44'

JACKSONVILLE SECTIONAL CHART

VPAFI
VPAFY
VPBEC
VPCJA
VPCKY
VPCNY
VPDAD
VPDAR
VPDFI
VPDUT
VPEAR
VPEGV
VPPFU
VPGPE
VPHAA
VPHUC
VPIWA
VPJMY
VPKER
VPLEV
VPLJA
VPMIA
VPTLH
VPXZY
VPYIW
VPZIE_____

DADE CITY

CLEARWATER BEACH

ST PETE BEACH

MIDWAY

LAKE PARKER

_____N31°49.35' / W081°51.07'
N30°07.00' / W081°21.33'
N29°46.25' / W081°15.10'
N29°30.00' / W081°06.00'
N28°46.50' / W082°34.00'
N28°30.00' / W080°45.00'
N28°22.57' / W082°11.25'
N31°22.38' / W081°24.13'
N29°00.17' / W081°20.85'
N27°37.70' / W082°09.10'
N27°58.67' / W082°49.83'
N29°39.97' / W081°24.87'
N28°57.08' / W081°00.33'
N27°43.50' / W082°44.67'
N30°04.02' / W083°40.02'
N28°19.87' / W082°43.77'
N31°48.33' / W081°25.85'
N29°26.92' / W081°18.27'
N28°04.00' / W081°56.00'
N28°48.00' / W080°52.00'
N29°00.00' / W080°51.00'
N30°50.02' / W084°56.63'
N30°32.70' / W083°52.22'
N29°35.00' / W083°10.00'
N30°42.28' / W081°27.25'
N32°01.62' / W080°53.42'

KANSAS CITY SECTIONAL CHART

VPAGO
VPBEK
VPDEN
VPENE
VPESSE
VPFME
VPGXY
VPMBE
VPMKE
VPROV
VPUTT_____

_____N37°50.33' / W090°29.03'
N37°15.07' / W092°30.67'
N37°46.75' / W092°19.20'
N37°44.75' / W091°55.78'
N36°59.48' / W091°00.88'
N37°41.00' / W092°38.33'
N37°15.50' / W091°40.17'
N37°11.08' / W090°27.92'
N37°24.47' / W092°40.00'
N38°01.72' / W091°12.81'
N37°52.05' / W092°01.20'

KANSAS CITY TERMINAL AREA CHART

KLAMATH FALLS SECTIONAL CHART

LOS ANGELES HELICOPTER CHART

SC, 22 OCT 2009 to 17 DEC 2009

LOS ANGELES SECTIONAL CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71'/W119°10.39'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

LOS ANGELES TERMINAL AREA CHART/FLYWAY CHART

VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPGTY	GETTY CENTER	N34°04.84'/W118°28.66'
VPLBP	BANNING PASS	N33°56.05'/W116°59.63'
VPLCC	CHAFFEY COLLEGE	N34°08.87'/W117°34.33'
VPLCP	CAJON PASS	N34°18.07'/W117°27.68'
VPLDL	DISNEYLAND	N33°48.72'/W117°55.13'
VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLDS	DODGER STADIUM	N34°04.42'/W118°14.42'
VPLFX	91/605 INTERCHANGE	N33°52.38'/W118°06.08'
VPLGP	GRIFFITH PARK OBSERVATORY	N34°07.10'/W118°18.02'
VPLHF	110/405 FWYS	N33°51.42'/W118°17.10'
VPLHP	HUNTINGTON PIER	N33°39.32'/W118°00.25'
VPLKH	KING HARBOR	N33°50.75'/W118°23.88'
VPLLC	L.A. COLISEUM	N34°00.83'/W118°17.27'
VPLLM	LAKE MATHEWS	N33°50.58'/W117°26.85'
VPLMM	MAGIC MOUNTAIN	N34°26.20'/W118°36.28'
VPLMS	MILE SQUARE PARK	N33°43.40'/W117°56.77'
VPLPD	PRADO DAM	N33°53.40'/W117°38.48'
VPLPP	PACIFIC PALISADES	N34°02.13'/W118°32.15'
VPLQM	QUEEN MARY	N33°45.17'/W118°11.37'
VPLRB	ROSE BOWL	N34°09.67'/W118°10.05'
VPLRT	SANTA ANITA RACE TRACK	N34°08.45'/W118°02.65'
VPLSA	SANTA ANA CANYON	N33°52.03'/W117°42.68'
VPLSB	SANTA FE FLOOD BASIN	N34°07.72'/W117°57.30'
VPLSC	STATE COLLEGE	N33°52.97'/W117°53.13'
VPLSF	SAN FERNANDO RESERVOIR	N34°17.87'/W118°29.00'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPLSR	HAWTHORNE & 405 FREEWAY	N33°53.07'/W118°21.13'
VPLSS	SANTA SUSANA PASS	N34°16.00'/W118°38.43'
VPLTW	TUJUNGA WASH & FOOTHILL	N34°16.40'/W118°20.30'
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97'/W118°16.32'
VPLWT	WATER TANK	N34°10.82'/W118°46.27'
VPNEW	NEWHALL PASS	N34°20.18'/W118°30.72'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

MIAMI SECTIONAL CHART

VPACH	HOLLYWOOD BEACH	N26°00.92'/W080°06.93'
VPBOV	_____	N27°57.00'/W080°46.75'
VPCLC	_____	N26°27.07'/W082°00.88'
VPCTE	_____	N26°09.28'/W081°20.70'
VPDAD	DADE CITY	N28°22.57'/W082°11.25'
VPDUT	_____	N27°37.70'/W082°09.10'
VPDZE	_____	N27°19.00'/W080°44.17'
VPEAR	CLEARWATER BEACH	N27°58.67'/W082°49.83'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78'/W080°28.00'
VPFAH	_____	N26°25.40'/W081°29.67'
VPGPE	ST PETE BEACH	N27°43.50'/W082°44.67'
VPHRO	_____	N27°05.97'/W082°12.20'
VPHUC	_____	N28°19.87'/W082°43.77'
VPIBR	_____	N27°12.47'/W081°40.22'
VPKER	LAKE PARKER	N28°04.00'/W081°56.00'
VPKOE	_____	N24°40.08'/W081°20.55'
VPLYY	_____	N24°49.07'/W080°49.17'
VPMBO	GULFSTREAM PARK	N25°58.57'/W080°08.17'
VPOBA	PUMPING STATION	N26°28.30'/W080°26.75'
VPRBI	_____	N25°50.67'/W080°55.18'
VPRNL	RANGER STATION	N25°22.92'/W080°36.58'
VPWMO	_____	N27°03.00'/W080°35.00'

MIAMI TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPACH	HOLLYWOOD BEACH	N26°00.92' / W080°06.93'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78' / W080°28.00'
VPMB0	GULFSTREAM PARK	N25°58.57' / W080°08.17'
VPOBA	PUMPING STATION	N26°28.30' / W080°26.75'
VPRBI		N25°50.67' / W080°55.18'
VPRNL	RANGER STATION	N25°22.92' / W080°36.58'

NEW ORLEANS SECTIONAL CHART

VPGPT		N30°25.95' / W089°05.62'
VPLIP	PHILLIPS INLET	N30°16.23' / W085°59.25'
VPMAI		N30°50.02' / W084°56.63'
VPMOB		N30°23.00' / W088°31.72'
VPRAM		N30°18.95' / W089°35.88'
VPRER		N30°13.87' / W085°20.67'
VPRIV		N30°54.85' / W087°57.82'
VPSAW		N30°49.65' / W089°07.42'
VPTHR		N30°19.93' / W087°08.50'

NEW YORK HELICOPTER CHART

VPJAY		N40°59.00' / W073°07.00'
VPLYD		N40°57.37' / W073°29.59'
VPROK		N40°52.70' / W073°44.24'

PHOENIX TERMINAL AREA CHART/FLYWAY CHART

VPALL	ALLENVILLE	N33°20.97' / W112°35.20'
VPAQU	AQUEDUCT PUMPING STATION	N33°40.05' / W112°41.38'
VPARM	ARROWHEAD MALL	N33°38.52' / W112°13.48'
VPAWG	AHWATUKEE GOLF COURSE	N33°19.98' / W111°59.08'
VPAZM	ARIZONA MILLS	N33°23.43' / W111°57.88'
VPBAR	BARTLETT DAM	N33°49.10' / W111°37.92'
VPCCC	COUNTRY CLUB & CANAL	N33°30.73' / W111°50.37'
VPCNL	CANAL	N33°33.23' / W111°46.89°
VPFRB	FIREBIRD LAKE	N33°16.35' / W111°58.10'
VPFTN	FOUNTAIN HILLS	N33°36.12' / W111°42.72'
VPGLX	GILA CROSSING	N33°16.55' / W112°10.08'
VPGPP	GLENDALE POWER PLANT	N33°33.27' / W112°13.00'
VPMAR	MARICOPA	N33°03.42' / W112°02.88'
VPMHS	MESQUITE HIGH SCHOOL	N33°20.53' / W111°49.58'
VPNRV	NEW RIVER	N33°55.08' / W112°08.45'
VPNTT	NORTH TEST TRACK	N33°03.50' / W111°55.83'
VPPIR	PIR	N33°22.52' / W112°18.90'
VPQTR	QUINTERO GOLF COURSE	N33°49.53' / W112°23.58'
VPRVC	RIO VERDE COMMUNITY	N33°44.37' / W111°39.62'
VPSMC	SOUTH MOUNTAIN COLLEGE	N33°23.02' / W112°02.12'
VPSQP	SQUAW PEAK	N33°32.83' / W112°01.27'
VPSSS	SUPERSTITION SPRINGS MALL	N33°23.50' / W111°41.37'
VPSTN	SANTAN MOUNTAINS	N33°09.23' / W111°40.92'
VPSTT	SOUTH TEST TRACK	N32°56.25' / W111°59.67'
VPZZZ		N33°20.18' / W111°26.53'

ST LOUIS TERMINAL AREA CHART/FLYWAY CHART

VPAGN	TV ANTENNA	N38°32.08' / W090°22.42'
VPBPE		N38°23.80' / W090°20.38'
VPCJY	HOLIDAY SHORES	N38°55.00' / W089°56.00'
VPCOJ	WINFIELD DAM	N39°00.28' / W090°41.23'
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18' / W090°16.47'
VPEAZ	BUSCH STADIUM	N38°37.43' / W090°11.55'
VPEDZ	WATER TANKS	N38°45.30' / W090°34.87'
VPEGR	GAS TANKS	N38°35.80' / W090°19.32'
VPEOX	ST PETERS	N38°47.17' / W090°39.25'

WAYPOINT IDENT

VPFAI
VPFFY
VPGPF
VPGVI
VPHRQ
VPIBO
VPJMU
VPKNY
VPLES
VPLIW
VPLXU
VPNSY
VPNZY
VPRAZ
VPRMO
VPWKO
VPXXI
VPYID

COLLOCATED VFR CHECKPOINT

HOWELL ISLAND

CHAIN OF ROCKS BRIDGE
WATERLOO
HORSESHOE LAKE
PACIFIC
ST CHARLES
SIX FLAGS
GATEWAY ARCH
WOOD RIVER REFINERIES
WENTZVILLE
JERSEYVILLE
FOREST PARK
COLUMBIA
MILLSTADT
MOSENTHEIN ISLAND

LOCATION

N38°40.00' /W090°43.00'
N38°55.37' /W090°17.30'
N38°35.60' /W090°26.92'
N38°32.30' /W090°27.80'
N38°45.88' /W090°10.42'
N38°20.00' /W090°09.00'
N38°41.00' /W090°05.00'
N38°29.00' /W090°44.00'
N38°47.00' /W090°30.00'
N38°30.67' /W090°40.47'
N38°37.50' /W090°11.00'
N38°50.00' /W090°05.00'
N38°48.83' /W090°50.98'
N39°07.00' /W090°20.00'
N38°38.00' /W090°17.00'
N38°27.00' /W090°12.00'
N38°27.50' /W090°05.68'
N38°43.00' /W090°12.25'

SALT LAKE CITY HELICOPTER CHART

VPAIR
VPBEE
VPBRN
VPCAP
VPCHS
VPCOP
VPCWY
VPCYN
VPFPC
VPFPK
VPGFS
VPHVE
VPJRT
VPKSL
VPLGN
VPMDH
VPMMT
VPMSh
VPNSL
VPNTP
VPOGE
VPOPS
VPPEN
VPPPT
VPPTM
VPPVO
VPRWY
VPSLC
VPTIP
VPWBR
VPWBT

SALTAIR
SOUTH INTERCHANGE
BARN
STATE CAPITOL

BINGHAM COPPER MINE
CAUSEWAY
PARLEYS CANYON
FREE PORT CENTER
FRANCIS PEAK
GARFIELD STACK
SPAGHETTI BOWL
JORDAN RIVER TEMPLE
KSL ANTENNA
LAGOON AMUSEMENT PARK
MCKAY DEE HOSPITAL
MICROWAVE TOWERS

GRAIN ELEVATOR
POWER STATION
STATE PRISON
PROMONTORY POINT
POINT OF THE MOUNTAIN
PROVO CANYON

I-15/I-80 INTERCHANGE
SOUTH TIP
WEBER CANYON

N40°44.85' /W112°11.22'
N40°38.18' /W111°54.23'
N40°54.28' /W112°10.15'
N40°46.67' /W111°53.25'
N40°42.28' /W112°05.92'
N40°31.38' /W112°09.00'
N41°05.37' /W112°07.17'
N40°42.67' /W111°48.10'
N41°05.92' /W112°02.27'
N41°01.98' /W111°50.30'
N40°43.28' /W112°11.88'
N40°43.50' /W111°54.22'
N40°35.02' /W111°55.58'
N40°46.80' /W112°05.80'
N40°59.08' /W111°53.57'
N41°11.50' /W111°57.08'
N40°48.50' /W111°53.37'
N41°01.67' /W112°02.47'
N40°50.15' /W111°54.90'
N41°03.57' /W112°14.23'
N41°13.13' /W112°00.45'
N41°20.38' /W112°02.78'
N40°29.88' /W111°53.62'
N41°12.28' /W112°25.73'
N40°27.42' /W111°54.83'
N40°18.77' /W111°39.45'
N40°48.48' /W112°00.33'
N40°45.83' /W111°54.85'
N40°50.93' /W112°10.92'
N41°08.17' /W111°54.83'
N40°38.00' /W112°03.33'

SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

VPAIR
VPBEE
VPBRN
VPCAP
VPCHS
VPCOP
VPCVI
VPCWY
VPCYN
VPFPC
VPFPK
VPGFS

SALTAIR
SOUTH INTERCHANGE
BARN
STATE CAPITOL

BINGHAM COPPER MINE
CENTERVILLE INTERCHANGE
CAUSEWAY
PARLEYS CANYON
FREE PORT CENTER
FRANCIS PEAK
GARFIELD STACK

N40°44.85' /W112°11.22'
N40°38.18' /W111°54.23'
N40°54.28' /W112°10.15'
N40°46.67' /W111°53.25'
N40°42.28' /W112°05.92'
N40°31.38' /W112°09.00'
N40°55.30' /W111°53.43'
N41°05.37' /W112°07.17'
N40°42.67' /W111°48.10'
N41°05.92' /W112°02.27'
N41°01.98' /W111°50.30'
N40°43.28' /W112°11.88'

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPHVE	SPAGHETTI BOWL	N40°43.50'/W111°54.22'
VPJRT	JORDAN RIVER TEMPLE	N40°35.02'/W111°55.58'
VPKSL	KSL ANTENNA	N40°46.80'/W112°05.80'
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08'/W111°53.57'
VPMDH	MCKAY DEE HOSPITAL	N41°11.50'/W111°57.08'
VPMMT	MICROWAVE TOWERS	N40°48.50'/W111°53.37'
VPMSH	_____	N41°01.67'/W112°02.47'
VPNSL	_____	N40°50.15'/W111°54.90'
VPNTP	_____	N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13'/W112°00.45'
VPOPS	POWER STATION	N41°20.38'/W112°02.78'
VPPEP	STATE PRISON	N40°29.88'/W111°53.62'
VPPTT	PROMONTORY POINT	N41°12.28'/W112°25.73'
VPPTM	POINT OF THE MOUNTAIN	N40°27.42'/W111°54.83'
VPVPO	PROVO CANYON	N40°18.77'/W111°39.45'
VPRWY	_____	N40°48.48'/W112°00.33'
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83'/W111°54.85'
VP TIP	SOUTH TIP	N40°50.93'/W112°10.92'
VPUOU	U OF U EVENTS CENTER	N40°45.73'/W111°50.28'
VPWBR	WEBER CANYON	N41°08.17'/W111°54.83'
VPWBT	_____	N40°38.00'/W112°03.33'
VPZOO	HOGLE ZOO	N40°45.00'/W111°48.95'

SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART

VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPOCN	_____	N33°14.15'/W117°26.63'
VPSBC	BARONA CASINO	N32°56.25'/W116°52.60'
VPSBL	_____	N33°05.18'/W117°18.55'
VPSBM	BLACK MOUNTAIN	N32°58.87'/W117°07.00'
VPSCF	_____	N32°48.55'/W117°09.17'
VPSCM	COWLES MOUNTAIN	N32°48.72'/W117°01.97'
VPSCP	CRYSTAL PIER	N32°47.77'/W117°15.42'
VPSCR	_____	N32°39.37'/W117°07.30'
VPSFB	IRON MOUNTAIN	N32°58.25'/W116°57.33'
VPSLJ	LAKE JENNINGS	N32°51.53'/W116°53.28'
VPSMB	_____	N32°45.57'/W117°12.22'
VPSMP	_____	N33°22.70'/W117°36.75'
VPSMS	MOUNT SOLEDAD	N32°50.40'/W117°15.10'
VPSMV	_____	N32°45.75'/W117°09.80'
VPSMW	MOUNT WOODSON	N33°00.52'/W116°58.23'
VPSOP	OTAY MESA PRISON	N32°35.82'/W116°55.28'
VPSOT	LOWER OTAY LAKE	N32°37.73'/W116°55.38'
VPSPL	SOUTH POINT LOMA	N32°39.90'/W117°14.55'
VPSPP	POWER PLANT	N33°08.25'/W117°20.23'
VPSQS	QUALCOMM STADIUM	N32°46.98'/W117°07.23'
VPSRT	DEL MAR RACE TRACK	N32°58.58'/W117°15.95'
VPSSM	SAN MIGUEL MOUNTAIN	N32°41.78'/W116°56.18'
VPSSV	SAN VICENTE ISLAND	N32°55.53'/W116°55.00'
VPSTP	TORREY PINES GOLF COURSE	N32°54.17'/W117°14.68'
VPSVA	_____	N33°11.48'/W117°16.38'

SAN FRANCISCO SECTIONAL CHART

VPKBG	KINGSBURY GRADE	N38°58.75'/W119°53.20'
-------	-----------------	------------------------

SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

VPALT	ALTAMONT PASS	N37°44.35'/W121°35.42'
VPANT	ANTIOCH BRIDGE	N38°01.45'/W121°45.02'
VPBBR	BENICIA BRIDGE	N38°02.50'/W122°07.45'
VPCL	CALAVERAS RESERVOIR	N37°28.16'/W121°48.93'
VPGBT	LAKE CHABOT	N37°43.68'/W122°06.94'
VPCTO	COYOTE HILLS	N37°32.50'/W122°05.06'
VPCTZ	CARQUINEZ BRIDGE	N38°03.66'/W122°13.52'
VPCLL	_____	N37°11.00'/W121°41.06'
VPCTY	CRYSTAL SPRINGS CAUSEWAY	N37°30.56'/W122°21.10'

WAYPOINT IDENT

VPCSH
VPDAM
VPDLR
VPDUB
VPEMB
VPGGF
VPGIL
VPHHH
VPKGO
VPLEX
VPMID
VPMOR
VPLUM
VPPAC
VPPRU
VPSAR
VPSLA
VPSTB
VPSUN
VPUTC
VPWAL
VPWAM
VPWFR

COLLOCATED VFR CHECKPOINT

CAL STATE UNIVERSITY
DEL VALLE DAM

DUBLIN
EMBASSY SUITES
GOLDEN GATE FIELDS
GILROY
HAMILTON
KGO
LEXINGTON RESERVOIR
MID-SPAN SAN MATEO BRIDGE
MORMON TEMPLE
NUMMI PLANT

PRUNEYARD
SARATOGA
SLAC/LINEAR ACCELERATOR
STINSON BEACH
SUNOL GOLF COURSE
U.T.C.
WALNUT CREEK

CEMENT PLANT

LOCATION

N37°39.52'/W122°03.52'
N37°36.91'/W121°44.78'
N37°07.00'/W121°47.06'
N37°42.06'/W121°55.36'
N37°26.05'/W121°53.83'
N37°53.07'/W122°18.71'
N37°01.37'/W121°33.99'
N38°03.58'/W122°30.66'
N37°31.58'/W122°06.10'
N37°11.66'/W121°59.18'
N37°36.28'/W122°11.81'
N37°48.46'/W122°11.95'
N37°29.56'/W121°56.58'
N37°38.00'/W122°32.07'
N37°17.33'/W121°56.01'
N37°15.26'/W122°02.33'
N37°24.75'/W122°14.35'
N37°54.45'/W122°40.41'
N37°34.85'/W121°53.23'
N37°13.93'/W121°41.35'
N37°53.78'/W122°04.30'
N37°30.28'/W122°10.00'
N37°30.88'/W122°12.26'

TAMPA/ORLANDO TERMINAL AREA CHART/FLYWAY CHART

VPBOV
VPCNY
VPDAD
VPDFI
VPDUT
VPEAR
VPFFU
VPGPE
VPHUC
VPKER
VPLEV
VPLJA

DADE CITY

CLEARWATER BEACH

ST PETE BEACH

LAKE PARKER

N27°57.00'/W080°46.75'
N28°30.00'/W080°45.00'
N28°22.57'/W082°11.25'
N29°00.17'/W081°20.85'
N27°37.70'/W082°09.10'
N27°58.67'/W082°49.83'
N28°57.08'/W081°00.33'
N27°43.50'/W082°44.67'
N28°19.87'/W082°43.77'
N28°04.00'/W081°56.00'
N28°48.00'/W080°52.00'
N29°00.00'/W080°51.00'

WASHINGTON SECTIONAL CHART

VPACE
VPAXI
VPBRA
VPGCE
VPWZO

N38°07.82'/W076°48.75'
N38°34.57'/W076°20.38'
N36°13.75'/W076°08.08'
N36°03.90'/W076°36.42'
N36°00.87'/W075°40.07'

**INTENTIONALLY
LEFT
BLANK**

VOR RECEIVER CHECK VOR RECEIVER CHECKPOINTS AND VOR TEST FACILITIES (VOT)

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground. A/ stands for airborne followed by figures (2300) or (1000-3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

ARKANSAS

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Flippin	112.8/FLP	A/1900	053	6.0	Over water tower at Mountain Home.
Fort Smith (Fort Smith Rgnl)	110.4/FSM	G	226	5.2	On runup area on twy to Rwy 25.
	110.4/FSM	G	232	6.2	On runup area on twy to Rwy 07.
Gosnell	111.8/GOJ	A/1700	105	7.3	Over railroad bridge at Armorel.
Harrison (Boone County)	112.5/HRO	G	135	4.4	At int of N/S and E/W twys by trml bldg.
Jonesboro (Jonesboro Muni)	108.6/JBR	G	227	3.9	On NE ramp in front of airline terminal.
Little Rock (Adams Field)	113.9/LIT	G	312	3.8	At intersection of Twys G and F. VOR gnd chk point unusable.
	113.9/LIT	G	310	4.1	On Twy L at Twy A.
Pine Bluff (Grider Field)	116.0/PBF	G	182	4.4	Center E/W twys front of twr.

LOUISIANA

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Alexandria (Alexandria Intl)	116.1/AEX	G	328	4.3	On runup Rwy 32.
Baton Rouge (Baton Rouge Metro, Ryan)	116.5/BTR	A/1500	063	7.2	Over water tank W side of arpt.
Downtown	108.6/DTN	A/1500	290	10.0	Over white water tower in factory complex.
Downtown (Shreveport Downtown)	108.6/DTN	G	278	.4	On NE side of Twy D by FBO parking area.
Lafayette (Lafayette Rgnl)	109.8/LFT	A/1000	343	22.1	Over rotating beacon at St. Landry Parish-Ahart Fld. arpt.

VOR RECEIVER CHECK

419

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
	109.8/LFT	G	355	0.5	On Twy F run up area Rwy 04L.
	109.8/LFT	G	341	0.9	On Twy B run up area Rwy 11.
	109.8/LFT	G	025	1.4	On Twy J run up area Rwy 22L.
Lake Charles (Lake Charles Rgnl)	113.4/LCH	A/1000	253	6.2	Over rotg bcn on twr.
Monroe (Monroe Rgnl)	117.2/MLU	G	212	0.7	On Twy G South of twr.
Natchez (Concordia Parish)	110.0/HEZ	A/1000	247	10.5	Over hangar NW end of fld.
Polk (Fort Polk AAF)	108.4/FXU	A/2000	167	4.5	Over water tower.
Reserve (St John The Baptist Parish)	110.8 RQR	A/1500	270	16.8	Over center of bridge.
Tibby (Houma-Terrebonne)	112.0/TBD	A/1000	117	10.7	Over intersection of Rwy 18-36 and 12-30.
Tibby (Thibodaux Muni)	112.0/TBD	A/1000	353°	5.0	Over microwave twr near arpt.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
New Orleans (Lakefront)	111.0	A/G	Within 5 NM radius between 2000'-3000'.
Shreveport Rgnl	108.2	G	

MISSISSIPPI

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Caledonia (Columbus AFB)	115.2/CBM	G	152	0.7	On S hammerhead.
		G	200	0.5	At base ops.
		G	298	1.5	On N hammerhead T-38 runup.
Greenville (Mid Delta Rgnl)	110.2/GLH	G	185	2.3	On North ramp.
McComb (McComb-Pike Co-John E Lewis Fld)	116.7/MCB	A/1400	234	13.3	Over hangar.
Meridian (Key Field)	117.0/MEI	G	127	4.0	On ramp in front of terminal building.
Natchez (Hardy-Anders Fld Natchez-Adams Co)	110.0/HEZ	G	143	0.5	On taxiway at apch end Rwy 31.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Jackson-Evers Intl	111.0	G	

VOR RECEIVER CHECK OKLAHOMA

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Ada	117.8/ADH	A/2000	036	5.8	Over railroad and east/west highway in center of town of Francis.
Ardmore (Ardmore Muni)	116.7/ADM	A/2000	045	8.4	Over red and white water tower W side of arpt.
Bartlesville (Bartlesville Muni)	117.9/BVO	G	166	4.5	On parallel twy opposite terminal. OTS indef.
Duncan (Halliburton Field)	111.0/DUC	G	327	5.8	At compass rose.
Enid (Vance AFB)	115.4/END	G	015	0.6	On zero runup pad Rwy 17C.
	115.4/END	G	143	0.8	On zero runup pad Rwy 35R.
	115.4/END	G	160	0.9	On zero runup pad Rwy 35C.
Glenpool (Richard Lloyd Jones Jr)	110.6/GNP	A/2500	348	7.2	Over intersection of rwy south Rwy 13 and Rwy 19R.
Hobart (Hobart Rgnl)	111.8/HBR	A/3500	343	9	Railroad intersection east side of city.
Lawton (Lawton-Fort Sill Rgnl)	109.4/LAW	G	349	4.6	On taxiway between terminal and Rwy 17-35.
McAlester (McAlester Rgnl)	112.0/MLC	G	350	2	At intersection of ramp and twy.
Okmulgee (Okmulgee Rgnl)	114.9/OKM	A/2200	279	10.2	Over intersection N/S railroad and E/W highway.
Ponca City (Ponca City Rgnl)	113.2/PER	G	81	2.9	At Apch end Rwy 17 on Twy A
	113.2/PER	G	107	3.2	At South of ramp on Twy A
Sayre (Sayre Muni)	115.2/SYO	A/3000	175	10.4	VOR ground receiver checkpoints unusable. Over rotating beacon.
Stillwater (Stillwater Rgnl)	108.4/SWO	G	176	4	At intersection of NW ramp and twy D.
Wiley Post (Wiley Post)	113.4/PWA	G	157	0.5	On runup pad to Rwy 35R.
	113.4/PWA	G	007	0.7	On runup area to Rwy 17L.
Will Rogers (Clarence E. Page Muni)	114.1/IRW	A/2900	297	12.8	Over apch end Rwy 35L.
Woodring (Enid Woodring Rgnl)	109.0/ODG	G	352	.5	On ramp W of terminal.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Oklahoma City (Will Rogers World)	108.8	A/G	Within 10 NM radius between 3000' and 5000' VOT unusable on Twy H and Rwy 17L-35R N of Twy H-2 and Twy E N of Twy E-2/E-3 junction.
Tulsa International	109.0		

VOR RECEIVER CHECK TEXAS

421

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Abilene (Abilene Rgnl)	113.7/ABI	A/2800	047	10.1	Over silos in center of Ft Phantom Lake.
Alice (Alice International)	114.5/ALI	G	272	0.5	On twy near FBO.
Beaumont (Southeast Texas Reg)	114.5/BPT	G	309	0.8	On runup area for Rwy 12.
Borger (Hutchinson Co)	108.6/BGD	G	173	6.7	On twy intersection at N end of ramp.
Brownsville (Brownsville/South Padre Island Intl)	116.3/BRO	G	247	3.2	3.2 NM on hold line Rwy 13R.
Brownwood (Brownwood Rgnl)	108.6/BWD	A/2600	169	6.2	Over rotating bcn.
Childress (Childress Muni)	117.6/CDS	G	353	3.7	At intersection of edge of ramp at center twy.
College Station (Easterwood Field).....	113.3/CLL	G	097	3.2	On W edge of parking ramp.
Corpus Christi (Corpus Christi Intl).....	115.5/CRP	A/1100	187	9.3	Over Rwy 32 thld.
Daisetta (Liberty Muni).....	116.9/DAS	A/1200	195	7.5	Over hangar S of arpt.
Dalhart (Dalhart Muni).....	112.0/DHT	A/5000	176	4.1	Over water tower on arpt.
Eagle Lake (Eagle Lake)	116.4/ELA	A/1200	180	4.1	Over water tank 0.4 NM SW of arpt.
Fort Stockton (Fort Stockton-Pecos County).....	116.9/FST	G	116	4.0	On ramp N of terminal building.
Gray (Skylark fld)	111.8/GRK	G	056	7.6	On NE runup area.
Gregg Co (East Texas Rgnl)	112.3/GGG	G	128	2.4	At N end of ramp on twy to Rwy 13.
Humble (George Bush Intercontinental/Houston).....	116.6/IAH	G	339	2.2	On runup pad Rwy 08.
Laredo (Laredo International)	117.4/LRD	G	313	4.1	On runup area of Twy F.
	117.4/LRD	G	318	4.8	On runup area of Twy A.
Laughlin (Del Rio Intl).....	114.4/DLF	A/2000	268	7.7	Over rotating bcn.
	114.4/DLF	G	198	.5	On ramp AER 31L.
	114.4/DLF	G	275	.9	On ramp AER 13R.
Lubbock	109.2/LBB	A/4500	053	4.5	Over water tank at intersection of railroad & road in New Deal.
Lufkin (Angelina County)	112.1/LFK	A/1300	331	4.6	Over rotating bcn.
Marfa (Marfa Muni)	115.9/MRF	A/6000	280	3.6	Over gray-white tank north edge of town.
McAllen (McAllen Miller Intl)	117.2/MFE	G	331	0.6	.6 NM on cargo ramp.
Midland	114.8/MAF	A/4000	224	11	Over Odessa water tank.
Millsap (Mineral Wells)	117.7/MQP	A/2000	329	6.0	Over spillway of lake N of Mineral Wells arpt.
Paris (Cox fld)	113.6/PRX	G	348	5.6	At intersection of ramp and E/W twy.
Pecos	111.8/PEQ	A/3600	105	5.5	Over 419' transmission twr E of town of Pecos.
Quitman	114.0/UIM	A/1500	241	14.5	Over water tank in Alba.
Randolph (Randolph AFB)	112.3/RND	G	337	1.0	On AER 14R.

VOR RECEIVER CHECK

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Rocksprings	111.2/RSG	A/3800	085	4.8	Over 2804' antenna S of Rocksprings.
San Angelo (San Angelo Rgnl/Mathis Field)	115.1/SJT	G	237	2.6	On E edge of ramp in front of atct.
Scholes (Galveston Intl—Scholes Fld)	113.0/VUH	G	138	.8	Taxiway/runup area East of Rwy 35 thld.
Sinton (Alfred C 'Bubba' Thomas)	115.5/CRP	A/1000	318	9.8	Over rotating bcn on arpt.
Stinson (Stinson Muni)	108.4/SSF	A/2000	337	5.0	Over atct.
Sulphur Springs	109.0/SLR	A/1600	223	7	Over projector booth and snackbar within outdoor theater.
Temple (Draughon—Miller Central Texas Rgnl)	110.4/TPL	G	160	3.6	At edge of ramp and twy in front of refueling office.
Tyler (Tyler Pounds Rgnl)	114.2/TYR	G	082	.5	At intersection twys D and H
Victoria (Victoria Rgnl)	109.0/VCT	G	128	3.2	At approach end of Rwy 12L.
Wichita Falls	112.7/SPS	A/2000	228	19.8	Over spillway at Lake Diversion.
Wichita Falls (Sheppard AFB/Wichita Falls Muni)	112.7/SPS	G	093	5.5	On Twy C runup area Rwy 33L.
	112.7/SPS	G	075	5.3	On Twy G AER 33R.
	112.7/SPS	G	064	5.2	On Twy K AER 15L.
	112.7/SPS	G	068	4.7	On Twy H runup area Rwy 15R.
Wink (Winkler County)	112.1/INK	A/3900	149	5.9	Over intersection of rwys 04—22 and 13—31.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Dallas Love Field	113.3	A/G	Airborne, use within 10 NM radius of Dallas Love field between 2000' and 10000'.
El Paso International	111.0	G	Used for ground only. Unusable on the west side of hangers south of the intersection of Twy A and the centerline of Rwy 04—22.
Fort Worth Meacham Intl	108.2	G	Used for ground and airborne test. For airborne use within 10 NM radius of Fort Worth Meacham Intl clockwise fr 220°—310° between 2000' and 5700'.
Houston (William P. Hobby)	108.4	G	
Midland Intl	108.2	G	
San Antonio International	110.4	G	

**INTENTIONALLY
LEFT
BLANK**

**INTENTIONALLY
LEFT
BLANK**

PARACHUTE JUMPING AREAS

425

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

- (1) Been in operation for at least 1 year.
- (2) Operate year round (at least on weekends).
- (3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
ARKANSAS			
(c) Blackjack Drop Zone.....	33 NM; 009° Little Rock	3,000	Mon–Fri 0600–0200 and occasional weekends. Extensive activity, personnel and cargo, including instrument meteorological conditions drops.
Camp Chaffee, Arrowhead Drop Zone....	6 NM; 160° Ft. Smith	3,000	Mon–Fri 0600–2300 and occasional weekends.
Camp Robinson–All American Drop Zone	15 NM; 332° Little Rock	3,000	Mon–Fri 0600–0200 and occasional weekends. Extensive activity, personnel and cargo, including instrument meteorological conditions drops.
Conway Drop Zone	24 NM; 334° Little Rock	12,500	0800–SS weekends and occasional weekdays.
(c) Siloam Springs Muni.....	18 NM; 256° Razorback.....	15,000	5 NM radius. Sat–Mon 0700–0000.
Texarkana.....	9 NM; 160° Texarkana.....	13,000 AGL	0800–SS weekends and occasional weekdays
LOUISIANA			
(c) Baton Rouge	13NM; 060° Baton Rouge	13,000	Daily SR–SS
(c) Belle Chasse	2 NM; 054° Harvey.....	7,500	Daily SR–SS
Bodcaw.....	16 NM; 083° Shreveport	13,000	Daily SR–SS
(c) Breaux Bridge, Bordelon Airpark	9 NM; 042° Lafayette	12,000	Daily SR–SS
(c) Mansfield, CE 'Rusty' Williams Arpt..	22 NM; 196° Elm Grove	13,000	3 NM radius. Daily SR–SS
(c) Opelousas, St Landry Parish—Ahart Fld.....	25 NM; 340° Lafayette	11,500	3NM radius. Weekends 0700–1800.
Slidell Arpt.....	13.8 NM; 195° Picayune.....	14,500 AGL	3 NM radius. Daily SR–SS.
Louis Armstrong New Orleans Intl Tower 133.15.			
MISSISSIPPI			
Artesia, Carson Drop Zone	11 NM; 188° Bigbee.....	2,000 AGL	Occasional use.
(c) Batesville, Panola County Arpt	26 NM; 220° Holly Springs.....	10,500 AGL	5 NM radius. Sat–Sun 0900–SS.
Camp McCain Drop Zone.....	31.9 NM; 067° Sidon	17,999	5 NM radius. Weekdays and weekends, occasional nights, seldom holidays.
Coldwater, Coldwater Drop Zone	20 NM; 170° Memphis	3,000	0600–2330 Mon–Fri and occasional weekends. Military use.
Edwards, Kelly Drop Zone	30 NM; 230° Jackson.....	2,000 AGL	Occasional use.
Edwards, Noble Drop Zone	31 NM; 225° Jackson.....	2,000 AGL	Occasional use.
Grenada Drop Zone	32.6 NM; 048° Sidon	17,999	5 NM radius. Weekends, occasional nights, seldom holidays.
Magee Drop Zone	50 NM; 148° Jackson.....	12,500	SR–SS weekends & holidays. Occasional use by National Guard.
Rolling Fork, Wade Arpt	32 NM; 180° Greenville	12,500	10 NM radius. SR–SS Daily.
Strong	6.5 NM; 289° Caledonia	12,500	Weekends and holidays SR–SS
Terry, Windy Drop Zone	28 NM; 190° Jackson	2,000 AGL	Occasional use.
West Point, King Drop Zone.....	7 NM; 305° Bigbee.....	2,000 AGL	Occasional use.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
Yazoo City, Yazoo Co Arpt.....	27 NM; 322° Jackson	13,000	3 NM radius. 0900–SS weekends and holidays.
OKLAHOMA			
(c) Chickasha, Redhills Arpt.....	23 NM; 212° Will Rogers	12,000	1 NM radius. Daily SR–SS.
(c) Claremore, Sam Riggs Arpt.....	7.8 NM; 070° Tulsa.....	11,000	2 NM radius. Weekends, and holidays, SR–SS. Occasional weekday and night jumps.
(c) Cushing Muni.....	50 NM; 245° Tulsa.....	14,000	5 NM radius SR until 1 hour after SS daily.
(c) Eldorado, Sooner Drop Zone.....	22 NM; 247° Altus	12,500 AGL	1 NM radius, Mon–Fri 0700–0200 and occasional weekends. Heavy jet activity, IFR and VFR conditions.
(c) Goldsby, Paradise Air Haven Arpt	16 NM; 150° Will Rogers	17,000	3 NM radius. Continuous.
(c) Grandfield Muni	21 NM; 324° Wichita Falls	13,500	5 NM radius. SR–SS weekends and holidays; occasional weekdays.
(c) Hinton Muni Arpt.....	37 NM; 277° Will Rogers	16,000	3 NM radius. Weekends SR–SS.
(c) Hugo, Nash Muni Arpt	52 NM; 155° McAlester	13,000	3 NM radius. Daily SR–SS.
Ketchum Craig Co South Grand Lake Arpt.....	34 NM; 230° Neosho	12,000	1 NM radius. Daily 0530–2000.
Miami Muni Arpt.....	21 NM; 126° Oswego	13,000	3 NM radius. SR–SS daily.
Okmulgee Rgnl Arpt.....	4.3 NM; 241° Okmulgee	15,000	3 NM radius. Sat, Sun and holidays SR–SS.
(c) Skiatook	15 NM; 310° Tulsa.....	13,000	5 NM radius. Daily SR–SS, occasional ngts.
Tahlequah Muni.....	41 NM; 105° Tulsa.....	13,500	5 NM radius. Daily SR–SS.
TEXAS			
Abilene, Dyess AFB.....	4 NM; 170° Abilene.....	3,300	Daily SR–SS
Amarillo, Buffalo Fld.....	13.5 NM; 213° Panhandle.....	15,000	Daily SR–SS
(c) Anahuac, Chambers Co Arpt.....	14.5 NM; 013° Trinity.....	17,500	5 NM radius. Daily SR–SS. Occasional ngts.
(c) Beaumont Muni Arpt.....	12.5 NM; 297° Beaumont	15,000 AGL	0800–1 hour past SS, occasional ngts.
(c) Beeville	21 NM; 102° Three Rivers.....	12,500	0900–SS weekends, holidays and occasional weekdays.
(c) Brookshire, Sport Flyers (Pvt) Arpt..	22 NM, 052° Eagle Lake.....	12,000	3 NM radius. Daily 1500–0045.
(c) Brownsville/South Padre Island Intl Arpt.....	15 NM, 045° Brownsville	15,500	5 NM radius. Daily SR–SS. Occasional ngts. Houston Center 119.5
(c) Bryan, Coulter Fld	8 NM; 026° College Station.....	13,500	5 NM radius. Daily SR–SS, occasional ngts, occasional weekdays Wed–Fri. Houston Center 120.4
(c) Caddo Mills.....	29 NM; 176° Bonham.....	15,000	Fri–Sun dalgt hrs, 0600–2100 during summer. UNICOM 122.8/Fort Worth Center 132.02.
Camp Bullis	6.5 NM; 305° San Antonio	2,500 AGL	2 NM radius. Continuous.
(c) Camp Swift, Blackwell Drop Zone....	15 NM; 119° Centex.....	1,500 AGL	Daily, occasional ngts.
Dumas, Moore Co Arpt.....	29 NM; 106° Dalhart.....	13,700	3 NM radius. SR–2359 weekends and holidays, 1700–2359 weekdays.
Ennis Muni Arpt.....	24 NM; 285° Cedar Creek.....	12,000	3 NM radius, Sat–Sun, Holidays
(c) Fentress Airpark.....	38.7 NM; 193° Centex.....	14,000	5 NM radius. Weekends SS–SR. Occasional weekdays and ngt jumps. Austin–Bergstrom Intl Tower 119.0
(c) Gladewater Muni Arpt	14 NM; 295° Gregg Co	14,000	3 NM radius. 0700–2200 daily.
(c) Hitchcock, Johnnie Volk Fld	8.5 NM; 302° Scholes	12,500 AGL	1 NM radius 0800–SS daily.
(c) Killeen, Ft. Hood, Antelope Drop Zone.....	14.5 NM; 084° Lampasas	13,000 AGL	Continuous
(c) Killeen, Ft. Hood, Rapido Drop Zone.....	25 NM; 050° Lampasas.....	13,000 AGL	0.5 NM radius. Continuous.

PARACHUTE JUMPING AREAS

427

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Kingsville, Kleberg Co Arpt	11.5 NM; 175° Alice.....	12,500	Weekdays, 1200–SS; Sat, Sun, holidays 0700–SS
(c) Lexington Airfield (Pvt) Arpt	30 NM; 238° College Station.....	15,500	2 NM radius, Daily SR–Midnight.
(c) Midlake Arpt.....	7 NM; 084° Stinson	15,000	1 NM radius. Daily SR–SS and occasional nghts.
(c) Nome, Farm Air Service (Pvt) Arpt...	21 NM; 278° Beaumont.....	13,500	3 NM radius. Sat, Sun and holidays, SR–SS.
(c) Port Isabel-Cameron Co Arpt	15 NM; 357° Brownsville	15,500	1 NM radius. Daily SR–SS.
(c) Rhome, Rhome Meadows Arpt.....	24 NM; 307° Ranger	11,500	Houston Center 119.5 2 NM radius. SR–SS Thu–Mon
(c) Rosharon, B&B Airpark (Pvt) Arpt ...	20 NM; 205° Hobby.....	15,000	2 NM radius. 1200–0200 daily.
(c) Salado Arpt	15.5 NM; 114° Gray	15,000 AGL	5 NM radius. Continuous.
Seagoville Arpt	30.3 NM; 115° Maverick.....	13,000	SR–SS weekends and holidays and occasional days.
(c) Stanton Muni	21 NM; 051° Midland	14,500	5 NM radius. SR–SS weekends and holidays.
Stephenville, Clark Fld Muni	15.5 NM; 279° Glen Rose.....	13,000	5 NM radius. SR–SS weekends and holidays. Ft. Worth Center 127.15
Terrell Muni Arpt	32 NM; 349° Cedar Creek.....	13,500	2 NM radius. SR–SS weekends and holidays, occasional weekdays.
(c) Trenton, Tri-Co Aerodrome.....	8.6 NM; 230° Bonham.....	14,500	2 NM radius. Daily 0800–2200. Hi-density jump area, pilots are advised to monitor UNICOM 123.075.
(c) Waller, Skydive Houston (Pvt) Arpt...	18.9 NM, 151° Navasota	24,000 AGL	3 NM radius, continuous.

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

ALBUQUERQUE SECTIONAL

84th Edition, 22 Oct 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

AIRPORTS

22 Oct 2009 No Major Changes.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

BROWNSVILLE SECTIONAL

83rd Edition, 4 Jun 2009

OBSTRUCTIONS

2 Jul 2009 No Major Changes.

27 Aug 2009 Add obst 628' MSL (253' AGL) UC, 27°40'23"N, 98°19'16"W.
Add windmill farm. 474' MSL is highest MSL UC, 27°54'44"N, 97°30'02"W.

Add obst 306' MSL (242' AGL) UC, 26°22'49"N, 97°56'01"W.

22 Oct 2009 Add obst 742' MSL (305' AGL) UC, 27°27'23"N, 98°30'47"W.

AIRPORTS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

NAVAIDS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

AIRSPACE

2 Jul 2009 No Major Changes.

27 Aug 2009 Change CORPUS CHRISTI Class C freq from 385.6 to 273.45.

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

CG-19 WORLD AERONAUTICAL CHART
39th Edition, 4 Jun 2009**OBSTRUCTIONS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRPORTS****2 Jul 2009** Add arpt elev 1071, lighting code *L, runway length 71 and unicom at GLENDALE arpt, 33°31'36"W, 112°17'42"W.**27 Aug 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

DALLAS—FT. WORTH HELICOPTER ROUTE CHART

4th Edition, 16 Mar 2006

OBSTRUCTIONS

13 Apr 2006 No Major Changes.
8 Jun 2006 Add obst 1049' MSL (318' AGL), 33°12'08"N, 96°48'14"W.
3 Aug 2006 No Major Changes.
28 Sep 2006 Add obst 975' MSL (470' AGL), 32°51'03"N, 96°35'30"W.
23 Nov 2006 – 15 Mar 2007 No Major Changes.
10 May 2007 Add obst 1046' MSL (470' AGL) UC, 33°07'51"N, 97°06'04"W.
5 Jul 2007 Add obst 1059' MSL (319' AGL), 32°37'08"N, 97°12'20"W.
30 Aug 2007 – 20 Nov 2008 No Major Changes.
15 Jan 2009 Add obst 947' MSL (300' AGL) UC, 33°06'56"N, 96°44'23"W.
12 Mar 2009 Add obst 1497' MSL (509' AGL) UC, 32°30'14"N, 97°31'48"W.
7 May 2009 – 22 Oct 2009 No Major Changes.

AIRPORTS

13 Apr 2006 – 8 Jun 2006 No Major Changes.
3 Aug 2006 Delete TURBOMECA heliport, 32°41'54"N, 97°02'59"W.
Delete TRIPLE S arpt, 32°40'30"N, 97°34'54"W.
28 Sep 2006 Delete CARROLL arpt 32°33'25"N, 96°51'56"W.
23 Nov 2006 No Major Changes.
18 Jan 2007 Add Arlington ATCT 128.625, 32°39'49"N, 97°05'39"W.
15 Mar 2007 Delete Craig Airport, 32°55'00"N, 97°11'01"W.
10 May 2007 No Major Changes.
5 Jul 2007 Change Dallas Executive ATCT frequencies from 120.3 to 127.25, and from 257.8 to 335.6.
Add CTAF freq. 122.9 at PROPWASH arpt., 33°04'50"N, 97°21'32"W.
Change CTAF freq. 123.075 to 128.625 at ARLINGTON MUNI arpt, 32°39'49"N, 97°05'39"W.
30 Aug 2007 Delete ALPINE RANGE arpt, 32°36'27"N, 97°14'31"W.
Delete BOE—WRINKLE arpt, 32°54'17"N, 97°35'42"W.
Delete CARROLL LAKE—VIEW arpt, 32°27'45"N, 97°06'51"W.
Delete CIRCLE C arpt, 32°53'45"N, 97°17'16"W.
Delete EISENBECK arpt, 32°29'08"N, 96°35'20"W.
Delete FLYING CAP VALLEY arpt, 32°56'11"N, 97°08'07"W.
Delete INTERNATIONAL arpt, 32°56'55"N, 97°19'44"W.
Delete MARKUM arpt, 32°41'42"N, 97°30'42"W.
Delete MILLER arpt, 32°34'30"N, 97°05'13"W.
Delete RED ACE arpt, 33°14'30"N, 97°37'16"W.
25 Oct 2007 Change CTAF freq. 120.3 to 127.25 at DALLAS EXECUTIVE arpt, 32°40'51"N, 96°52'05"W.
Add CTAF 122.9 at Heritage Creek arpt, 33°10'7"N, 97°29'3"W.
20 Dec 2007 – 2 Jul 2009 No Major Changes.
27 Aug 2009 Delete SAGINAW arpt, 32°51'45"N, 97°22'41"W.
22 Oct 2009 Not Major Changes.

NAVAIDS

13 Apr 2006 No Major Changes.
8 Jun 2006 Add LANCASTER NDB, freq. 239, ident (LNC), 32°34'39"N, 96°43'17"W.
3 Aug 2006 – 5 Jul 2007 No Major Changes.
30 Aug 2007 Delete REDBIRD NDB, 32°40'36"N, 96°52'15"W.
25 Oct 2007 – 22 Oct 2009 No Major Changes.

AIRSPACE

13 Apr 2006 – 27 Aug 2009 No Major Changes.
22 Oct 2009 Add FORT WORTH SPINKS, TX. Class D: That airspace extending upward from the surface up to but not including 3,000 feet MSL within a 4.1-mile radius of Fort Worth Spinks Airport, and within 1 mile each side of the 173° bearing from the airport extending from the 4.1-mile radius to 4.8 miles south of the airport. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

SPECIAL USE AIRSPACE

13 Apr 2006 – 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

13 Apr 2006 – 22 Oct 2009 No Major Changes.

MISCELLANEOUS

13 Apr 2006 Change MEF 1⁴ to 1⁵ in quadrant 33°15'–33°30"N, 96°15'–96°30"W.
6 Jun 2006 – 22 Oct 2009 No Major Changes.

DALLAS–FT. WORTH SECTIONAL
83rd Edition, 24 Sep 2009**OBSTRUCTIONS****22 Oct 2009** Add obst 929' MSL (213' AGL), 33°56'44"N, 96°41'31"W.

Add obst 2223' MSL (388' AGL) UC, 34°49'50"N, 98°30'07"W.

Add obst 1364' MSL (350' AGL) UC, 34°21'46"N, 98°08'08"W.

Add obst 1325' MSL (350' AGL) UC, 34°17'30"N, 97°25'25"W.

Add obst 1302' MSL (350' AGL) UC, 34°17'11"N, 97°57'52"W.

Add obst 2423' MSL (263' AGL) UC, 32°06'09"N, 100°02'59"W.

AIRPORTS**22 Oct 2009** No Major Changes.**NAVAIDS****22 Oct 2009** No Major Changes.**AIRSPACE****22 Oct 2009** Add FLOYDADA, TX. Class E: That airspace extending upward from 700 feet above the surface within a 6.4-mile radius of Floydada Municipal Airport.

Add FORT WORTH SPINKS, TX. Class D: That airspace extending upward from the surface up to but not including 3,000 feet MSL within a 4.1-mile radius of Fort Worth Spinks Airport, and within 1 mile each side of the 173° bearing from the airport extending from the 4.1-mile radius to 4.8 miles south of the airport. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

Revise ADA, OK. Class E: That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Ada Municipal Airport, and within 4 miles each side of the 000° bearing from the airport extending from the 6.5-mile radius to 10.3 miles north of the airport, and within 4 miles each side of the 180° bearing from the airport extending from the 6.5-mile radius to 10.9 miles south of the airport, and within 1.6 miles each side of the 354° radial of the Ada VOR extending from the 6.5-mile radius to 11 miles northeast of the airport.

SPECIAL USE AIRSPACE**22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009** No Major Changes.

DALLAS FT. WORTH TERMINAL AREA CHART
74th Edition, 24 Sep 2009**OBSTRUCTIONS****22 Oct 2009** No Major Changes.**AIRPORTS****22 Oct 2009** No Major Changes.**NAVAIDS****22 Oct 2009** No Major Changes.**AIRSPACE****22 Oct 2009** Add FORT WORTH SPINKS, TX. Class D: That airspace extending upward from the surface up to but not including 3,000 feet MSL within a 4.1-mile radius of Fort Worth Spinks Airport, and within 1 mile each side of the 173° bearing from the airport extending from the 4.1-mile radius to 4.8 miles south of the airport. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.**SPECIAL USE AIRSPACE****22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009** No Major Changes.

EL PASO SECTIONAL

83rd Edition, 30 Jul 2009

OBSTRUCTIONS**27 Aug 2009** No Major Changes.**22 Oct 2009** Add obst 4390' MSL (310' AGL) UC, 32°04'52"N, 106°16'32"W.
Add obst 5015' MSL (250' AGL) UC, 30°23'40"N, 102°50'44"W.**AIRPORTS****27 Aug 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****27 Aug 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 22 Oct 2009** No Major Changes.

HOUSTON HELICOPTER ROUTE CHART

6th Edition, 13 Mar 2008

OBSTRUCTIONS**10 Apr 2008** Add obst 630' MSL (542' AGL) UC, 29°46'57"N, 95°32'44"W.

Add obst 454' MSL (307' AGL), 30°01'10"N, 95°35'57"W.

5 Jun 2008 – 20 Nov 2008 No Major Changes.**15 Jan 2009** Add obst 575' MSL (500' AGL), 29°50'37"N, 95°24'30"W.**12 Mar 2009** No Major Changes.**7 May 2009** Add obst 405' MSL (387' AGL) UC, 29°34'00"N, 95°03'45"W.**2 Jul 2009** No Major Changes.**27 Aug 2009** Add obst 341' MSL (309' AGL), 29°22'30"N, 95°15'85"W.**22 Oct 2009** Add obst 2013' MSL (2000' AGL) UC, 29°18'01"N, 95°06'40"W.**AIRPORTS****10 Apr 2008** Delete TEXAS MEDICAL CENTER heliport, 29°42'26"N, 95°23'33"W.**5 Jun 2008** No Major Changes.**31 Jul 2008** Change CTAF 122.8 to 122.9 at FLYIN' B arpt, 29°32'15"N, 95°25'25"W.**25 Sep 2008 – 7 May 2009** No Major Changes.**2 Jul 2009** Delete SKYHAVEN arpt, 29°50'00"N, 95°08'54"W.**27 Aug 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****10 Apr 2008 – 22 Oct 2009** No Major Changes.**AIRSPACE****10 Apr 2008 – 7 May 2009** No Major Changes.**2 Jul 2009** Add CONROE, TX. Class D: That airspace extending upward from the surface to and including 2,700 feet MSL within a 4.1-mile radius of Lone Star Executive Airport, excluding that airspace within the 4.1-mile radius northeast of the intersection of the IAH VORTAC 356° radial and the TNV VORTAC 081° radial. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

Add CONROE, TX. Class E: That airspace extending upward from the surface to and including 2,700 feet MSL within a 4.1-mile radius of Lone Star Executive Airport, excluding that airspace within the 4.1-mile radius northeast of the intersection of the IAH VORTAC 356° radial and the TNV VORTAC 081° radial. This Class E airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

27 Aug 2009 – 22 Oct 2009 No Major Changes.**SPECIAL USE AIRSPACE****10 Apr 2008 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****10 Apr 2008 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****10 Apr 2008 – 22 Oct 2009** No Major Changes.

HOUSTON SECTIONAL
84th Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 Add obst 798' MSL (420' AGL) UC, 32°05'24"N, 90°39'59"W.

Add obst 315' MSL (310' AGL) UC, 29°50'32"N, 92°10'33"W.

Add obst 2013' MSL (2000' AGL) UC, 29°18'01"N, 95°06'40"W.

AIRPORTS

22 Oct 2009 Change RP 5W to RP 23W at PINEVILLE MUNI arpt, 31°20'31"N, 92°26'36"W.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

HOUSTON TERMINAL AREA CHART
72nd Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 Add obst 2013' MSL (2000' AGL) UC, 29°18'01"N, 95°06'40"W.

AIRPORTS

22 Oct 2009 No Major Changes.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

IFR GULF OF MEXICO **VERTICAL FLIGHT REFERENCE CHART** **12th Edition, 20 Nov 2008**

OBSTRUCTIONS

20 Nov 2008 – 22 Oct 2009 No Major Changes.

AIRPORTS

20 Nov 2008 – 7 May 2009 No Major Changes.

2 Jul 2009 Add heliport (51XS) Evergreen Helicopters Pvt N29°41'43" W093°57'49".

Add heliport (2TA7) ERA Helicopters Sabine Base Pvt N29°43'03" W093°51'47"

Add heliport (TA12) ERA Petroleum Helicopters Inc Pvt N29°42'12" W093°56'42".

Add heliport (95XS) Air Logistics Sabine Pvt N29°42'45" W093°54'35".

Add heliport (7LA5) Petroleum Helicopters Cameron Pvt N29°46'37" W093°17'59".

Add heliport (81LA) Mobil Chevron Pvt N29°47'09" W093°19'30".

Add heliport (LA78) CAGC DOCK Pvt N29°47'21" W093°19'12".

Add heliport (24LA) ERA Helicopters Cameron Base Pvt N29°46'49" W093°17'34".

Add heliport (13LA) Evergreen Pvt N29°47'05" W093°12'35".

Add heliport (LA53) Air Logistics Pvt N29°45'43" W093°00'54".

Add heliport (LA09) Air Logistics Intracoastal City Pvt N29°47'02" W092°09'49".

Add heliport (1LA9) Chevron INtracoastal Pvt N29°46'58" W092°09'24".

Add heliport (2LA3) Exxon Intracoastal City Terminal Pvt N29°49'29" W092°07'58".

Add heliport (74LA) ERA Helicopters Pvt N29°49'20" W092°08'17".

Add heliport (7LS4) Petroleum Helicopters Intracoastal City Pvt N29°47'45" W092°09'00".

Add heliport (5LA2) Mobil Pvt N29°41'23" W091°11'40"

Add heliport (9LA4) Texaco Pvt N29°41'12" W092°10'18".

Add heliport (7LS3) Petroleum Helicopters Lake Palourde Base Pvt N29°41'36" W091°05'55".

Add heliport (25LA) ERA Morgan City Pvt N29°38'42" W091°07'08".

Add heliport (4LA4) Chevron USA Inc Pvt N29°13'18" W090°13'01".

Add heliport (09LA) ERA Helicopters Fourchon Helibase Pvt N29°07'28" W090°12'19".

Add heliport (9LA3) Air Logistics Fourchon Pvt N29°07'01" W090°12'02".

Add heliport (LS99) Petroleum Helicopters Fourchon Base Pvt N29°06'59" W090°12'17".

Add heliport (OLA7) Exxon Pvt N29°15'14" W089°57'59".

Add heliport (GNI) Grand Isle Pvt N29°15'46" W089°57'40".

Add heliport (LS08) Robert L Suggs Pvt N29°21'19" W089°26'18".

Add heliport (45LA) Air Logistics Venice/N Pvt N29°17'46" W089°22'21".

Add heliport (LS52) ERA Helicopters Venice Base Pvt N29°17'14" W089°22'04".

Add heliport (8LA1) Chevron USA Pvt N29°15'49" W089°21'21".

Add heliport (MS78) Pascagoula Refinery PAD NR1 Pvt N30°19'53" W088°30'32".

Add heliport (2AL4) Petroleum Helicopters Theodore Pvt N30°25'52" W088°10'45".

27 Aug 2009 – 22 Oct 2009 No Major Changes.

NAVAIDS

20 Nov 2008 – 12 Mar 2009 No Major Changes.

7 May 2009 Change name and ident of SULFY (UX) NDB to SULPHUR (AUR) N30°11'54"N, 93°25'14.3"W.

2 Jul 2009 – 22 Oct 2009 No Major Changes.

AIRSPACE

20 Nov 2008 – 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

20 Nov 2008 No Major Changes.

15 Jan 2009 Change W-147A TIMES USED/DAYS to: Continuous.

Change W-147C, D TIMES USED/DAYS to: Continuous.

Change W453 TIMES USED/DAYS to: Continuous, OTHER TIMES BY NOTAM.

Change TIMES USED/HOURS to: Intermittent Days.

Change W-602 TIMES USED/DAYS to: Continuous.

12 Mar 2009 – 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

20 Nov 2008 – 22 Oct 2009 No Major Changes.

MISCELLANEOUS

20 Nov 2008 – 22 Oct 2009 No Major Changes.

KANSAS CITY SECTIONAL
82nd Edition, 4 Jun 2009**OBSTRUCTIONS****2 Jul 2009** Add obst 1308' MSL (358' AGL) UC, 38°14'23"N, 94°56'37"W.

Add obst 1682' MSL (310' AGL) UC, 37°02'18"N, 93°34'31"W.

Add obst 1012' MSL (265' AGL) UC, 39°36'08"N, 93°06'18"W.

Change obst from 1656' MSL (741' AGL) to 1949' MSL (1034' AGL), 38°21'40"N, 90°32'55"W.

Add obst 1129' MSL (290' AGL) UC, 38°47'46"N, 91°21'16"W.

27 Aug 2009 Add obst 1265' MSL (290' AGL) UC, 37°32'46"N, 90°12'37"W.

Add obst 560' MSL (260' AGL) UC, 36°40'24"N, 89°58'57"W.

Add obst 1516' MSL (260' AGL) UC, 37°39'55"N, 91°35'29"W.

Add obst 1490' MSL (320' AGL) UC, 36°27'39"N, 94°27'12"W.

Add obst 995' MSL (260' AGL) UC, 39°04'38"N, 90°50'02"W.

22 Oct 2009 Add obst 1635' MSL (305' AGL) UC, 36°27'17"N, 93°25'52"W.

Add obst 1641' MSL (238' AGL), 37°59'00"N, 96°52'21"W.

Add obst 934' MSL (520' AGL), 38°06'35"N, 90°15'30"W.

Add obst 1197' MSL (260' AGL), 37°44'20"N, 90°30'11"W.

Add obst 1025' MSL (275' AGL), 37°21'50"N, 90°41'52"W.

Add obst 1187' MSL (255' AGL) UC, 36°46'11"N, 96°12'35"W.

Add obst 1481' MSL (310' AGL) UC, 37°49'56"N, 91°33'28"W.

AIRPORTS**2 Jul 2009** Delete MARTIN arpt, 39°25'01"N, 90°35'09"W.

Delete JOAN LAKE arpt, 38°12'30"N, 90°52'00"W.

Delete SONTIMER arpt, 38°48'30"N, 90°36'45"W.

27 Aug 2009 Change CTAF 122.825 to 123.0 at BARTLESVILLE arpt, 36°45'51"N, 96°00'40"W.

Delete SMITH arpt, 39°18'47"N, 90°16'40"W.

22 Oct 2009 No Major Changes.**NAVAIDS****2 Jul 2009** No Major Changes.**27 Aug 2009** Delete MOSBY NDB, 39°20'45"N, 94°18'27"W.

Shutdown EL DORADO NDB, 37°46'46"N, 96°48'59"W.

22 Oct 2009 Shutdown BILMART NDB, 36°58'11"N, 92°40'39"W.**AIRSPACE****2 Jul 2009** No Major Changes.**27 Aug 2009** Revise MOUNT STERLING, IL Class E: That airspace extending upward from 700 feet above the surface within a 6.6-mile radius of Mount Sterling Municipal Airport.

Revise FULTON, MO Class E: That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Elton Hensley Memorial Airport and within 2.6 miles each side of the 069° bearing from the Guthrie NDB extending from the 6.5-mile radius of the airport to 7 miles northeast of the NDB, and within 2.6 miles each side of the 229° bearing from the NDB extending from the 6.5-mile radius of the airport to 7 miles southwest of the NDB.

22 Oct 2009 No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 - 27 Aug 2009** No Major Changes.**22 Oct 2009** Add SHIRLEY A MOA: Boundary beginning at 35°19'00"N, 92°38'00"W to 35°19'00"N, 93°12'00"W to 35°38'15"N, 93°35'00"W to 36°02'00"N, 93°13'00"W to 36°02'00"N, 93°06'15"W to 36°06'00"N, 93°06'15"W to 36°06'00"N, 92°38'00"W to the point of beginning. Altitude: 11,000' MSL to but not including FL 18,000'. Time of use: 0700-1200 and 1300-1700, Monday-Friday; other times by NOTAM. Controlling agency: Memphis Cntr. Frequency: 281.55.

Add SHIRLEY B MOA: Boundary beginning at 35°19'00"N, 92°38'00"W to 36°06'00"N, 92°38'00"W to 36°06'00"N, 92°07'11"W to 35°58'53"N, 91°46'00"W to 35°19'00"N, 92°02'00"W to the point of beginning. Altitude: 11,000' MSL to but not including FL 18,000'. Time of use: 0700-1200 and 1300-1700, Monday-Friday; other times by NOTAM. Controlling agency: Memphis Cntr. Frequency: 281.55.

MILITARY TRAINING ROUTES**2 Jul 2009** No Major Changes.**27 Aug 2009** IR 504 Revised.**22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 - 22 Oct 2009** No Major Changes.

MEMPHIS SECTIONAL

83rd Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 Add obst 505' MSL (328' AGL), 34°21'56"N, 90°38'14"W.

Add obst 798' MSL (420' AGL) UC, 32°05'24"N, 90°39'59"W.

Add obst 979' MSL (499' AGL) UC, 34°13'53"N, 93°16'47"W.

Add obst 495' MSL (330' AGL) UC, 33°39'16"N, 92°40'34"W.

Add obst 945' MSL (645' AGL) UC, 33°38'59"N, 93°48'43"W.

AIRPORTS

22 Oct 2009 Add RP 35 to TUNICA MUNI arpt, 34°41'06"N, 90°20'52"W.

NAVAIDS

22 Oct 2009 Shutdown PINHOOK NDB, 35°15'14"N, 88°12'15"W. Change bearing 294° to 293° from HAMILTON VORTAC(HAB) 34°11'42"N, 88°00'45"W.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 Change MEF 1° to 1¹ in quadrant 33°30'00"-34°00'00"N, 93°30'00"-94°00'00"W.

MEMPHIS TERMINAL AREA CHART

41st Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

AIRPORTS

22 Oct 2009 Add RP 35 to TUNICA MUNI arpt, 34°41'06"N, 90°20'52"W.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

NEW ORLEANS SECTIONAL

84th Edition, 4 Jun 2009

OBSTRUCTIONS

2 Jul 2009 Add obst 400' MSL (380' AGL), 30°16'18"N, 87°34'27"W.

Add obst 893' MSL (305' AGL), 32°04'34"N, 89°04'34"W.

Add obst 1000' MSL (551' AGL), 31°36'32"N, 89°25'44"W.

Add obst 603' MSL (318' AGL), 31°38'42"N, 90°12'53"W.

Add obst 725' MSL (349' AGL), 31°07'43"N, 90°46'11"W.

Add obst 949' MSL (620' AGL), 31°15'30"N, 89°55'59"W.

Add obst 508' MSL (490' AGL), 30°34'00"N, 87°13'37"W.

Add obst 497' MSL (305' AGL), 31°22'14"N, 88°15'01"W.

27 Aug 2009 Add obst 289' MSL (230' AGL), 30°34'24"N, 90°35'30"W.

Add obst 983' MSL (498' AGL), 31°26'02"N, 90°34'46"W.

Add obst 745' MSL (420' AGL), 31°35'40"N, 89°58'56"W.

Add obst 434' MSL (315' AGL), 31°00'49"N, 89°47'46"W.

22 Oct 2009 Add obst 599' MSL (310' AGL), 31°30'06"N, 86°22'13"W.

Add obst 793' MSL (420' AGL), 31°30'09"N, 86°42'18"W.

Add obst 695' MSL (420' AGL), 31°44'23"N, 87°11'14"W.

Add obst 964' MSL (420' AGL), 31°49'30"N, 89°54'01"W.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRPORTS**2 Jul 2009** No Major Changes.**27 Aug 2009** Delete PIKER-TOO, 31°00'42"N, 90°58'05"W.

22 Oct 2009 No Major Changes.

NAVAIDS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

AIRSPACE

2 Jul 2009 – 27 Aug 2009 No Major Changes.

22 Oct 2009 Change TYNDALL AFB ATCT frequency from 384.4 to 263.15, 30°04'12"N, 85°34'35"W.

SPECIAL USE AIRSPACE

2 Jul 2009 – 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

2 Jul 2009 No Major Changes.

27 Aug 2009 15 IR Revise ceiling from 20 MSL to 50 MSL from Point D to Point H.

22 Oct 2009 No Major Changes.

MISCELLANEOUS

2 Jul 2009 No Major Changes.

27 Aug 2009 Change MEF 1⁰ TO 1¹ in quadrant 31°00'-31°30'N, 89°30'-90°00'W.

22 Oct 2009 No Major Changes.

NEW ORLEANS TERMINAL AREA CHART

69th Edition, 4 Jun 2009

OBSTRUCTIONS

2 Jul 2009 No Major Changes.

27 Aug 2009 Add obst 465' MSL (460' AGL), 29°45'16"N, 91°10'26"W.

Add obst 289' MSL (230' AGL), 30°34'24"N, 90°35'30"W.

22 Oct 2009 No Major Changes.

AIRPORTS

2 Jul 2009 Delete SIMPSON arpt, 30°18'09"N, 91°16'17"W.

27 Aug 2009 – 22 Oct 2009 No Major Changes.

NAVAIDS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

AIRSPACE

2 Jul 2009 – 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

2 Jul 2009 – 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

2 Jul 2009 – 22 Oct 2009 No Major Changes.

MISCELLANEOUS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

ST. LOUIS SECTIONAL

80th Edition, 2 Jul 2009

OBSTRUCTIONS

2 Jul 2009 No Major Changes.

27 Aug 2009 Add obst 1144' MSL (258' AGL)UC, 38°42'07"N, 85°22'02"W.

Add obst 1328' MSL (350' AGL)UC, 37°37'05"N, 84°15'43"W.

Add obst 865' MSL (304' AGL)UC, 37°22'45"N, 88°39'47"W.

Add obst 1265' MSL (290' AGL)UC, 37°32'46"N, 90°12'37"W.

Add obst 560' MSL (260' AGL)UC, 36°40'24"N, 89°58'57"W.

Add obst 995' MSL (260' AGL)UC, 39°04'38"N, 90°50'02"W.

Add obst 792' MSL (270' AGL)UC, 37°38'14"N, 87°38'10"W.

Add obst 865' MSL (306' AGL)UC, 39°12'53"N, 87°20'48"W.

22 Oct 2009 Add obst 1224' MSL (300' AGL)UC, 39°44'58"N, 84°23'43"W.

Add obst 1629' MSL (285' AGL)UC, 36°04'48"N, 84°31'00"W.

Add obst 916' MSL (258' AGL)UC, 40°03'49"N, 87°42'44"W.

Add obst 934' MSL (520' AGL)UC, 38°06'35"N, 90°15'30"W.

Add obst 1197' MSL (260' AGL)UC, 37°44'20"N, 90°30'11"W.

Add obst 1025' MSL (275' AGL)UC, 37°21'50"N, 90°41'52"W.

Add obst 797' MSL (330' AGL)UC, 36°34'10"N, 88°50'13"W.

Add obst 754' MSL (320' AGL)UC, 36°47'55"N, 88°30'22"W.

CONTINUED ON NEXT PAGE

SC, 22 OCT 2009 to 17 DEC 2009

CONTINUED FROM PRECEDING PAGE

AIRPORTS**2 Jul 2009** No Major Changes.**27 Aug 2009** Change CAPE GIRARDEAU ATCT freq 119.0 to 125.525, 37°13'31"N, 89°34'15"W.

Change CTAF 119.0 to 125.525 at CAPE GIRARDEAU arpt, 37°13'31"N, 89°34'15"W.

Delete O'NEAL arpt, 38°41'29"N, 87°33'08"W.

Change CTAF 122.9 to 123.05 at MC CREARY CO arpt, 36°41'43"N, 84°23'29"W.

Delete HEMP RIDGE arpt, 38°09'11"N, 85°07'08"W.

Delete SMITH arpt, 39°18'47"N, 90°16'40"W.

22 Oct 2009 Delete CLARK arpt, 40°11'40"N, 86°31'23"W.

Delete POWELL arpt, 36°02'40"N, 84°00'16"W.

Delete HIGGINBOTHAM arpt, 39°20'29"N, 87°31'53"W.

NAVAIDS**2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009** No Major Changes.**27 Aug 2009** Revise MOUNT STERLING, IL CLASS E: That airspace extending upward from 700 feet above the surface within a 6.6-mile radius of Mount Sterling Municipal Airport.

Delete DAYTON Class C freq 127.65.

Add DAYTON Class C freqs 118.425 and 127.225.

Revise DAYTON Class C freq from 316.7 to 352.05.

22 Oct 2009 No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**SAN ANTONIO SECTIONAL****83rd Edition, 7 May 2009****OBSTRUCTIONS****7 May 2009** No Major Changes.**2 Jul 2009** Add obst 767' MSL (756' AGL) UC, 28°25'13"N, 96°42'05"W.

Add obst 595' MSL (310' AGL) UC, 29°12'25"N, 97°28'18"W.

Add obst 1926' MSL (350' AGL) UC, 30°00'57"N, 98°42'55"W.

Add obst 714' MSL (255' AGL) UC, 29°10'50"N, 98°20'17"W.

27 Aug 2009 Add obst 622' MSL (300' AGL) UC, 29°01'06"N, 97°26'27"W.

Add obst 1134' MSL (250' AGL) UC, 31°26'56"N, 97°47'18"W.

Change windmill farm highest MSL from 3055' MSL to 3428' MSL 31°57'10"N, 100°45'40"W.

Add obst 1630' MSL (234' AGL) UC, 31°44'24"N, 98°57'52"W.

Add obst 775' MSL (363' AGL) UC, 30°35'58"N, 96°38'33"W.

Add obst 941' MSL (254' AGL) UC, 29°11'39"N, 98°51'48"W.

Add obst 833' MSL (340' AGL), 30°29'20"N, 97°18'00"W.

Add obst 2927' MSL (389' AGL) UC, 31°05'08"N, 100°40'53"W.

Add obst 1928' MSL (300' AGL) UC, 31°58'01"N, 98°55'49"W.

Add obst 1949' MSL (350' AGL) UC, 32°10'12"N, 98°58'02"W.

Add obst 1094' MSL (389' AGL) UC, 29°48'16"N, 98°02'26"W.

Add obst 917' MSL (500' AGL) UC, 30°53'06"N, 96°32'30"W.

22 Oct 2009 Add windmill farm. 2945' is highest MSL, 31°06'15"N, 100°41'44"W.

Add obst 1213' MSL (254' AGL) UC, 31°23'43"N, 97°48'25"W.

Add obst 1041' MSL (307' AGL) UC, 29°13'36"N, 98°50'38"W.

Add obst 1194' MSL (240' AGL) UC, 29°36'59"N, 98°27'32"W.

Add obst 3001' MSL (315' AGL) UC, 31°19'12"N, 101°03'12"W.

Add obst 2423' MSL (263' AGL) UC, 32°06'09"N, 100°02'59"W.

Add obst 5015' MSL (250' AGL) UC, 30°23'40"N, 102°50'44"W.

Add obst 2727' MSL (263' AGL) UC, 31°10'01"N, 100°36'40"W.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRPORTS**7 May 2009** No Major Changes.**2 Jul 2009** Change LAUGHLIN AFB ATCT freq from 279.575 to 307.375, 29°21'34"N, 100°46'52"W.**27 Aug 2009** Delete BEICKER arpt, 29°31'45"N, 97°47'18"W.

Delete DE LEON arpt, 32°05'55"N, 98°31'31"W.

Add CTAF 122.9 at BOYD arpt, 31°34'30"N, 97°18'03"W.

22 Oct 2009 No Major Changes.**NAVAIDS****7 May 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****7 May 2009** No Major Changes.**2 Jul 2009** Revise COLEMAN, TX Class E: That airspace extending upward from 700 feet above the surface within an 8-mile radius of Coleman Municipal Airport.**27 Aug 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****7 May 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****7 May 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****7 May 2009** No Major Changes.**2 Jul 2009** Change MEF 0⁸ to 0⁹ in quadrant 28°00'–28°30"N, 96°30'–97°00"W.**27 Aug 2009** Change MEF 3² to 3⁶ in quadrant 31°30'–32°00"N, 100°30'–101°00"W.**22 Oct 2009** No Major Changes.**WICHITA SECTIONAL****83rd Edition, 39 Jul 2009****OBSTRUCTIONS****27 Aug 2009** Add obst 2930' MSL (350' AGL) UC, 39°50'12"N, 100°10'48"W.

Add obst 1665' MSL (310' AGL) UC, 37°57'55"N, 97°09'08"W.

Add obst 2636' MSL (350' AGL) UC, 39°49'30"N, 99°35'27"W.

22 Oct 2009 Add obst 1641' MSL (238' AGL), 37°59'00"N, 96°52'21"W.

Add obst 1782' MSL (260' AGL), 37°56'06"N, 97°51'53"W.

Add obst 1604' MSL (314' AGL), 37°30'30"N, 97°11'19"W.

Add obst 2978' MSL (350' AGL) UC, 36°19'02"N, 100°15'34"W.

Add obst 3298' MSL (315' AGL) UC, 38°55'12"N, 101°11'02"W.

Add obst 1588' MSL (320' AGL) UC, 37°29'57"N, 97°30'51"W.

AIRPORTS**27 Aug 2009** No Major Changes.**22 Oct 2009** Change CTAF/UNICOM freq to 123.075 at STEARMAN arpt, 37°46'30"N, 97°06'47"W.**NAVAIDS****27 Aug 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009** IR-526 Revised

IR-513 Revised

IR-504 Revised

22 Oct 2009 No Major Changes**MISCELLANEOUS****27 Aug 2009 – 22 Oct 2009** No Major Changes.

SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private-use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

UNITED STATES

FACILITY NAME	CHART & PANEL
Frankfort, IL (LL40)	L-28H
Chicago App/Dep Con 133.1 285.6	
Glasgow Industrial, MT (07MT)	H-1E, 2F, L-13D
Salt Lake Center App/Dep Con 126.85 305.2	
USAF Academy Bullseye Aux Airstrip, CO (C090)	L-10F
ASOS 118.325	
West Kentucky Airpark, KY (5KY3)	L-16I
Memphis Center App/Dep Con 133.65 292.15	
William P Gwinn, FL (06FA)	H-8I, L-23C
Gwinn Tower 120.4 314.6 (Mon-Fri 1300-2100Z)	
Gnd Con 121.65 279.25	

CANADA

FACILITY NAME	CHART & PANEL
Abbotsford, BC (CYXX)	H-1B, L-12F
ATIS 119.8 (1500-0700Z)	
Victoria Trml App/Dep Con 132.7 (Avbl on ground) 290.8	
Tower 119.4 (Inner) 121.0 (Outer) 295.0 (1500-0700Z) Gnd Con 121.8	
MF 119.4 295.0 (0700-1500Z) (Shape irregular to 4500')	
Amos/Maguy, QC (CYEY)	H-11B
Montreal Center App/Dep Con 125.9	
Atikokan Muni, ON (CYIB)	L-14I
MF 122.3 (5 NM to 4500' No ground station)	
Barrie-Orillia (Lake Simcoe Rgnl), ON (CNB9)	H-11B, L-31D
AWOS 122.55 (Pvt)	
Toronto Center App/Dep Con 124.025	
Bar River, ON (CPF2)	L-31C
Toronto Center App/Dep Con 132.65	
Bathurst, NB (CZBF)	L-32J
Moncton Center App/Dep Con 134.25	
Boundary Bay, BC (CZBB)	H-1B, L-1E
ATIS 125.5 (1500-0700Z)	
Vancouver App/Dep Con 132.3 363.8	
Tower 118.1 (Inner) 127.6 (Outer) (1500-0700Z) Gnd Con 124.3	
MF 118.1 (0700-1500Z to 2000'. Vancouver Trml 125.2 above 2000'. Shape irregular to 2500'.)	
Brampton, ON (CNC3)	L-31D
Toronto Trml App/Dep Con 119.3 253.1	
Brandon Muni, MB (CYBR)	H-2H
Winnipeg Center App/Dep Con 132.25 285.4	
MF 122.1 (5 NM to 4000')	
Brantford, ON (CYFD)	L-31D
Toronto Trml App/Dep Con 128.27	
Brockville-Thousand Islands Rgnl Tackaberry, ON (CNL3)	L-32G
Montreal Center App/Dep Con 134.675	
Bromont, QC (CZBM)	L-32G
Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400')	
Burlington Airpark, ON (CZBA)	L-31D
Toronto Center App/Dep Con 119.3 253.1	
Castlegar, BC (CYCG)	H-1C
Vancouver Center App/Dep Con 134.2 227.3	
MF 122.1 (5 NM to 6500')	
Centralia/James T. Fld Muni, ON (CYCE)	H-10G, 11B, L-31D
Toronto Center App/Dep Con 135.30	
Charlottetown, PE (CYYG)	H-11E, L-32J
Moncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200')	
Chatham-Kent, ON (CNZ3)	H-10G, L-30G
Cleveland Center App/Dep Con 132.25	

FACILITY NAME	CHART & PANEL
Collingwood, ON (CNY3) Toronto Center App/Dep Con 124.02	H-11B, L-31D
Cornwall Rgnl, ON (CYCC) Boston Center App/Dep Con 135.25 377.1	L-32G
Cranbrook/Canadian Rockies Intl, BC (CYXC) Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	H-1C
Debert, NS (CCQ3) Halifax Trml App/Dep Con 119.2	H-11E, L-32J
Digby, NS (CYID) Moncton Center App/Dep Con 123.9	L-32J
Downsview, ON (CYZD) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 MF 126.2 (3 NM to 1900')	H-11B, L-31E
Drummondville, QC (CSC3) Montreal Center App/Dep Con 132.35	L-32H
Earlton (Timiskaming Rgnl), ON (CYXR) MF 122.0 (5 NM to 3800') AWOS 128.6	H-11B
Elliot Lake Muni, ON (CYEL) Toronto Center App/Dep Con 135.4	L-31C
Fort Frances Muni, ON (CYAG) Minneapolis Center App/Dep Con 120.9	L-14H
Fredericton Intl, NB (CYFC) ATIS 127.55 Moncton Center App/Dep Con 124.3 135.5 270.8 Cinc Del 121.7 (Ltd hrs) MF 119.0 (5 NM to 3500')	H-11E, L-32I
Goderich, ON (CYGD) Toronto Center App/Dep 135.3 266.3	H-11B, L-31D
Greenwood, NS (CYZX) ATIS 128.85 244.3 (1100-0000Z) App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3 Gnd Con 133.75 289.4 Cinc Del 128.05 283.9	H-11E, L-32J
Grimsby Air Park, ON (CNZ8) Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	L-31E
Halifax/Shearwater, NS (CYAW) ATIS 129.175 (Ltd hrs) App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs) Gnd Con 121.7 250.1	H-11E, L-32J
Halifax/Stanfield Intl, NS (CYHZ) ATIS 121.0 Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8 Tower 118.4 236.6 Gnd Con 121.9 275.8 Cinc Del 123.95 Apron Advisory 122.125	H-11E, L-32J
Hamilton, ON (CYHM) ATIS 128.1 Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0 Gnd Con 121.6	H-10H, 11B, L-11B
Kingston, ON (CYGK) Montreal Center App/Dep Con 135.05 398.4 (0400-1115Z) MF 122.5 (1115-0400Z \pm 5 NM to 3300')	H-11C, L-31E, 32F
Kitchener/Waterloo, ON (CYKF) ATIS 125.1 (1200-0400Z \pm) Toronto Trml App/Dep Con 128.275 Waterloo Tower 126.0 118.55 (1200-0400Z \pm) Gnd Con 121.8 MF 126.0 (0400-1200Z \pm 5 NM to 4000')	H-11B, L-31D
Lachute, QC (CSE4) Montreal Center App Con 124.65 132.85 268.3 Montreal Center Dep Con 132.85 268.3	L-32G
La Tuque, QC (CYLQ) Montreal Center App/Dep Con 134.5	H-11C
Langley, BC (CYNJ) ATIS 124.5 (1630-0230Z, DT 1530-0330Z) Victoria Trml 132.7 290.8 Tower 119.0 (1630-0230Z, DT 1530-0330Z) Gnd Con 121.9 MF 119.0 (0230-1630Z, DT 0330-1530Z 3 NM to 1900')	L-1E

FACILITY NAME	CHART & PANEL
Leamington, ON (CLM2) Cleveland Center App/Dep Con 132.45	L-30F
Lethbridge, AB (CYQL) ATIS 124.4 (1300-0545Z‡) Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	H-1D
Lindsay, ON (CNF4) Toronto Center App/Dep 134.25	L-31E, L-32F
Liverpool/South Shore Rgnl, NS (CYAU) Moncton Center App/Dep Con 123.9	L-32J
London, ON (CYXU) ATIS 127.8 (1120-0345Z‡) Toronto Center App/Dep 135.3 135.625 Tower 119.4 125.65 (1120-0345Z‡) Gnd Con 121.9 MF 119.4 (0345-1120Z‡ 5 NM to 3000')	H-10G, 11B, L-30G, 31D
Manitowaning/Manitoulin East Muni, ON (CYEM) Toronto Center App/Dep 135.4 260.9	L-31C
Maniwaki, QC (CYMW) Montreal Center App/Dep Con 126.57	L-32G
Mascouche, QC (CSK3) MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the N shore of Riviere des Milles-Iles and 1 NM around Lac Agile Mascouche arpt.)	L-32G
Medicine Hat, AB (CYXH) AWOS 124.875 (0345-1245Z‡) MF 122.2 (1245-0345Z‡ 5 NM to 5400')	H-1D
Midland/Huron, ON (CYEE) Toronto Center App/Dep 124.025	L-31D
Miramichi, NB (CYCH) Moncton Center App/Dep Con 123.7	H-11E, L-32J
Moncton/Greater Moncton Intl, NB (CYQM) ATIS 128.65 App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8 Apron Advisory 122.075	H-11E, L-32J
Mont-Laurier, QC (CSD4) Montreal Center App/Dep Con 126.57	L-32G
Montreal Intl (Mirabel), QC (CYMX) ATIS 125.7 Montreal Center App Con 124.65 132.85 268.3 Montreal Dep Con 132.85 MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	H-11C, 12K, L-32G
Montreal/Pierre Elliott Trudeau Intl, QC (CYUL) ATIS 133.7 Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3 Tower 119.9 267.1 Gnd Con 121.9 275.8 Cinc Del 125.6 Apron 122.075 Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 268.3 (W-NW-NE) VFR Advisory 134.15	H-11C, 12K, L-32G
Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15	H-11C, L-32G
Muskoka, ON (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900')	H-11B, L-31D
Nanaimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500')	H-1B, L-1E
North Bay, ON (CYYB) ATIS 124.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000')	H-11B, L31D
Oshawa, ON (CYYO) ATIS 125.675 (1130-0330Z‡) Toronto Trml App Con 133.4 Tower 120.1 (1130-0330Z‡) Gnd Con 118.4 Toronto Trml Dep Con 133.4 MF 120.1 (0330-1130Z‡ 5 NM to 3000')	L-31E

FACILITY NAME	CHART & PANEL
Ottawa/Carp, ON (CYRP) ATIS 121.15 Ottawa Trml App/Dep Con 128.175 252.5	L-31E, 32F
Ottawa/Batineau, QC (CYND) Ottawa Trml App/Dep Con 127.7 128.175 252.5 MF 122.3 (5 NM shape irregular to 2500') VFR Advisory Ottawa Trml 127.7	H-11C, L-32G
Ottawa/MacDonald-Cartier Intl, ON (CYOW) ATIS 121.15 Ottawa App Con 135.15 Tower 118.8 120.1 341.3 Gnd Con 121.9 Clnc Del 119.4 Ottawa Dep Con 128.175	L-11C
Owen Sound/Billy Bishop Rgnl, ON (CYOS) Toronto Center App/Dep 132.575 290.6	L-31D
Pelee Island, ON (CYPT) Cleveland Center App/Dep Con 126.35 360.0	L-30F
Pembroke, ON (CYTA) Montreal Center App/Dep Con 135.2 Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z†, OT PPR)	H-11C, L-31E, 32F
Penticton, BC (CYF) Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100')	H-1B
Peterborough, ON (CYPQ) AWOS 126.925 Toronto Center App/Dep 134.25	H-11B, L-31E, 32F
Pincher Creek, AB (CZPC) Edmonton Center App/Dep Con 132.75 265.2	H-1D
Pitt Meadows, BC (CYPK) ATIS 125.0 (1500-0700Z†) Vancouver Center App Con 128.6 352.7 (Outer) Pitt Tower 126.3 (1500-0700Z†) Gnd Con 123.8 Vancouver Center Dep Con 132.3 363.8 (South) MF 126.3 (0700-1500Z†) (3NM to 2500')	L-1E
Quebec/Jean Lesage Intl, QC (CYQB) ATIS 134.6 Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8 (185.65 Quebec Twr VFR acft at or below 3000') Tower 118.65 236.6 Gnd Con 121.9 250.0	H-11D, L-32H
Riviere Du Loup, QC (CYRI) AWOS 122.025 (Pvt) Montreal Center App/Dep Con 125.1 299.6	H-11D
Rouyn Noranda, QC (CYUY) Montreal Center App/Dep Con 125.9 MF 122.2 (5 NM to 4000')	H-11B
Saint John, NB (CYSJ) Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400')	H-11E, L-32J
Sarnia (Chris Hadfield), ON (CYZR) Toronto Center 134.375	H-10G, 11B, L-30F
Sault Ste Marie, ON (CYAM) ATIS 133.05 (1300-0100Z†) Toronto Center App/Dep Con 132.65 344.5 Tower 118.8 (1300-0100Z†) Gnd Con 121.7 MF 118.8 (0100-1300Z† 5 NM irregular shape to 3000')	H-2K, L-31B
Sherbrooke, QC (CYAM) AWOS 126.25 Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800')	H-11D, L-32H
South Renfrew Muni, ON (CNP3) Montreal Center App/Dep 124.275	L-31E, 32F
Southport, MB (CYPG) ATIS 120.85 (Mon-Fri 1400-2300Z† except holidays) Tower 126.2 384.2 (Mon-Fri 1400-2300Z† except holidays) Gnd Con 121.7 275.8	H-2H

FACILITY NAME	CHART & PANEL
Springwater Barrie Airport, ON (CNA3) Toronto Center App/Dep Con 124.025	L-31D
St. Catharines/Niagara District, ON (CYSN) ATIS 128.525 (1215-0200Z) Toronto Trml App/Dep Con 133.4 253.1 MF 123.25 (1215-0200Z± 5 NM to 3300')	H-10H, 11B, L-31E
St. Frederic, QC (CSZ4) Montreal Center App/Dep Con 135.025 270.9	L-32H
St. Georges, QC (CYSG) Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM 3900' ASL)	H-32H, L-11D
St. Jean, QC (CYJN) Montreal Center App/Dep Con 125.15 268.3 Tower 118.2 (Apr-Oct 1230-0230Z± Nov-Mar 1300-0200Z) Gnd Con 121.7	L-32G
Sudbury, ON (CYSB) ATIS 127.4 Toronto Center App/Dep Con 135.5 MF 125.5 (7 NM to 4000')	H-31B, 10G, L-31D
Summerside, PE (CYSU) AWOS 122.55 (Pvt) Moncton Center App/Dep Con 124.4 384.8	H-11E, L-32J
Thunder Bay, ON (CYQT) ATIS 128.8 (1100-0400Z) Winnipeg Center App/Dep Con 132.125 (0400-1100Z) Tower 118.1 (1100-0400Z) Gnd Con 121.9 App/Dep 119.2 MF 118.1 (0400-1100Z± 5 NM to 4000')	H-2J, L-14J
Timmins, ON (CYTS) ATIS 124.95 (1000-0500Z) Toronto Center App/Dep Con 128.3 226.3 MF 122.3 (5 NM to 4000')	H-11B
Toronto/Buttonville Muni, ON (CYKZ) ATIS 127.1 (1200-0400Z) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 Tower 124.8 119.9 (1200-0400Z) Gnd Con 121.8 MF 124.8 (0400-1200Z± No gnd station. 5 NM shape irregular to below 2500')	L-31E
Toronto/City Centre, ON (CYTZ) ATIS 133.6 (1130-0400Z) App Con 133.4 Dep Con 133.4 Tower 118.2 119.2 226.5 (1130-0400Z) Gnd Con 121.7	L-31E
Toronto/Lester B Pearson Intl, ON (CYYZ) ATIS 120.825 App Con 124.475 125.4 132.8 Dep Con 127.575 128.8 Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9 Cinc Del 121.3 (1200-0400Z) VFR Advisory 119.3 133.4	H-11B, L-31D
Trenton, ON (CYTR) ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Cinc Del 124.35 286.4	H-11C, L-31E, 32F
Trenton/Mountain View, ON (CPZ3) Trenton Mil Advisory 268.0	H-11C, L-31E, 32F
Trois-Rivieres, QC (CYRQ) Montreal Center App/Dep Con 128.225 229.2 MF 123.0 (5 NM to 3200')	H-11C, L-32H
Val-D'or, QC (CYVO) Montreal Center App/Dep Con 125.9 308.3 MF 118.5 (1030-0325Z± 5 NM to 4000')	H-11B
Vancouver Intl, BC (CYVR) ATIS 124.6 124.75 App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner) Dep Con 126.125 (north) 132.3 (south) 363.8 Tower 118.7 (south) 119.55 (north) VFR 124.0 125.65 226.5 236.6 Gnd Con 121.7 (south) 127.15 (north) 275.8 Cinc Del 121.4	H-1B, L-1E

FACILITY NAME	CHART & PANEL
Victoria Intl, BC (CYYJ) ATIS 118.8 (1400-0800Z‡) App Con 125.95 308.4 Dep Con 133.85 308.4 Tower 119.1 (Outer) 119.7 (Inner) 239.6 Gnd Con 121.9 361.4 (1400-0800Z‡ OT ctc Kamloops 119.7) Cinc Del 126.4 (1400-0800Z‡)	H-1B, L-1E
Victoriaville, QC (CSR3) Montreal Center App Con 132.35	L-32H
Waterville/Kings Co Muni, NS (CCW3) Greenwood Trml App/Dep Con 120.6 335.9 Greenwood Tower 119.5 324.3	L-32J
Warton, ON (CYVY) Toronto Center App/Dep Con 132.575 MF 122.2 (5 NM to 3700')	H-11B, L-31D
Windsor, ON (CYQG) ATIS 134.5 (1130-0330Z‡) Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2 Tower 124.7 (1130-0330Z‡) Gnd Con 121.7 MF 124.7 (0330-1130Z‡ 6 NM irregular shape to below 3000') VFR Advisory Detroit App Con 134.3	H-10G, L-8J
Yarmouth, NS (CYQI) Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')	H-11E, L-32I

MEXICO

FACILITY NAME	CHART & PANEL
Abraham Gonzalez Intl (MMCS) Juarez App Con 119.9 Juarez Tower 118.9	H-4K, L-6F
Del Norte Intl (MMAN) ATIS 127.55 (1300-0300Z‡) Monterrey App 119.75 120.4 Tower 118.6	H-7B, L-20G
Durango Intl (MMDO) ATIS 132.1 Tower 118.1 Durango Info 122.3	H-7A
General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Cinc Del 122.35 Tijuana Info 132.1	H-4H, L-4H
General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8	H-7B, L-20H
General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9	H-7B, L-20G
General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4	L-6I
General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3	H-4H, L-4J, 5A
General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0	H-7C, L-21A
Plan De Guadalupe Intl (MMIO) Saltillo App Con 127.4 Saltillo Tower 118.4	H-7B
Quetzalcoatl Intl (MMNL) Nuevo Laredo App Con 118.3 Nuevo Laredo Tower 118.3	H-7B, L-20G
Torreon Intl (MMTC) App Con 119.6 Tower 118.5	H-7A

**INTENTIONALLY
LEFT
BLANK**

**INTENTIONALLY
LEFT
BLANK**









In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

GENERAL INFORMATION




PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., , , .
2. Approach lighting systems that do not bear a system identification are indicated with a negative "0" beside the name. A star (★) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., ★. To activate lights use frequency indicated in the communication section of the chart with a  or the appropriate lighting system identification e.g., UNICOM 122.8 , , .

<u>KEY MIKE</u>	<u>FUNCTION</u>
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-off)

CHART CURRENCY INFORMATION

FAA procedure amendment number  Amdt 11A 99365  Date of latest change
 Orig 00365

The Chart Date identifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.

MISCELLANEOUS

- ★ Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.


09071

LEGEND


INSTRUMENT APPROACH PROCEDURES (CHARTS)

AIRPORT DIAGRAM

Runways




ARRESTING GEAR: Specific arresting gear systems; e.g., BAK12, MA-1A etc., shown on airport diagrams, not applicable to Civil Pilots. Military Pilots refer to appropriate DOD publications.



ARRESTING SYSTEM

REFERENCE FEATURES



When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR.

Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A **D** symbol is shown to indicate runway declared distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information.

Runway Weight Bearing Capacity/or PCN Pavement Classification Number is shown as a codified expression.

Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 S75, T185, ST175, TT325 PCN 80 F/D/X/U

Helicopter Alighting Areas: Symbols for various helicopter landing areas.

Negative Symbols used to identify Copter Procedures landing point: Symbols for various helicopter landing areas.

Runway Threshold elevation: THRE 123

Runway TDZ elevation: TDZE 123

Runway Slope: 0.3% DOWN

(shown when runway slope is greater than or equal to 0.3%)

NOTE:

Runway Slope measured to midpoint on runways 8000 feet or longer.

U.S. Navy Optical Landing System (OLS) "OLS" location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types of aircraft.

Approach light symbols are shown in the Flight Information Handbook.

Airport diagram scales are variable.


True/magnetic North orientation may vary from diagram to diagram

Coordinate values are shown in 1 or 1/2 minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.

Positional accuracy within ±600 feet unless otherwise noted on the chart.

NOTE:

All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in FUP. (Foreign Only)



Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E., INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

LEGEND

HOT SPOTS

An "Airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.


A "hot spot" is a runway safety related problem area on a airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as open circles or polygons designated as "HOT¹", "HOT²", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
TEXAS		
MIDLAND		
MIDLAND INTL (MAF)	HOT ¹	Twy B and Twy P merge.
	HOT ²	Area not visible from tower. Limited air traffic services provided.
	HOT ³	Area not visible from tower. Limited air traffic services provided.

09183

AIRPORT DIAGRAM

ABILENE/ABILENE RGNL (ABI)
ABILENE, TEXAS



AIRPORT DIAGRAM

09183

ABILENE, TEXAS
ABILENE/ABILENE RGNL (ABI)

07298

AIRPORT DIAGRAM


AFD-482 [USAF]

ALTUS AFB (KLTS)

ALTUS, OKLAHOMA

ATIS ★ 109.8 273.5
 ALTUS TOWER
 119.65 255.6
 GND CON
 121.85 275.8
 CLNC DEL
 120.65 284.7

JANUARY 2007
 ANNUAL RATE OF CHANGE
 0.1° W



AIRPORT DIAGRAM

WGS DATUM


ALTUS, OKLAHOMA

ALTUS AFB (KLTS)

09183

AIRPORT DIAGRAM

AMARILLO/RICK HUSBAND AMARILLO INTL (AMA)
AL-19 (FAA) AMARILLO, TEXAS



AIRPORT DIAGRAM


09183

AMARILLO, TEXAS
AMARILLO/RICK HUSBAND AMARILLO INTL (AMA)

09183

AIRPORT DIAGRAM

AL-22 (FAA)

ARDMORE MUNI (ADM)
ARDMORE, OKLAHOMA

AIRPORT DIAGRAM

09183


ARDMORE, OKLAHOMA
ARDMORE MUNI (ADM)

09239

AIRPORT DIAGRAM

AL-5189 (FAA)

ARLINGTON MUNI (GKY)
ARLINGTON, TEXAS



AIRPORT DIAGRAM

09239


ARLINGTON, TEXAS
ARLINGTON MUNI (GKY)

09295

AIRPORT DIAGRAM

AL-556 (FAA)

AUSTIN-BERGSTROM INTL (AUS)
AUSTIN, TEXAS



AIRPORT DIAGRAM

09295

AUSTIN, TEXAS
AUSTIN-BERGSTROM INTL (AUS)


08129

BARKSDALE AFB (KBAD)

AIRPORT DIAGRAM

AFD-391 [USAF]

BOSSIER CITY, LOUISIANA



AIRPORT DIAGRAM

WGS-84 DATUM

BOSSIER CITY, LOUISIANA

BARKSDALE AFB (KBAD)

BATON ROUGE METROPOLITAN, RYAN FIELD (BTR)
AL-40 (FAA) BATON ROUGE, LOUISIANA




09295

AIRPORT DIAGRAM

BEAUMONT-PORT ARTHUR/SOUTHEAST TEXAS RGNL (BPT)

AL-521 (FAA)

BEAUMONT-PORT ARTHUR, TEXAS



AIRPORT DIAGRAM

09295

 BEAUMONT-PORT ARTHUR, TEXAS
 BEAUMONT-PORT ARTHUR/SOUTHEAST TEXAS RGNL (BPT)


06159

AIRPORT DIAGRAM

AFD-133 [USA]

BIGGS AAF (KBIF)

FORT BLISS, TEXAS



AIRPORT DIAGRAM

FORT BLISS, TEXAS

BIGGS AAF (KBIF)

09183

AIRPORT DIAGRAM

BROWNSVILLE/ SOUTH PADRE ISLAND INTL (BRO)

AL-61 (FAA)

BROWNSVILLE, TEXAS

ATIS


128.55

BROWNSVILLE TOWER ★

118.9 239.3

GND CON

121.9

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM


09183

BROWNSVILLE, TEXAS
BROWNSVILLE/ SOUTH PADRE ISLAND INTL (BRO)

09183

AIRPORT DIAGRAM

CLINTON-SHERMAN (CSM)
CLINTON, OKLAHOMA



AIRPORT DIAGRAM

CLINTON, OKLAHOMA
CLINTON-SHERMAN (CSM)

09183


09295

AIRPORT DIAGRAM

COLLEGE STATION/EASTERWOOD FIELD (CLL)

AL-928 (FAA)

COLLEGE STATION, TEXAS



AIRPORT DIAGRAM

09295

COLLEGE STATION, TEXAS
COLLEGE STATION/EASTERWOOD FIELD (CLL)


08269

AIRPORT DIAGRAM

AFD-91 [USAF]

COLUMBUS AFB (KCBM)

COLUMBUS, MISSISSIPPI



AIRPORT DIAGRAM

WGS-84 DATUM

COLUMBUS, MISSISSIPPI
COLUMBUS AFB (KCBM)

09183


AIRPORT DIAGRAM

COLUMBUS/GOLDEN TRIANGLE RGNL (GTR)

AL-5855 (FAA)

COLUMBUS-WESTPOINT-STARKVILLE, MISSISSIPPI

ATIS
126.375
GOLDEN TRIANGLE TOWER
118.2 298.875
GND CON
135.375 322.475
CLNC DEL
135.375 322.475
126.25 (When Tower Closed)



AIRPORT DIAGRAM

09183

COLUMBUS-WESTPOINT-STARKVILLE, MISSISSIPPI
COLUMBUS/GOLDEN TRIANGLE RGNL (GTR)


09015

CORPUS CHRISTI NAS (TRUAX FLD) (KNGP)

AIRPORT DIAGRAM

AFD-98 [USN]

CORPUS CHRISTI, TEXAS



AIRPORT DIAGRAM


CORPUS CHRISTI, TEXAS
CORPUS CHRISTI NAS (TRUAX FLD) (KNGP)

09183

AIRPORT DIAGRAM

AL-5032 (FAA)

CORPUS CHRISTI INTL (CRP)
CORPUS CHRISTI, TEXAS



AIRPORT DIAGRAM


09183

CORPUS CHRISTI, TEXAS
CORPUS CHRISTI INTL (CRP)

08325

AIRPORT DIAGRAM

AL-768 (FAA)

DALLAS/ADDISON (ADS)
DALLAS, TEXAS

AIRPORT DIAGRAM


08325

DALLAS, TEXAS
DALLAS/ADDISON (ADS)

09239

AIRPORT DIAGRAM


AL-742 (FAA)

DALLAS EXECUTIVE (RBD)
DALLAS, TEXAS

AIRPORT DIAGRAM

09239


DALLAS, TEXAS
DALLAS EXECUTIVE (RBD)



09015

AIRPORT DIAGRAM

AL-5866 (FAA)

DENTON MUNI (DTO)
DENTON, TEXAS

AIRPORT DIAGRAM

09015

DENTON, TEXAS
DENTON MUNI (DTO)


08269

DYESS AFB (KDYS)

AIRPORT DIAGRAM

AFD-2 [USAF]

ABILENE, TEXAS



ABILENE, TEXAS


DYESS AFB (KDYS)

09295

AIRPORT DIAGRAM

AL-134 (FAA)

EL PASO INTL (ELP)
EL PASO, TEXAS



AIRPORT DIAGRAM

09295

EL PASO, TEXAS
EL PASO INTL (ELP)


09239

AIRPORT DIAGRAM

AL-136 (FAA)

ENID WOODRING RGNL (WDG)

ENID, OKLAHOMA



AIRPORT DIAGRAM

09239


ENID, OKLAHOMA
ENID WOODRING RGNL (WDG)

09015

AIRPORT DIAGRAM

AL-728 (FAA)

FAYETTEVILLE/DRAKE FIELD (F'YV)
FAYETTEVILLE, ARKANSAS



AIRPORT DIAGRAM


09015

FAYETTEVILLE, ARKANSAS
FAYETTEVILLE/DRAKE FIELD (F'YV)

09183

AIRPORT DIAGRAM

FAYETTEVILLE/ NORTHWEST ARKANSAS RGNL (XNA)
AL-9274 (FAA) FAYETTEVILLE/SPRINGDALE/ROGERS, ARKANSAS



AIRPORT DIAGRAM


09183

FAYETTEVILLE/SPRINGDALE/ROGERS, ARKANSAS
FAYETTEVILLE/ NORTHWEST ARKANSAS RGNL (XNA)

09071

AIRPORT DIAGRAM

AL-6918 (FAA)

FORT WORTH ALLIANCE (A.F.W.)
FORT WORTH, TEXAS

AIRPORT DIAGRAM

09071


FORT WORTH, TEXAS
FORT WORTH ALLIANCE (A.F.W.)

09295

AIRPORT DIAGRAM

FORT WORTH MEACHAM INTL (F'TW)
FORT WORTH, TEXAS

AL-159 (FAA)



AIRPORT DIAGRAM

FORT WORTH, TEXAS
FORT WORTH MEACHAM INTL (F'TW)

09295


07354

FORT WORTH NAS JRB (CARSWELL FLD) (NFW)

AIRPORT DIAGRAM

AFD-160 [USN]

FORT WORTH, TEXAS



AIRPORT DIAGRAM

FORT WORTH, TEXAS


FORT WORTH NAS JRB (CARSWELL FLD) (NFW)

09127

AIRPORT DIAGRAM

AL-6113 (FAA)

GAINESVILLE MUNI (GLE)
GAINESVILLE, TEXAS



AIRPORT DIAGRAM


09127

GAINESVILLE, TEXAS
GAINESVILLE MUNI (GLE)

08157

AIRPORT DIAGRAM

AL-5724 (FAA)

GEORGETOWN MUNI (GTU)
GEORGETOWN, TEXAS

AIRPORT DIAGRAM


08157

GEORGETOWN, TEXAS
GEORGETOWN MUNI (GTU)

06327

AIRPORT DIAGRAM

GRAND PRAIRIE / GRAND PRAIRIE MUNI (GPM)
AL-9209 (FAA) GRAND PRAIRIE, TEXAS



AIRPORT DIAGRAM


06327

GRAND PRAIRIE, TEXAS
GRAND PRAIRIE MUNI (GPM)

07354

AIRPORT DIAGRAM

AL-572 (FAA)

GREENVILLE/MID DELTA RGNL (GLH)
GREENVILLE, MISSISSIPPI

AIRPORT DIAGRAM


07354

GREENVILLE, MISSISSIPPI
GREENVILLE/MID DELTA RGNL (GLH)

09295

AIRPORT DIAGRAM

AL-576 (FAA)

GULFPORT-BILOXI INTL (GPT)
GULFPORT, MISSISSIPPI

AIRPORT DIAGRAM

09295

GULFPORT, MISSISSIPPI
GULFPORT-BILOXI INTL (GPT)


09239

HOOD AAF (KHLR)

AFD-5031 [USA]

FT HOOD, TEXAS

AIRPORT DIAGRAM



AIRPORT DIAGRAM


FT HOOD, TEXAS
HOOD AAF (KHLR)

09071

AIRPORT DIAGRAM

HOUSTON/DAVID WAYNE HOOKS MEMORIAL (DWH)
AL-5457 (FAA)

HOUSTON, TEXAS



AIRPORT DIAGRAM


09071

HOUSTON, TEXAS
HOUSTON/DAVID WAYNE HOOKS MEMORIAL (DWH)

09239

AIRPORT DIAGRAM

AL-197 (FAA)

HOUSTON/ ELLINGTON FIELD (EFD)
HOUSTON, TEXAS

AIRPORT DIAGRAM

09239

HOUSTON, TEXAS
HOUSTON/ ELLINGTON FIELD (EFD)

09295

AIRPORT DIAGRAM

HOUSTON/ LONE STAR EXECUTIVE (C XO)

AL-5573 (FAA)

HOUSTON, TEXAS

ATIS

118.325

LONE STAR TOWER*

124.125


GND CON

120.45

CLNC DEL

120.45

119.55 (When Tower Closed)



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
 READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM

09295


HOUSTON, TEXAS
HOUSTON/ LONE STAR EXECUTIVE (C XO)

09295

AIRPORT DIAGRAM

AL-5537 (FAA)

HOUSTON/ SUGAR LAND RGNL (SGR)
HOUSTON, TEXAS



AIRPORT DIAGRAM


09295

HOUSTON, TEXAS
HOUSTON/ SUGAR LAND RGNL (SGR)

08101

AIRPORT DIAGRAM

AL-206 (FAA)

JACKSON/HAWKINS FIELD (HKS)
JACKSON, MISSISSIPPI


AIRPORT DIAGRAM

08101

JACKSON, MISSISSIPPI
JACKSON/HAWKINS FIELD (HKS)

08157

AIRPORT DIAGRAM

JACKSON-EVERS INTL (JAN)
JACKSON, MISSISSIPPI

AIRPORT DIAGRAM

08157

JACKSON, MISSISSIPPI
JACKSON-EVERS INTL (JAN)

09239


AIRPORT DIAGRAM

AFD-49 [USAF]


KEESLER AFB (KBIX)

BILOXI, MISSISSIPPI

ATIS 281.55
 KEESLER TOWER ★
 120.75 269.075
 GND CON
 121.8 275.8
 CLNC DEL
 121.8 275.8



AUGUST 2009
 ANNUAL RATE OF CHANGE
 0.1° W



AIRPORT DIAGRAM

WGS-84 DATUM

BILOXI, MISSISSIPPI
 KEESLER AFB (KBIX)


09239

AIRPORT DIAGRAM

AFD-918 [USN]

KINGSVILLE NAS (KNQI)

KINGSVILLE, TEXAS



ATIS ★
 276.2
 KINGSVILLE TOWER ★
 124.1 377.05
 GND CON
 239.05
 CLNC DEL
 328.4

AUGUST 2009
ANNUAL RATE OF CHANGE
0.1°W

VAR 4.90 E

FIELD
ELEV
50

BASE
OPS
CONTROL
TOWER
149

FIRE -
STATION

RWY 13L-31R
PCN 61 F/B/W/T
RWY 13R-31L
PCN 82 F/C/W/T
RWY 17L-35R
PCN 69 F/B/W/T
RWY 17R-35L
PCN 61 F/B/W/T

AIRPORT DIAGRAM

KINGSVILLE, TEXAS
KINGSVILLE NAS (KNQI)


09239

AIRPORT DIAGRAM

LA GRANGE/ FAYETTE RGNL AIR CENTER (3T5)

AL-9154 (FAA)

LA GRANGE, TEXAS



AIRPORT DIAGRAM

09239


LA GRANGE, TEXAS
LA GRANGE/ FAYETTE RGNL AIR CENTER (3T5)

09295

AIRPORT DIAGRAM

AL-865 (FAA)

LAFAYETTE RGNL (L.F.T)
LAFAYETTE, LOUISIANA



AIRPORT DIAGRAM

09295

LAFAYETTE, LOUISIANA
LAFAYETTE RGNL (L.F.T)


09239

AIRPORT DIAGRAM

AL-5111 (FAA)

LAKE CHARLES/CHENNAULT INTL (CWF)

LAKE CHARLES, LOUISIANA




AIRPORT DIAGRAM

09239

LAKE CHARLES, LOUISIANA
LAKE CHARLES/CHENNAULT INTL (CWF)

LAKE CHARLES RGNL (LCH)
LAKE CHARLES, LOUISIANA

ATIS 118.75
 LAKE CHARLES TOWER
 120.7 257.8
 GND CON
 121.8
 CLNC DEL
 126.25
 UNICOM 122.95



AIRPORT DIAGRAM

08157

LAKE CHARLES, LOUISIANA
LAKE CHARLES RGNL (LCH)


09183

LAUGHLIN AFB (KDLF)

DEL RIO, TEXAS

AIRPORT DIAGRAM

AFD-111 [USAF]



AIRPORT DIAGRAM


DEL RIO, TEXAS

LAUGHLIN AFB (KDLF)

09295

AIRPORT DIAGRAM

AL-924 (FAA)

LAWTON-FORT SILL RGNL (LAW)
LAWTON, OKLAHOMA

AIRPORT DIAGRAM

09295

LAWTON, OKLAHOMA
LAWTON-FORT SILL RGNL (LAW)


09183

AIRPORT DIAGRAM

AFD-738 [USAF]

LITTLE ROCK AFB (KLRF)

JACKSONVILLE, ARKANSAS



AIRPORT DIAGRAM


JACKSONVILLE, ARKANSAS

LITTLE ROCK AFB (KLRF)

09295

AIRPORT DIAGRAM

AL-233 (FAA)

LITTLE ROCK/ADAMS FIELD (LIT)
LITTLE ROCK, ARKANSAS

AIRPORT DIAGRAM

09295


LITTLE ROCK, ARKANSAS
LITTLE ROCK/ADAMS FIELD (LIT)

09015

AIRPORT DIAGRAM

AL-807 (FAA)

LONGVIEW/ EAST TEXAS RGNL (GGG)
LONGVIEW, TEXAS



AIRPORT DIAGRAM

09015

LONGVIEW, TEXAS
LONGVIEW/ EAST TEXAS RGNL (GGG)


09071

AIRPORT DIAGRAM

AL-241 (FAA)

LUBBOCK PRESTON SMITH INTL (LBB)

LUBBOCK, TEXAS



AIRPORT DIAGRAM

09071


LUBBOCK, TEXAS
LUBBOCK PRESTON SMITH INTL (LBB)

09071

AIRPORT DIAGRAM

AL-985 (FAA)

MC ALLEN MILLER INTL (MFE)
MC ALLEN, TEXAS



AIRPORT DIAGRAM


09071

MC ALLEN, TEXAS
MC ALLEN MILLER INTL (MFE)

09015

AIRPORT DIAGRAM

MC KINNEY/ COLLIN COUNTY RGNL AT MC KINNEY (TKI)
AL-6644 (FAA)
MC KINNEY, TEXAS



AIRPORT DIAGRAM

09015


MC KINNEY, TEXAS
MC KINNEY/ COLLIN COUNTY RGNL AT MC KINNEY (TKI)

09015

AIRPORT DIAGRAM

AL-6002 (FAA)

MENA INTERMOUNTAIN MUNI (MEZ)
MENA, ARKANSAS



AIRPORT DIAGRAM

09015

MENA, ARKANSAS
MENA INTERMOUNTAIN MUNI (MEZ)


09071

AIRPORT DIAGRAM

AL-254 (FAA)

MERIDIAN/KEY FIELD (MEI)

MERIDIAN, MISSISSIPPI



AIRPORT DIAGRAM

09071

MERIDIAN, MISSISSIPPI
MERIDIAN/KEY FIELD (MEI)


09295

MERIDIAN NAS (MC CAIN FIELD) (KNMM)

AIRPORT DIAGRAM

[USN] AFD-5079

MERIDIAN, MISSISSIPPI




AIRPORT DIAGRAM

 MERIDIAN, MISSISSIPPI
 MERIDIAN NAS (MC CAIN FIELD) (KNMM)

09071

AIRPORT DIAGRAM

AL-270 (FAA)

MONROE RGNL (MLU)
MONROE, LOUISIANA

AIRPORT DIAGRAM


09071

MONROE, LOUISIANA
MONROE RGNL (MLU)

09071

AIRPORT DIAGRAM

AL-6080 (FAA)

NEW BRAUNFELS MUNI (BAZ)
NEW BRAUNFELS, TEXAS

AIRPORT DIAGRAM


09071

NEW BRAUNFELS, TEXAS
NEW BRAUNFELS MUNI (BAZ)

09295

AIRPORT DIAGRAM

AL-5040 (FAA)

NEW IBERIA/ACADIANA RGNL (A.R.A.)
NEW IBERIA, LOUISIANA

AIRPORT DIAGRAM

09295


NEW IBERIA, LOUISIANA
NEW IBERIA/ACADIANA RGNL (A.R.A.)

09071

AIRPORT DIAGRAM

AL-288 (FAA)

NEW ORLEANS/LAKEFRONT (NEW)
NEW ORLEANS, LOUISIANA




AIRPORT DIAGRAM

09071

NEW ORLEANS, LOUISIANA
NEW ORLEANS/ LAKEFRONT (NEW)

09071

AIRPORT DIAGRAM

NEW ORLEANS/ LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)
AL-609 (FAA) NEW ORLEANS, LOUISIANA

AIRPORT DIAGRAM

NEW ORLEANS, LOUISIANA


09071

NEW ORLEANS/ LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)

09295

AIRPORT DIAGRAM

NORMAN/ UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)
AL-5672 (FAA) NORMAN, OKLAHOMA



AIRPORT DIAGRAM

09295


NORMAN, OKLAHOMA
NORMAN/ UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)

09295

AIRPORT DIAGRAM

OKLAHOMA CITY/CLARENCE E. PAGE MUNI (RCE)
AL-298 (FAA) OKLAHOMA CITY, OKLAHOMA

AWOS-3
125.05
CTAF/UNICOM
123.0



AIRPORT DIAGRAM

OKLAHOMA CITY, OKLAHOMA
OKLAHOMA CITY/CLARENCE E. PAGE MUNI (RCE)

09295


09295

AIRPORT DIAGRAM

OKLAHOMA CITY/ WILL ROGERS WORLD (OKC)

AL-301 (FAA)

OKLAHOMA CITY, OKLAHOMA



ATIS	125.85
ROGERS TOWER	119.35 269.45
GND CON	121.9 348.6
CLNC DEL	124.35

D

FIELD
ELEV
1295

NOTE: RAMPS ARE UNCONTROLLED DO NOT CALL FOR PUSH/POWER BACK. ADVISE GND CON WHEN READY TO TAXI.

RWY 13-31
S50, D200, ST175, DT400
RWYS 17L-35R, 17R-35L
S50, D200, ST175, DT400
RWY 18-36
S50, D150, ST175, DT240

CAUTION: BE ALERT TO
RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY.
HOLDING INSTRUCTIONS IS REQUIRED.

OKLAHOMA CITY, OKLAHOMA
BILL ROGERS WORLD (OKC)

09239


AIRPORT DIAGRAM

AFD-6553 [USN]

ORANGE GROVE NALF (KNOG)

ORANGE GROVE, TEXAS

ATIS ★ 254.325
 ORANGE GROVE TOWER ★
 281.425 318.85
 GND CON
 229.4



AIRPORT DIAGRAM

WGS-84 DATUM

ORANGE GROVE, TEXAS
 ORANGE GROVE NALF (KNOG)


09183

AIRPORT DIAGRAM

AFD-906 [USA]

ROBERT GRAY AAF (KGRK)

FORT HOOD, TEXAS



AIRPORT DIAGRAM


FORT HOOD, TEXAS

ROBERT GRAY AAF (KGRK)

09015

AIRPORT DIAGRAM

SAN ANGELO RGNL/ MATHIS FIELD (SJT)
AL-367 (FAA)
SAN ANGELO, TEXAS



AIRPORT DIAGRAM

09015

SAN ANGELO, TEXAS
SAN ANGELO RGNL/ MATHIS FIELD (SJT)


09071

AIRPORT DIAGRAM

SAN ANTONIO/ STINSON MUNI (SSF)

AL-372 (FAA)

SAN ANTONIO, TEXAS



AIRPORT DIAGRAM

09071

SAN ANTONIO, TEXAS
SAN ANTONIO/ STINSON MUNI (SSF)


09127

SHERMAN/DENISON/GRAYSON COUNTY (GYI)

AL-389 (FAA)

SHERMAN/DENISON, TEXAS

AIRPORT DIAGRAM



AIRPORT DIAGRAM


09127

SHERMAN/DENISON, TEXAS
SHERMAN/DENISON/GRAYSON COUNTY (GYI)

09183

AIRPORT DIAGRAM

AL-392 (FAA)

SHREVEPORT DOWNTOWN (DTN)
SHREVEPORT, LOUISIANA

AIRPORT DIAGRAM


09183

SHREVEPORT, LOUISIANA
SHREVEPORT DOWNTOWN (DTN)

09183

AIRPORT DIAGRAM

AL-884 (FAA)

SHREVEPORT RGNL (SHV)
SHREVEPORT, LOUISIANA

AIRPORT DIAGRAM


09183

SHREVEPORT, LOUISIANA
SHREVEPORT RGNL (SHV)

06215

AIRPORT DIAGRAM

AL-5165 (FAA)

SPRINGDALE MUNI (ASG)
SPRINGDALE, ARKANSAS

AIRPORT DIAGRAM


06215

SPRINGDALE, ARKANSAS
SPRINGDALE MUNI (ASG)

09183

AIRPORT DIAGRAM

AL-5151 (FAA)

STILLWATER RGNL (SWO)
STILLWATER, OKLAHOMA

AIRPORT DIAGRAM

09183


STILLWATER, OKLAHOMA
STILLWATER RGNL (SWO)

09071

AIRPORT DIAGRAM

 TEXARKANA RGNL-WEBB FIELD (TXK)
 TEXARKANA, ARKANSAS

AL-420 (FAA)



AIRPORT DIAGRAM


09071

 TEXARKANA, ARKANSAS
 TEXARKANA RGNL-WEBB FIELD (TXK)

09239

AIRPORT DIAGRAM

AFD-299 [USAF]

TINKER AFB (KTIK)
OKLAHOMA CITY, OKLAHOMA


AIRPORT DIAGRAM

OKLAHOMA CITY, OKLAHOMA
TINKER AFB (KTIK)

09295

AIRPORT DIAGRAM

AL-5427 (FAA)

TULSA/RICHARD LLOYD JONES JR. (RVS)
TULSA, OKLAHOMA

AIRPORT DIAGRAM


09295

TULSA, OKLAHOMA
TULSA/RICHARD LLOYD JONES JR. (RVS)

09127

AIRPORT DIAGRAM

AL-432 (FAA)

TULSA INTL (TUL)
TULSA, OKLAHOMA

AIRPORT DIAGRAM


09127

TULSA, OKLAHOMA
TULSA INTL (TUL)

09183

AIRPORT DIAGRAM

AL-854 (FAA)

TUPELO RGNL (TUP)
TUPELO, MISSISSIPPI

AIRPORT DIAGRAM

09183

TUPELO, MISSISSIPPI
TUPELO RGNL (TUP)


09295

AIRPORT DIAGRAM

AL-622 (FAA)

TYLER POUNDS RGNL (TYR)

TYLER, TEXAS



AIRPORT DIAGRAM

09295

TYLER, TEXAS

TYLER POUNDS RGNL (TYR)


09127

AIRPORT DIAGRAM

[USAF] AFD-135

VANCE AFB (KEND)

ENID, OKLAHOMA




AIRPORT DIAGRAM

 ENID, OKLAHOMA
 VANCE AFB (KEND)

09239

AIRPORT DIAGRAM

AL-579 (FAA)

WACO/TSTC WACO (CNW)
WACO, TEXAS

AIRPORT DIAGRAM

09239

WACO, TEXAS
WACO/TSTC WACO (CNW)

09295


AIRPORT DIAGRAM

AL-439 (FAA)

WACO RGNL (ACT)
WACO, TEXAS

ATIS
123.85
WACO TOWER ★
119.3 257.8
GND CON
121.9

D




AIRPORT DIAGRAM

09295

WACO, TEXAS
WACO RGNL (ACT)

WICHITA FALLS, TEXAS



**INTENTIONALLY
LEFT
BLANK**

**INTENTIONALLY
LEFT
BLANK**

NATIONAL WEATHER SERVICE (NWS) UPPER AIR OBSERVING STATIONS (UAOS) AND WEATHER RADAR NETWORK

